



GOING THE EXTRA YARD

Product **CATALOG**

Auto • Home • Marine



NEW COLLECTION
8TH EDITION

INDEX

G	GENERAL	1-55
F	FURNITURE	56-68
M	MARINE	69-88
A	AUTOMOTIVE	89-92
D	DRAPERY	93-94

A	PAGE
ABS Panel Boards	90
Air Tools: Decorative Nail Nailer, Staple & Tack Remover, Accessories	27,35
Accon Marine Fittings	84
Accord Cloth (see Dust Cloth)	56
Acrylic Binding	73
Acrylic Canvas	69
Adhesives, Cements	1
Anchor-Swing	64
Aquatite	2
Aruvo Thread, Bobbins	47,70
Auto Fasteners	89
Auto Trimmers Knife	36,91
Awl	36
Awning Galvanized Staples	26,88
Awning Track: Aluminum, Costa, Plastic, PVC, Screws	
Spline, Tubing	86-88
B	PAGE
Baby Snaps	5
Back to Back Hook and Loop	50
Backed Foam	18
Bags-Plastic	20
Ball and Socket, Bimini Hardware	84
Banding Film	20
Bantam Bully Air Staple/Tack Remover	27,35
Batten Socket	92
Batting: Poly, Slick, Stuffing, Wrap	19,20
Beaded Welt	87,92
Bell Bloc-Water Resistant Liner	69
Belt Punches	37
Berry Staple Puller	36
Bimini Fittings	80-85
Binder (for acrylics)	21,73
Binding-Vinyl-Carpet-Acrylic	4,68,73
Bits (square head screws)	88
Black Bottom, Dust Cloth	56
Blind Tack Tape	66
Boards: ABS Panel, PVC	79,90
Boat Cover Poles	85
Boat Fittings and Hardware	80-85
Boat Vent, Hardware - Cap	85
Bobbins: Steel Size G and M, Standard & Casings	22
Bobbins: Prewound	41-43,46-47,70
Bolster Clip	77
Bolster Foam	14
Bonded Polyester Batting	19
Bows: Fiberglass, Sockets	92

Buckram, Drapery Supply	94	Extension for Zipper Pull	53
Buckles: Nylon, Stainless Steel	80,82	Extruded Clear Vinyl	79
Burlap	56	EVA Foam	17
Button Press	13,59	Eye Strap	81-82
Button Twine	61	EZ Dri Foam	17
Buttons: Cutters,Dies,Durasnap,Molds, Nail Backs,Nylon,Pivot,Prong	59-61	E-Z Tool Punches	32
C	PAGE	F	PAGE
CAF Comp Screw Studs	6	Fabric Cutter (Rotary)	30
Cambric Substitute(See Dust Cloth)	56	Facing: Acrylic	73
Canvas: Cotton Duck	56	Fasteners Automotive	89
Caps - Fasteners - Boatvent	5-6,11,85	Fasteners: Caps, Loxx, Sockets, StayPut, Studs, Posts	5-11,81
Carpet Binding	4,68	Fasteners: Adhesive SNAD	10
Cements, Adhesives	1	Fiberglass Bows	92
Chair Covers	20	Fiber Fill Polyester	19
Chalk	3	Filler Bazooka	38
Channel Foam	18	Film: Silk, Plastic, Stuff Ease	20,56
Christmas Tree	77,89	Fit Right Cover Tool	34,86
Clasps, Tufting Needle	39	Flex Trim	66
Claw Tools (Lifters)	36	Flipper Removable Pins	84
Cleaner: Strataglass Protective	78	Foam	14-18
Clear Vinyl: Crystal Clear, O'Sea, Regalite, Strataglass	79	Foam Saw, Blades	32
Clear Plastic & Vinyl Rolls	78	Foam Welt Soft	51
Clear Vinyl Sheets	79	Fox Edge, see Edge Roll	57
Clip-Vadney	11	Furniture Covers, see Plastic	20
Clips: EK, No-Sag, Staple Edgewire, Pirelli, Spring, Zig-Zag, Bolster Z Clips	64,77	Furniture Spline (outdoor)	86
Closed Cell Flotation Foam	17,18	G	PAGE
Coil Springs	63	Gel Foam	18
Color Caps-Fasteners	6	Gimp	58
Composite Screws	6	Gimp Staple (Narrow Crown)	24
Contact Cement	1	Glides-Nylon, Felted, Steel	61
Cord: Nylon(awning & boat) Shock	71	Glue Gun	2,35
Cord Locks	71	Glue, Glue Stick	1,2
Costa Track	88	Glue Sprayers	1,35
Cotton Batting	19,56	Goose Down & Feather, Forms	19,58
Cotton Canvas Natural	56	GORÉ Thread (Tenara)	48,69
Cotton Welt	51	Grease Pencil	3
Countersunk Washer (stainless)	82,89	Grip Snip Thread Cutter	22
Cover Rail	87,92	Grommets and Washers	12,13
Cover Tool Kit	34,86	Grommet: Cutters	13,34,37
Covers: Plastic	20	Dies	13,34,59
Crayons	3	Kits	13
Crinoline (Skirt Lining)	57	Grommet Hole Cutters	34,37
Crystal Clear Sheets	79	Grommet Press	13
Curtain Fasteners, Washers	8	Gypsy Stud	6
Curve-Ease,	66	H	PAGE
Cutters - Punches	9,30,32,34,36,37	Hammers: Ripping, Tack, Tip	38
D	PAGE	Hand Stapler	23
Dacron, see Polyester Fiber Fill	19,20	Handsewing Needles	28,29
Deck Hinges	81,83,84	Handsewing Thread	40
Decking, Denim	56	Hardware, Marine	80-87
Decorative Nail Pliers	39	Headliner: Auto	90
Dies, Die Press, Cutters	13,33,34,59	Headliner: Marine	78
Double Faced Tape	76	Headliner Clips	89
Down and Feather - loose,form	19,57	Heel Pads	90
Downproof Ticking	57	Hidem	74
Drapery Lining Hardware & Etc	93-94	Hinges (Deck)	80,81,83,84
Drill Bit	88	Hog Rings (stainless)	77
D-Rings: Nickel	61	Hog Ring Pliers	39
Plastic	80	Hole Punch, Cutters	32,34,36,37,59
Stainless Steel	82	Hook Fastener, Velcro™ substitute	49,50
Dust Cloth, Black Bottom	56	Hooks, Drapery, Seat	91,94
E	PAGE	Hooks - Shock Cord	71
Edge Roll	57	Hot Glue Guns	2
Edge Seals (xtreme pro seal)	76	Hot Knife	32
Edge Wire, Clips, EK Clips	64	Hot Melt	2
EK Clips	64	I	PAGE
Elasbelt Rubber Webbing	68	Imar Products: Stratglass Cleaner	78
Elastic	4	J	PAGE
Elbow (stainless)	82	Jaw Slide	83,84
Electric Staple Gun	26	Jute Felt Pad	91
Eye End (stainless)	83	Jute Webbing	68
Eye End (plastic)	81	K	PAGE
		Keder Welt	87
		Klinch It Tool	32,63
		Klinch It Tool Staples	32,63
		Knife-Trimmers-Hot	32,36,91

L	PAGE	Plastic Sheeting	<u>20,76</u>	Skirt Insert: Skirtex/ Pellon	<u>57</u>
Landau Contact Cement	<u>1</u>	Platform Rocker Springs	<u>65</u>	Skirt Lining, Crinoline	<u>57</u>
Landau Top Foam	<u>18</u>	Pliers: Canvas/Webbing	<u>37</u>	Slide Track and Hardware	<u>80</u>
Lanyards	<u>84</u>	Hog Ring	<u>39</u>	SNAD Fasteners	<u>10</u>
Leather: Cleaner/Conditioner	<u>2</u>	Ply Grip	<u>66</u>	Snap Caps	<u>11</u>
Lever Spring Stretcher	<u>38</u>	Poles, Boat Cover, Mooring Tent	<u>85</u>	Snap Collets, see Buttons	<u>58</u>
Lift the Dot, see		Polish: Strataglass Protective	<u>78</u>	Snap Dies	<u>13,59</u>
Curtain Fasteners	<u>8</u>	Polycarbonate (Tuffak/Makrolon)	<u>79</u>	Snapfast Items & Punch	<u>11,32</u>
Linings, Drapery	<u>93</u>	Poly Foam Rolls, see Foam	<u>17,18</u>	Snap Fasteners	<u>5-11</u>
Listing Tape	<u>92</u>	Poly Welt	<u>51,86</u>	Snap Fastener Kit	<u>7</u>
Lock Down Clips	<u>77</u>	Polyester Fiber Fill, Bonded, Loose	<u>19,20</u>	Snap Hooks/D-Rings:	
Loop Fastener, Velcro™ substitute	<u>49,50</u>	Polyester Thread (92 and 138)	<u>43-46,48</u>	Stainless	<u>82</u>
Soft Seat Cover Loop	<u>50,91</u>	Polyester Webbing	<u>72</u>	Plastic	<u>80</u>
Loxx Fasteners	<u>7,82</u>	Polyethylene Tubing	<u>51,86</u>	Nickel/Steel	<u>82</u>
Lubricants: Oil	<u>2,22,27</u>	Pontoon Boat Square Hardware	<u>81</u>	Snap On Trim, Snap On Clips	<u>89,92</u>
Silicone	<u>2</u>	Pop Rivets (stainless)	<u>82</u>	Socket Deck Hinges	<u>84</u>
M	PAGE	Posts	<u>5</u>	Socket, Dies	<u>5-8,33</u>
Machine Oil	<u>2</u>	PowerSnap	<u>7,33</u>	Soft Slick Polyester	<u>20</u>
Mallet: Rawhide, Hickory	<u>38</u>	Premade Welting	<u>74,75</u>	Solar Thread	<u>47,69</u>
Makrolon: Polycarbonate Sheet	<u>79</u>	Premobond	<u>48</u>	Sofa Covers	<u>20</u>
Marine Hardware Fittings:		Press-N-Snap, accessories	<u>7,8,33,34</u>	Spacers, Boat Windows	<u>86</u>
Nylon	<u>80,81</u>	Prong Caps, Prong Washer, Backs	<u>11,60</u>	Spline (outdoor)	<u>86</u>
Stainless	<u>82-84</u>	Protective Polish (Strataglass)	<u>78</u>	Sponge Round Rubber	<u>92</u>
Marine Headliner	<u>78</u>	Punches: C-4, L-6, Arch, Belt		Sprayer, Contact Cement	<u>1,35</u>
Marine Underlining VCM	<u>69</u>	Snapfast, E-Z Tool, Two Prong	<u>8,9,32,37</u>	Spring Twine	<u>63</u>
Markers: China, Grease	<u>3</u>	PVC Boards	<u>79</u>	Springs: No Sag, Marshall Unit	
Marshall Units	<u>64</u>			Platform Rocker,	
Measure Tape, Soft Tape	<u>34</u>			Coil Springs, Hardware	<u>63-65</u>
Metal Tack Strip	<u>67</u>			Stainless Fittings, Hardware, Tubing	
Military Black Fasteners	<u>5</u>	Quick Nailer Nail Spacer	<u>39</u>		<u>82-84,86</u>
Moisture Barrier, Bell Bloc	<u>69</u>	Quick Release Pins	<u>84</u>	Staple Guns	<u>26,27,88</u>
Molded Tooth Zipper	<u>54-55</u>	Quick Release Bimini Fittings	<u>84</u>	Staple Gun Accessories	<u>27</u>
Monocord Thread	<u>42</u>	R	PAGE	Staple Lifter	<u>36</u>
Monofilament Thread	<u>40</u>	Ratchets	<u>71</u>	Stapler, Hand Stapler	<u>23</u>
Mooring Tent Pole & Supplies	<u>85</u>	Razor Blades	<u>40</u>	Staples	<u>23-27,88</u>
Muslin	<u>56</u>	Regalite, Polished Plastic Sheet	<u>79</u>	Stayput Fasteners	<u>81</u>
N	PAGE	Regulators	<u>29</u>	Straight Needles	<u>28,29</u>
Nail Head Trim	<u>62</u>	Repair Tufting Needles	<u>39</u>	Strataglass-Cleaner-Protection	<u>78,79</u>
Nail Spacer	<u>39</u>	Reticulated Foam	<u>17</u>	Stretchers:	
Nailer - Pneumatic Decorative		Revolving Hole Punch	<u>36</u>	Webbing/Canvas, Seam	<u>37</u>
Nailer	<u>27,35,63</u>	Ripping Pincer Tools	<u>39</u>	Spring	<u>38</u>
Nails: Panel	<u>61</u>	Rivets-Pop-Stud	<u>6,82</u>	Stud - Socket Dies	<u>33</u>
Decorative	<u>62</u>	Roll Poly Foam	<u>17</u>	Studs - Rivets	<u>5-11,82</u>
Needled Polyester	<u>19</u>	Rolled Clear Plastic/Vinyl	<u>78</u>	Stuff-Ease, Cushion Stuffing Wrap	<u>56</u>
Needles: Button	<u>28,29</u>	Rolled Rim Grommets	<u>12</u>	Stuff-it, Loose Polyester Fiber Fill	<u>19</u>
Handsewing-Curved	<u>28,29</u>	Rope: Nylon	<u>71</u>	Square Head Screw & Bit	<u>88</u>
Handsewing-Straight	<u>28,29</u>	Rubber Webbing	<u>68</u>	Sun-Ban	<u>45,46</u>
Sewing Machine	<u>22,23</u>	Rulers	<u>34</u>	Sunguard Thread	<u>45,47</u>
Nippers, Side Cutters	<u>39</u>	S	PAGE	Sunstop Thread	<u>43</u>
No Sag Springs, Clips, Stretcher	<u>63,64</u>	Saw (foam)	<u>32</u>	Super Lid	<u>1</u>
Nylon Boat Fittings/Hardware	<u>80-81</u>	Scissors	<u>30-31</u>	Swing Anchors	<u>64</u>
Nylon Thread	<u>40-42</u>	Scratch Awl	<u>36</u>	Swivels, Swivel Rocker Bases	
Nylon Webbing, Nylon Cord	<u>71,72</u>	Screw Studs	<u>5-8,82</u>	Swivel Plates	<u>65</u>
O	PAGE	Screw Stud Seal Washer	<u>6</u>	Swivel Pad, Boatcover Pole	<u>85</u>
Oil: Sewing	<u>2,22</u>	Screws	<u>6-8,81,88,89</u>	Synthetic Burlap	<u>56</u>
Pneumatic	<u>27</u>	Seam Reinforcement Tape	<u>75,91</u>	T	PAGE
Outdoor Furniture Spline	<u>86</u>	Seam Ripper	<u>36</u>	T-Nuts & T-Nuts (stainless)	<u>8,82</u>
P	PAGE	Seam Stretcher	<u>37</u>	T-Pins	<u>29</u>
Pad Eyes	<u>81,82</u>	Seamstick Tape	<u>76</u>	Tack Claw (lifter)	<u>36</u>
Padding-Needled Polyester	<u>19</u>	Seat Hooks	<u>91</u>	Tackstrips, Metal, Cover, Padded	<u>67</u>
Pads: Heel, Jute Felt, Thermozite	<u>90,91</u>	Seat Marshall Units	<u>64</u>	Tailors Chalk & Pencils	<u>3</u>
Pallet Wrap	<u>20</u>	Serging Needles	<u>23</u>	Tape Measure (soft)	<u>34</u>
Panel Boards-ABS	<u>40,90</u>	Set Screws	<u>83</u>	Tapes: Double Faced	<u>76</u>
Panel Nails	<u>61</u>	Sew Foams	<u>18</u>	Listing	<u>92</u>
Panhead Screws	<u>8,83</u>	Sewing Machines, Bobbins,		Seam Stick	<u>76</u>
Pattern Plastic: 6mil economy	<u>20,76</u>	Welt Feet, Lamps, Parts	<u>21,22</u>	Shipping	<u>20</u>
Pellon, see Skirt Lining	<u>57</u>	Sewing Machine Needles, Casings		Strapping	<u>20,76</u>
Pencils: Grease, Lead, Soft Core,		Blind Stitch, Serging	<u>22,23</u>	Twill	<u>94</u>
Water Soluble, All	<u>3</u>	Sewing Machine Oil	<u>2,22</u>	Tee Top Trim	<u>87</u>
Perforated Headliner (marine)	<u>78</u>	Shears, Scissors, Cordless	<u>30-31</u>	Tenara Thread	<u>47,69</u>
Pig Tail Hose	<u>27</u>	Sheets: Polished Clear Vinyl,		Tent Poles, Mooring-Parts	<u>85</u>
Pirelli Webbing/Clips	<u>68</u>	Crystal Clear,		TEX40 Spun Polyester, Surging,	
Pillow Forms: Poly Fill,		Strataglass, Regalite		Blind Hemming	<u>47</u>
Goose Down/Feather	<u>58</u>	Shipping Tape	<u>20</u>	Thermozite Pad	<u>91</u>
Pins	<u>29</u>	Shock Cord, Bungee, Hooks	<u>71</u>	Thread Canister Cover	<u>40</u>
Plastic, Bags, Covers		Shredded Foam	<u>17</u>	Thread Clips - Shears	<u>30,31</u>
Silk Film, Tubing	<u>20</u>	Side Cutters	<u>39</u>	Thread: Aruvo, Bobbins	<u>48,70</u>
Plastic-Clear Rolled-Vinyl	<u>78</u>	Silicone	<u>2</u>	Thread: Handstitching	<u>40</u>
		Silk Film, Plastics	<u>20</u>		
		Sinuous Springs	<u>64</u>		

Thread: Nylon, Polyester	40-47
Ticking - Downproof	57
Tie Down, Ratchet	71
Timesaver Tufting Needle	39
Tissue Welt (braided)	51
Tonneau Hardware, Vinyl	92
Tonneau Vinyl	92
Tool Oil	27
Tools	7-9,27,30-40,59,61,63
Top Fitting Tool	34,86
Top Stitch Webbing	49
Torsion Springs	66
Track Slide	80
Trim Fasteners	89
Trim, Snap-on, Clips	89,92
Trunk Lining	91
Tubing: Stainless, Aluminum, Plastic, Polyethylene	51,86
Tucking Tools	35
Tufting Needles, Clasps (repairs)	39
Tufting or Prong Washer	60
Turnbuckle Install Bit	9
Turnbuckle Plastic Washer	9
Turnbuckle, Fasteners & Tool (Common Sense)	9
Turn Button Driver	9
Turn Lock Die	9
Tweezers	21
Twill Tape	94
Twines (button, spring)	61,63
Twistlocks	9
Twist Pins	29
Typar, see Dust Cloth	56
U	PAGE
Ultimate Pillow Forms, Fill	19,58
Underlining (marine)	69
Universal Tee (stainless)	82
Upholstery Pins	30
Utility Bags	20

V	PAGE
Vadney Clip (boat windshields)	11
Velcro™ substitute: Hook, Loop	49,50
Velstrip Hook Strip 48"	50
Vented Foam	18
Ventilator Die Set	40,61
Ventilators	40,61
Vents (boat)	85
Vinyl Binding	4
Vinyl Cement	1
Vinyl Clear	
Cleaner, Polish, Sheet	78,79
Vinyl Headliner (marine)	78
Vinyl Tack Strip Cover	67
Vinyl (Tonneau)	92
Vinyl Welt	74,75
W	PAGE
Washer for Tufting or Prong Button	60
Water Repellent - Aquatite	2
Water Resistant Liner	69
Webbing:	
Clips, Elasbelt, Jute	68
Pirelli, Synthetic	68
Nylon	68,72
Pliers	37
Polyester	72
Polypropylene	49,72
Webbing Stretcher	37
Weights, Drapery	94
Weldwood Contact Adhesive	1
Welt Cords: Beaded, Keder	87
Cotton, Poly,	51,86
Soft Foam, Tissue	51
Welt Feet	21
Welting Pre-Made Vinyl	74,75
Windlace - Sponge Round	
Rubber Filler	92
Window Spacer	86
Windshield Clips	6

X	PAGE
Xtreme Seal (V Pro)	76
Z	PAGE
Z Clips	77
Zig Zag Repair Clip, (see Springs)	64
Zipper Pull Extension	53
Zippers, Zipper Slides	52-55
Zipper Slide Jig	37,53
Zipper Stops	53
Zip Strip Awning Spline	75

SAMPLE SECTION

Acrylic Canvas	35,37,38
Auto Trunk Lining	30
Auto Headliner	27,28
Auto Vinyl	13,23-26
Boat Cover & Awning	35,37-40
Contract Upholstery Vinyl	13-16,41,42
Decorative Nails	45
Decorative Outdoor Uph. Fabrics	1,2
Designer & Textured Fabric	3,4
Diamond Pleat	19,21
Flexform Carpet	29
Gimp	46
Houndstooth & Plaid	5
Hydromat Flooring	32
Leather	8-10
Marine Carpet	31
Marine Mesh	4,16
Marine Microsuede Vinyls	18
Marine Vinyls	15-17,19,20,22-24,33,34,36,44
Suedes	6,7
Pressed Polished Clear Sheets	43,44
Tarp	44
Tweed-Contact & Office	4



Online Wholesale Account Access

To access your online account, follow these steps:

1. Make sure your email is on file with us
2. Visit Actionup.com
3. Click "Sign In" next to the search bar
4. Select "Forgot your password?"
5. Enter your email address and click "Reset Password"
6. Allow up to 5 minutes to receive an email from Info@actionup.com
7. Click the link in the email to set your password and access your account



Confirming You Are Signed in to Your Wholesale Account

To view wholesale pricing, you must be signed in to your wholesale account.

- If you are not signed in, you will see "Sign In" and "Register" next to the search bar
- If you are signed in, you will see "My Account / Past Purchases" and "Sign Out" in that same area
- To confirm you are seeing wholesale pricing, search for "PVC Board 48" x 96" on the website.
- If the item appears, your account is properly set up for wholesale access.



Ordering Options

You can place an order using any of the following methods:

- Email: Send your order to Orders@actionup.com
- Text: Text your order to 941-234-9788
- Phone: Call us at 941-954-0532 or 1-800-329-0532
- Online: Order directly at Actionup.com
- Fax: 941-366-5220

Action Upholstery Supply

2227 72nd Ave East

Sarasota FL 34243

941-954-0532

1-800-329-0532

FAX 941-366-5220

ACTIONUP.COM

Text Orders: 941-234-9788

Email Orders:

Orders@actionup.com



ACTIONUP.COM

Welcome To Action Upholstery Supply

Our Story

Action Upholstery Supply was established in 1987 with humble beginnings, starting out in two small storage trailers and a tiny office. Over the years, we've grown into a trusted, family-run business and a nationwide distributor of high-quality upholstery supplies for the marine, automotive, and residential upholstery industries.

Today we operate out of our Sarasota facility with over 20,000 square feet of warehouse space, allowing us to stock and ship the products our customers need quickly and efficiently.

We began by offering upholstery foam, polyester batting, and basic upholstery tools. As our customer base grew, so did our product line. We expanded into vinyl fabrics, automotive headliner material, and later added a comprehensive range of marine upholstery and canvas products.

We're proud to carry top brands like Outdura acrylic canvas, Crystal Clear, Strataglass, and a wide selection of Morbern expanded vinyls. Our goal has always been to meet the needs of our customers by continually expanding our product offerings.

What truly sets us apart is our team. We are a group of knowledgeable and friendly people who are always ready to help you find the right solution for any upholstery project.

OUR MARKETING POLICY

Terms:

Credit card payments charged the same day that an order is shipped. C.O.D. and Net 30 day open accounts with prior application and approval (due 30 days from date of invoice). Past due open account balances subject to 18% finance charge. 3% credit card fee for late payments.

Checks:

Acceptable with our approval. All returned checks will be assessed a minimum \$30.00 charge.

Return Merchandise:

All returns must have prior approval and issued an RMA against the original invoice. Returns must be requested within 14 days of receipt. Returned products are inspected and subject to a restocking fee. All cut goods are subject to the following guidelines:

5 yards or less will incur a 50% restocking fee

Less than 10 yards will incur a 25% restocking fee

10 yards or more will incur a 20% restocking fee

Shortages or Damage:

Claim must be made immediately upon receipt of merchandise. Examine all merchandise carefully before cutting or putting into use. No allowances will be made after cutting or use.

Commercial Delivery:

Delivery Zone #1

Free delivery is available on orders exceeding \$300. Orders totals between \$150 - \$299 will accrue a \$10 delivery fee. There is a minimum of \$150 for our truck delivery.

Delivery Zone #2

Free delivery is available on orders exceeding \$450. Order totals between \$170 - \$449 will accrue a \$15 delivery fee. There is a minimum of \$170 for a truck delivery.

Delivery Zone #3

Has a minimum order of \$250 for truck delivery with a \$24 delivery fee.

Delivery Zone #4

This zone has limited availability with a minimum of \$40 delivery fee. Delivery fees are based on truck route.

Prices Subject to change without notice. Freight charges and minimums are subject to change without notice.

Delivery: Outside our normal local delivery - or orders that do not meet Action truck delivery criteria:

Optional shipping methods include UPS, FedEx, ADL & USPS. All shipping costs will be charged to the customer. Typically, these charges are prepaid by Action Upholstery Supply and then added to your invoice unless otherwise requested.

Memo Samples:

Samples, of fabric and vinyl, are available upon request at an approximate size of 4" x 4". If larger samples are needed, there will be a nominal charge and are non-returnable.

Go to Actionup.com to view new items added after this catalog was published

Action Aerosol Adhesive



Features a wide web spray, excellent for temporary or permanent bonding, ideal for bonding foam to foam, polyester batting, and fabric. Formulated with the environment in mind this product contains NO CHLORINATED SOLVENTS OR OZONE DEPLETERS.

AA

PHT Aerosol Adhesive



Performance High Temp Trim Adhesive. High Strength. High heat resistance. Bonds many materials including foam backed headliners, carpeting, fabrics, jute pads, foams etc.

PHT

HH66 Vinyl Cement



HH-66 bonds vinyl coated and laminated fabrics, plastics, metals, wood, and leather. This brush on vinyl cement is a superior quality vinyl adhesive that is fast drying, waterproof and has outstanding resistance to temperature and weather. It is used for bonding vinyl to vinyl and other various materials.

CA Prop 65 Warning



Quantities	
HH66 4	4 oz
HH66 G	Gal

Weldwood Landau Top Contact Cement

This product is a high strength and high temp adhesive useful in all aspects of automotive trim upholstery. This very economical product is available in 14 oz aerosol spray or 1 and 5 gallon cans.



Natural 1 Gallon
WELD1



Natural 5 Gallon
WELD5



Red 5 Gallon
WELD5R

Siphon Sprayer

Spray gun with dripless cup.

Recommended for use with contact cement.



TO1099

Super Lid

For one gallon metal cans

- Flips open for easy dipping
- Controls pouring
- Stores airtight
- Built-in brush rest

SUPERLID



USE WITH

EZE Siphon Sprayer

EZE Siphon Sprayer for spraying lightweight bulk liquids such as glue, silicone or fabric protectant, lightweight and durable. Available with a plastic or aluminum cup.



TO TB02A



TO TB02P



AAG - Clear

Formobond C331 Clear Fast Set Foam & Fabric Adhesive

A non-flammable, high solids synthetic rubber adhesive which can be dispensed through any low pressure air sprayer. It gives quick tack, forming a strong bond and soft glue line when bonding, splicing or pinching urethane foam.

NON-FLAMMABLE

This C331 product can not be commercially shipped to the following areas:

California/Connecticut/District of Columbia/Delaware/Illinois/Indiana/Massachusetts/Maryland/Maine/Michigan/New Jersey/New York/Rhode Island



AA 5G



941-954-0532 • 1-800-329-0532 • ACTIONUP.COM



Silicone

This silicone is formulated to provide superior all purpose lubrication. Sprays on dry, which is important when using to ease fabric resistance against foam, polyester batting and other materials for applications such as stuffing cushions.

SIL A



Surebonder Hot Melt Glue Gun

Surebonder PRO2-80 Industrial High Temperature Glue Gun with 80-Watts of heating power that is ideal for any industrial type applications or large craft projects where a higher volume of adhesive output is required.

TO PRO2-180

Hot Melt Glue Gun

Professional High Temperature Glue Gun with 80 watts of heating power and an ergonomic long trigger design that requires less effort. Complete with a removable wire stand. Interchangeable nozzles available. Ideal choice for light duty industrial and packaging applications.

TO HE750



10" All Purpose Glue Sticks



Excellent for applying gimp and double welt made from fabric.

HOTMELT20 - 20/pkg

HOTMELT100 - 100/pkg



10" Hi-Strength Hot Melt Glue

High Performance Acrylic Adhesive for superior bonding where other glue sticks fail! 7/16" diameter, 10" long glue stick. Use in high temperature glue guns.

19 Sticks



AQUA-TITE® GREEN is a premium grade water repellent with Silicone as its active ingredient. Unlike most other available water repellents, AQUA-TITE® GREEN meets all known country, region, state and area regulations for VOC. Utilizing Silicone, which is the premier water repellent available.

AQUATITE G
GallonAQUATITE Q
Quart

Aquatite

Byron's Leather Products



Specially formulated for automotive leather.

Hyde Food

This unique natural formula combines several ingredients (such as Lanolin and Coconut Oil) to rehydrate leather.

Hyde Clean

This natural cleaner combines a unique blend of natural cleansers that safely and gently emulsify soils and contaminants.

LC8210
FoodLC8205
Clean

Lily White Sewing Machine Oil

Low viscosity, water white lubricating oil for sewing machines and parts. Excellent for use in applications where oil may come into contact with fabrics.



Zoom spout oiler has a telescoping spout that reaches everywhere.


Dustless School Chalk



Just like you used in school. 3-1/4" long x 3/8". Available in 1 gross packages.

CHALK H12

Waltham Chalk



Soft tapered white chalk packaged by the gross.

CHALKW

Grease Pencils

Ideal for marking on glass, plastic, film, paper, metal, rubber or any smooth surface. These grease pencils have a paper wrapping that tears away, exposing the pencil, making it unnecessary to have a sharpener handy. 12 per box.

GP20002	Yellow
GPBLACK	Black
GPWHITE	White



All Pencil

Water soluble soft core pencil. Available in 12 piece bag or 144 (gross) box. Used primarily by the marine fabricators.

GP20103GR	White 144 per box
GP20108GR	Black 144 per box
GP20103	White 12 piece bag
GP20108	Black 12 piece bag

ACTION UPHOLSTERY SUPPLY
800-329-0532 / 941-954-0532
ACTIONUP.COM SARASOTA FL

Tailor's Pencils

For fine line marking on fabrics. 12 pc box.



Jumbo Pencil

PENCIL

ACTION UPHOLSTERY SUPPLY
2227 72nd Ave. E. Sarasota, FL 34243

Tailor's Crayons

2" flat square shape with bevel made specifically for marking fabric. Packed 46-50 to a box.



TC12902	Yellow
TC12903	White
TC12908	Black

Flat Braided Polyester Elastic

Stocked in black and white.
Available in 144 yard rolls.

Size	Put Up	White Elastic	Black Elastic
1/4"	144 yards	EL.25W	EL.25BL
1/2"	144 yards	EL.5W	EL.5BL
3/4"	36 yards	EL.75W	EL.75BL
1"	36 yards	EL1W	EL1BL



Vinyl Binding



1-1/4" one edge turned 300 line vinyl binding for automotive, outdoor furniture and industrial sewing. Available in black, white and off-white.

1 Edge Turned (100 yds)

Item #	Width	Color
BV 308	1-1/4"	Black
BV 309	1-1/4"	White
BV 310	1-1/4"	Off-White non-stock



3/4" two edge turned 300 line vinyl binding for automotive, outdoor furniture and industrial sewing. Available in black.

2 Edge Turned (100 yds)

Item #	Width	Color
BV2 308	3/4"	Black

Topline Vinyl Binding

"Top-Of-The-Line" binding designed for outdoor applications and items that have to meet OEM standards and specs. Topline electronically seamed binding turns sharp corners easily and is flexible for easy application. No puckering and no visible seams create a neat, clean appearance. Bindings are stocked in 3/4" two edge turned and 1-1/4" one edge turned.

1 Edge Turned (50 yds)

Item #	Width	Color
BV3 549	1-1/4"	Bone
BV3 552	1-1/4"	Black



2 Edge Turned (100 yds)

Item #	Width	Color
BV2 948	3/4"	White
BV2 949	3/4"	Black
BV2 950	3/4"	Off-White



Covermaster Binding

2 edge turn bias

Item #	Width	Color
BV697.75 121	3/4"	White
BV697.75 904	3/4"	Black
BV6971 121	1"	White

Carpet Binding

1.25 inch wide Eshco polyester carpet binding. This is a woven binding that can be sewn to the edge of carpet. 72 yd rolls

Item #	Color
BPC422	Grey
BPC430	Blue
BPC432	Black
BPC534	Oyster
BPC553	Neutral



Fasteners**Caps**

Item #	Type	Barrel Length	Package
SF30027C	Stainless Steel	1/4" (long)	100
SF30028C	Stainless Steel	3/16" (standard)	100
SF30028M	Stainless Steel	3/16" (standard)	1000
SF30028PC	Stainless Steel	3/16" (standard)	100
SF10127C	Nickel/Brass	1/4" (long)	100
SF10127M	Nickel/Brass	1/4" (long)	1000
SF10128C	Nickel/Brass	3/16" (standard)	100
SF10128M	Nickel/Brass	3/16" (standard)	1000

USE WITH

Studs

Item #	Type	Style	Pkg
SF30070C	Stainless Steel	Standard	100
SF30070M	Stainless Steel	Standard	1000
SF10370C	Nickel/Brass	Standard	100
SF10370M	Nickel/Brass	Standard	1000

USE WITH

Screw Studs

Item #	Type	Sizes	Pkg
SF30012C	100% Stainless Steel	3/8"	100
SF30012M	100% Stainless Steel	3/8"	1000
SF30020C	100% Stainless Steel	5/8"	100
SF30020M	100% Stainless Steel	5/8"	1000
SF30020PC	100% Stainless Steel	5/8"	100

**Military Black - Nickel/Brass****Military Black Cap**

SF10128BC	100/pkg
SF10128BM	1000/pkg

Military Black Socket

SF10224BC	100/pkg
SF10224BM	1000/pkg

Item #	Type	Sizes	Pkg
SF10362C12	Nickel/Brass with SS screws	3/8"	100
SF10362C20	Nickel/Brass with SS screws	5/8"	100
SF10393C12	Nickel/Brass with SS screws	3/8"	100
SF10393C20	Nickel/Brass with SS screws	5/8"	100
SF10393C25	Nickel/Brass with SS screws	1"	100
SF10393M12	Nickel/Brass with SS screws	3/8"	1000
SF10394C	Oversized #10	5/8"	100

Military Black Post

SF10412BC	100/pkg
SF10412BM	1000/pkg

Military Black Stud

SF10370BC	100/pkg
SF10370BM	1000/pkg

Baby Snaps - Nickel/Brass**Baby Cap**

SF12105C	100/pkg
SF12105M	1000/pkg

Baby Socket

SF12205C	100/pkg
SF12205M	1000/pkg

Baby Post

SF12402C	100/pkg
SF12402M	1000/pkg

Baby Stud

SF12303C	100/pkg
SF12303M	1000/pkg

One Way - Nickel/Brass**One-Way Cap**

SF18100C	100/pkg
SF18100M	1000/pkg

One-Way Socket

SF18201C	100/pkg
SF18201M	1000/pkg

One-Way Stud

SF18303C	100/pkg
SF18303M	1000/pkg



Color Caps Nickel/Brass Enamel



Printed colors are good representations but customers should be advised that actual color may be different.

Gypsy Stud



SF10342C	100/pkg
SF10342M	1000/pkg

Flangeless Stud



SF10373C	100/pkg
SF10373M	1000/pkg

Deep Stud



SF10379C	100/pkg
	1000/pkg

Flangeless SS Stud Rivets

Nickel brass with a stainless steel rivet.

SF10314C	Grip range .020 - .087
SF10319C	Grip range .188 - .375

Nickel Brass Stud with SS Machine Screw



8/32" x 3/8"

SF10704C12	100/pkg
	1000/pkg

Nickel Brass Self-Drilling Screw Stud with SS Screw



SF10301C	100/pkg
	1000/pkg

Screw Stud Seal Washer



1/2" wide
1/8" center hole

SF WSH7029C	100/pkg
SF WSH7059M	1000/pkg

Wind Shield Clip



SF10388C (3/4")	100/pkg
SF10391C (7/8")	100/pkg


CAF Comp Stud

Self Tapping Screw Stud 5/8"



Composite self-tapping screw stud for use in fiberglass, wood and other composites. It is made from UV-stabilized, glass fiber-reinforced, thermoplastic. 100% corrosion free and blends away in the deck color.

Sold Individually



Item #	Description
SF C0158	White Caf-Compo Self Tapping 5/8"
SF C0258	Off-White Caf-Compo Self Tapping 5/8"
SF C0358	Grey Caf-Compo Self Tapping 5/8"
SF C0458	Black Caf-Compo Self Tapping 5/8"

Loxx Fasteners



Item #	Description
F LX9320N	N/B Upper Large Head Reg Washer
F LX9320SS	SS Hybrid Upper Large Head Reg Washer
F LX9450N	N/B 1/2" Screw Stud
F LX9450SS	SS 1/2" Screw Stud

LOXX® fasteners are the strongest, most- versatile, self-locking, quick release fastener ever made. They close and lock automatically, will not accidentally open and will resist rust. They also withstand shearing force greater than 1,000 Newtons.

Sold Individually



TO9590

TO9595

Press-N-Snap Tool

Press-N-Snap tool is versatile and easy to use. It is capable of setting numerous brands and types of fasteners simply by changing the dies. The Press-n-Snap tool comes with basic die set for standard snaps, commonly referred to as 24 line snaps.

Details on
page 33



Bench Mount

Bench Mount for mounting the Press-N-Snap tool to a workbench.

TO P1



PowerSnap Tool

Economy snap fastener tool. It is capable of setting numerous brands and types of fasteners simply by changing the dies. The PowerSnap tool comes with basic die set for standard snaps, commonly referred to as 24 line



TO POWERSNAP-DS1




TO POWERSNAP-DS2



TO POWERSNAP

Snap Fastener Kit

The Snap Fastener Kit includes parts to complete six standard nickel-plated brass snaps. Very economical.



TOK229 24



941-954-0532 • 1-800-329-0532 • ACTIONUP.COM

Curtain Fasteners

Nickel/Brass with stainless steel screws

These nickel/brass fasteners are also commonly known as "lift the dot" fasteners.

Screw Stud Curtain Fastener

1/2" x 8 screw (100/pkg)



CF16360 16C

Machine Screw Stud

8/32" x 5/8" (100/pkg)



CF16362 20C

Curtain Sockets 7/32" (100/pkg)



CF16205C

Curtain Sockets 9/32" (100/pkg)



CF16206C



Tools to use



details page 32
TO L6

Back Plate Fastener



(100/pkg)

CF16506C



Curtain Fastener Two Clinch (100/pkg)



CF16349C



Use Press-N-
Snap dies
TO P58 and
TO P8 for
application



(100/pkg)

CF16501C

Curtain Fastener Washers



CF16358C



CF16509C



Curtain Fastener Eyelet Type (100/pkg)



CF16358C



T-Nuts

Regular Steel & Stainless Steel

Item #	Size	Height	Type	
TNUTC	1/4 x 20	5/16	Steel	
TNUTSS516C	1/4 x 20	5/16	Stainless Steel	
TNUTSS716C	1/4 x 20	7/16	Stainless Steel	Package of 100



Package of 100

Panhead Screws Stainless Steel

1/4" x 20 (100/pkg)



Length 2-1/2"
F PPMSS.25C2.5P100



Length 2"
F PPMSS.25C2P100

#8 Dies

The opposing side
used with #58 dies.



TO P8



#58 Dies

#58 Dies for setting
curtain/Lift the dot
part 16359 with 16359.



TO P58

Turnbuckles / Twistlocks



Turnbuckles, also referred to as common sense fasteners and twistlocks are primarily used in the marine industry for fastening covers and enclosures on boats. Packaged by the 100 or currently available by the piece.

Single Stack



Single stack two screw base.

TB78322C

Double Stack



Double stack two screw base.

TB78323C

Single Stack Two Prong Fastening



TB78332C



Brass Wood Screw



5/8" brass screw.

TB78324C



Stainless Steel Screw



5/8" SS screw.

TB78330C



Clinch Back Plate



Cinch back plate for TB78332C.

TB78507C

Quick Turnbuckle Install Bit



Attaches to drill for screwing in turnbuckles.

TO QTTL

Turn Button Driver

TO4130



Nickel blade. Used to install button screws.

Barrel Stud




TB78317C



Turn Lock Die

Turn lock/Twist lock/Common sense dies.(sets Barrel Stud to Backplate). Fits in the Press-N-Snap tool.



TO PTB



TB78502C

Washer



Washer for TB78403C

TB78505C



Eyelet



Use with TB78510C or TB78505C



TB78403C - 3/16" Prong
TB78404C - 5/16" Long Prong

Slotted Washer



Slotted washer for TB78403C

TB78510C

Washer Turnbuckle



Plastic

TB78510PWC



C-4 Punch

Used to die cut fabric to accept the eyelet and back plate for turnbuckles. AKA Common Sense or Twist lock fasteners.

TO C4

Tools to Use



details page 32



Turnbuckle/Common Sense fastener tool.

The adhesively attached SNAD fastener components are especially designed for marine applications. SNAD fasteners do not require any hole to be drilled. On the underside of each is a pad of 3M™, VHB™ adhesive that enables the SNAD snap body to adhere to substrates without having to drill a hole. The SNAD snaps will function equally well with all major brands of marine hardware. SNAD fastener components are also available in either a stud or socket, which allows marine fabricators to have unique design flexibility in where and how the snaps can be used.



Large Domed Stud SNAD

40mm diameter (1.75")

Black	SNAD1B
White	SNAD1W



Use With
Sockets

Small Domed Stud SNAD

25mm diameter (1")

Black	SNAD2B
White	SNAD2W



Small Clear Silicone Flexible Base Stud SNAD

25mm diameter (1")

This can be
attached to
concave and
convex surfaces.



Use With
Sockets

SNAD3C

Large Clear Flexible Silicone Base Stud SNAD

40mm diameter
(1.75")

This can be
attached to
concave and
convex surfaces.



SNAD6C

Light Tension Domed Socket SNAD

40mm diameter (1.75")

Black	SNAD4B
White	SNAD4W



Use With
Studs

Hard Action Domed Socket SNAD

40mm diameter (1.75")

Black	SNAD5B
White	SNAD5W



SnapFast® Directional Locking Fasteners

SnapFast® directional locking fasteners are non-corrosive and well-suited for outdoor applications. This line features a nylon stud which can be mounted with a screw or attached to fabric using a standard eyelet, a stainless steel cap which self-pierces most fabric materials and a plastic socket.



Snap Fast
Socket
White

F SF02W



Snap Fast
Socket
Black

F SF02B

Prong Cap - SnapFast®

Sold Individually



Stainless Steel
Snap Fast
Short Prong Cap
Height 3/8"
Width 15/16"

F SF03



SnapFast® Punch

For Use With
SnapFast Fasteners.



TO SFC

SnapFast® Stud



Black	F SF01
White	F SF01W


Vadney Clip

Vadney clips are used on boat windshields with a track for the snap screw stud. The Vadney clip fits into the track and accepts standard 3/8" screw studs.



pg 6

Washer Types



FB
Fits panhead,
roundhead and
other "flat bot-
tomed" fasteners.



CSK
Fits wood screws,
drywall, oval
head and all
"countersunk"
fasteners.

Item #	Description	Put-up
SC08C CSK	8/8 CSK Washer for Snap Cap	100
SC08C 100	8/8 White Snap Caps .52"	100
SC08C 180	8/8 Black Snap Caps .52"	100
SC08C FB	8/8 FB Washer for Snap Cap	100
SC08M 100	8/8 Wt. Snap Caps .52 W	1000
SC08M CSK	8/8 CSK Washer pkg 1000	1000
SC12C 100	12/12 White Snap Cap .64"	100
SC12C 180	12/12 Black Snap Cap .64"	100
SC12C CSK	12/12 CSK Washer for Snap Cap	100
SC12C FB	12/12 FB Washer for Snap Cap	100
SC12M-CSK	12/12 CSK Washer for Snap Cap	1000
SC12M100	12/12 White Snap Cap .64"	1000

Snap Caps



Grommets and Washers

Stimpson grommets are the best available, for light duty applications.

Packaged by the gross (144)



Plain Grommets and Washers

Item #	Size	Hole Size	Finish
GR00	#00	3/16"	Brass (Special Order)
GR0	#0	1/4"	Brass
GR1	#1	9/32"	Brass
GR2	#2	3/8"	Brass
GR3	#3	7/16"	Brass
GR4	#4	1/2"	Brass
GR5	#5	5/8"	Brass (Special Order)



1 Gross/144
Package

Nickel Plated Brass

Item #	Size	Hole Size	Finish
GRN00	#00	3/16"	Nickel/Brass
GRN0	#0	1/4"	Nickel/Brass
GRN1	#1	9/32"	Nickel/Brass
GRN2	#2	3/8"	Nickel/Brass
GRN2SP	#2	3/8"	Nickel/Brass - 500 pc bag self piercing
GRN3	#3	7/16"	Nickel/Brass
GRN4	#4	1/2"	Nickel/Brass
GRN5	#5	5/8"	Nickel/Brass (Special Order)



1 Gross/144
Package

Rolled Rim Grommets and Spur Washers

Heavy-duty applications. These grommets are commonly used in the boating industry.

Item #	Size	Hole Size	Finish
GRS0	#0	9/32"	Brass
GRS1	#1	13/32"	Brass
GRS2	#2	7/16"	Brass
GRS3	#3	15/32"	Brass
GRS4	#4	9/16"	Brass (Special Order)
GRS5	#5	5/8"	Brass (Special Order)



1 Gross/144
Package

Nickel Plated Brass

Item #	Size	Hole Size	Finish
GRSN0	#0	9/32"	Nickel/Brass
GRSN1	#1	13/32"	Nickel/Brass
GRSN2	#2	7/16"	Nickel/Brass
GRSN3	#3	15/32"	Nickel/Brass
GRSN4	#4	9/16"	Nickel/Brass
GRSN5	#5	5/8"	Nickel/Brass (Special Order)



1 Gross/144
Package

Rolled Rim Stainless Steel Grommets and Spur Washers

Item #	Size	Hole Size	Finish
GRRSSS0	#0	9/32"	304 Stainless Steel
GRRSSS1	#1	13/32"	304 Stainless Steel
GRRSSS2	#2	7/16"	304 Stainless Steel

Package
of
100

Grommet Dies

#216 Grommet Dies

For use with plain grommets and washers.

Item #	Size	Cutter Size	Cutter Tool #
GRD2160	#0	1/4"	TO245 09
GRD21600 (S/0)	#00	11/64"	TO245 05
GRD2161	#1	5/16"	TO245 12
GRD2162	#2	3/8"	TO245 14
GRD2163	#3	7/16"	TO245 16
GRD2164	#4	1/2"	TO149 01020
GRD2165	#5	5/8"	TO149 01024



#217 Rolled Rim Grommet and Spur Washer Dies

For use with rolled rim grommet and spur washers.

Item #	Size	Cutter Size	Cutter Tool #
GRD2170	#0	1/4"	TO245 09
GRD2171	#1	5/16"	TO245 12
GRD2172	#2	3/8"	TO245 14
GRD2173	#3	7/16"	TO245 16
GRD2174	#4	9/16"	TO149 01022
GRD2175	#5	5/8"	TO149 01024



Grommet Kits

Grommet Kits have grommet dies, punch, cutting board and plain grommets. An economical way to do small grommet jobs effectively.

Size 2
24 grommets

GRK234 2

Grommet Die & Cutter

These grommet dies and cutters are for use with C. S. Osborne #1 press and Handy Junior button presses. These high quality dies are reasonably priced and backed by C. S. Osborne's guarantee.

Item #	Type	Size
GRD WDIGRC0 (S/0)	Plain	0
GRD WDIGRC1	Plain	1
GRD WDIGRC2	Plain	2
GRD WDIGRC3	Plain	3
GRD WDIGRC4 (S/0)	Plain	4
GRD WDISGRC0	Spur	0
GRD WDISGRC1	Spur	1
GRD WDISGRC2	Spur	2
GRD WDISGRC3	Spur	3
GRD WDISGRC4	Spur	4



Snap Dies - 4 Piece

Fits #1 Press and used for #24 Snap Fasteners.




SFD24

Bolsters

Stock Bolster Rounds

Medium Density 15036 foam
These can be split to make half rounds.



Item #	Dimensions
F15036RB04	4" Round x 54 Long
F15036RB05	5" Round x 54 Long
F15036RB06	6" Round x 54 Long
F15036RB08	8" Round x 54 Long
F15036RB10	10" Round x 54 Long


Stock Bolster

Medium Density
Made from F15036 foam



Item #	Dimensions
F15036B591236	5 Top x 9 Base x 12 High x 36 Long. Typical day bed size.

FOAM



Foam

All measurements in inches unless otherwise stated.

Full Sheets / Half Sheets**Super Soft****Midgrade 15020**

Excellent for soft backs and dense enough to use for soft seating foam.

Item #	Sheet Size
F15020 24 1	1 x 24 x 82
F15020 24 2	2 x 24 x 82
F15020 24 3	3 x 24 x 82
F15020 24 4	4 x 24 x 82
F15020 24 5	5 x 24 x 82

Item #	Sheet Size
F15020 55 1	1 x 55 x 82
F15020 55 1.5	1.5 x 55 x 82 (s/o)
F15020 55 2	2 x 55 x 82
F15020 55 3	3 x 55 x 82
F15020 55 4	4 x 55 x 82
F15020 55 5	5 x 55 x 82
F15020 55 6	6 x 55 x 82

1.6 lb Density Medium Firm 16060

A high quality, medium firm foam used often for boat seating.

Item #	Half Sheet Size
F16060 24 1	1 x 24 x 82
F16060 24 2	2 x 24 x 82
F16060 24 3	3 x 24 x 82
F16060 24 4	4 x 24 x 82
F16060 24 5	5 x 24 x 82

Item #	Full Sheet Size
F16060 55 1	1 x 55 x 82
F16060 55 2	2 x 55 x 82
F16060 55 3	3 x 55 x 82
F16060 55 4	4 x 55 x 82
F16060 55 5	5 x 55 x 82 (s/o)

High Density Extra Firm Charcoal 19095

Great for boats and packaging.

Item #	Full Sheet Size
F19095 55 .5	1/2 x 55 x 82
F19095 55 1	1 x 55 x 82
F19095 55 1.5	1.5 x 55 x 82
F19095 55 2	2 x 55 x 82
F19095 55 3	3 x 55 x 82
F19095 55 4	4 x 55 x 82

Medium Firm Mildew Resistant 2350B

Excellent seating foam.

Item #	Half Sheet Size
F2350B 24 1	1 x 24 x 82
F2350B 24 2	2 x 24 x 82
F2350B 24 3	3 x 24 x 82
F2350B 24 4	4 x 24 x 82
F2350B 24 5	5 x 24 x 82

Medium Density**Grade 15036**

A good quality, medium density foam.

Item #	Sheet Size
F15036 24 1	1 x 24 x 82
F15036 24 2	2 x 24 x 82
F15036 24 3	3 x 24 x 82
F15036 24 4	4 x 24 x 82
F15036 24 5	5 x 24 x 82
F15036 55 1	1 x 55 x 82
F15036 55 2	2 x 55 x 82
F15036 55 3	3 x 55 x 82
F15036 55 4	4 x 55 x 82
F15036 55 5	5 x 55 x 82
F15036 55 6	6 x 55 x 82

F18075 Firm

A high quality mildew resistant foam used often for boat seating.

Item #	Full Sheet Size
F18075 55 1	1 x 55 x 82
F18075 55 2	2 x 55 x 82
F18075 55 3	3 x 55 x 82
F18075 55 4	4 x 55 x 82

High Density Medium Firm 1845

High quality seating foam.

Item #	Full Sheet Size
F1845 55 1	1 x 55 x 82
F1845 55 1.5	1.5 x 55 x 82
F1845 55 2	2 x 55 x 82
F1845 55 3	3 x 55 x 82
F1845 55 4	4 x 55 x 82
F1845 55 5	5 x 55 x 82
F1845 55 6	6 x 55 x 82

High Density Medium Foam 1835

Excellent for window seats and backs.

Item #	Full Sheet Size
F1835 55 1	1 x 55 x 82
F1835 55 2	2 x 55 x 82
F1835 55 3	3 x 55 x 82
F1835 55 4	4 x 55 x 82
F1835 55 5	5 x 55 x 82
F1835 55 6	6 x 55 x 82



High Density Medium Foam 2636

Excellent medium foam for seating.

Item #	Full Sheet Size
F2636 55 1	1 x 55 x 82
F2636 55 2	2 x 55 x 82
F2636 55 3	3 x 55 x 82

Item #	Full Sheet Size
F2636 55 4	4 x 55 x 82
F2636 55 5	5 x 55 x 82
F2636 55 6	6 x 55 x 82

High Density Medium Soft (green) 23030

High quality medium/soft foam.

Item #	Half Sheet Size
F23030 24 2	2 x 24 x 82
F23030 24 3	3 x 24 x 82
F23030 24 4	4 x 24 x 82
F23030 24 5	5 x 24 x 82

Item #	Full Sheet Size
F23030 55 2	2 x 55 x 82
F23030 55 3	3 x 55 x 82
F23030 55 4	4 x 55 x 82
F23030 55 5	5 x 55 x 82
F23030 55 6	6 x 55 x 82

High Density Medium Firm (green) 23050

High quality seating foam.

Item #	Half Sheet Size
F23050 24 1	1 x 24 x 82
F23050 24 2	2 x 24 x 82
F23050 24 3	3 x 24 x 82
F23050 24 4	4 x 24 x 82
F23050 24 5	5 x 24 x 82

Item #	Full Sheet Size
F23050 55 1	1 x 55 x 82
F23050 55 1.5	1.5 x 55 x 82
F23050 55 2	2 x 55 x 82
F23050 55 3	3 x 55 x 82
F23050 55 4	4 x 55 x 82
F23050 55 5	5 x 55 x 82
F23050 55 6	6 x 55 x 82

High Density Firm (green) 23065

Antimicrobial. Great for boats and seating.

Item #	Full Sheet Size
F23065 55 1	1 x 55 x 82
F23065 55 2	2 x 55 x 82
F23065 55 3	3 x 55 x 82
F23065 55 4	4 x 55 x 82
F23065 55 5	5 x 55 x 82

F3070 Firm

3.3 lb High density, high resiliency, mildew resistant and antimicrobial. Excellent for boats, Dr's offices and pews.

Item #	Full Sheet Size
F3070 60 1	1 x 60 x 83
F3070 60 1.5	1.5 x 60 x 83
F3070 60 2	2 x 60 x 83
F3070 60 3	3 x 60 x 83

Shredded Foam

(special order)
30 Pound Bag



FSHRED30

Quick-Dri Reticulated Foam

Quick-Dri Reticulated Foam does not absorb water like regular poly foams do. It allows water to flow through the foam. Quick-Dri Reticulated Foam has a density of 1.7 lbs making it a very high quality and durable product. Ideal uses include outdoor and boat cushions. Sizes may vary.

Medium Firm

Item #	Sheet Size
FR1740 1	1 x 52 x 110
FR1740 2	2 x 52 x 110
FR1740 3	3 x 52 x 110

Item #	Sheet Size
FR1740 4	4 x 52 x 110
FR1740 5	5 x 52 x 110
FR1740 6	6 x 52 x 110 (S/O)

Extra Firm

Item #	Sheet Size
FR1760 1	1 x 52 x 110
FR1760 2	2 x 52 x 110
FR1760 3	3 x 52 x 110
FR1760 4	4 x 52 x 110 (S/O)

EZ-Dri Reticulated Foam

EZ-Dri Reticulated Foam does not absorb water like regular poly foams do. It allows water to flow through the foam. EZ-Dri Reticulated Foam has a density of 1.8 lbs making it a very high quality and durable product. Ideal uses include outdoor and boat cushions. Sizes may vary.

EZ-Dri 30 Medium

Item #	Sheet Size
F30EZD 1	1 x 52 x 108 (S/O)
F30EZD 2	2 x 52 x 108
F30EZD 3	3 x 52 x 108
F30EZD 4	4 x 52 x 108 (S/O)
F30EZD 5	5 x 52 x 108 (S/O)



EZ-Dri 50 Medium Firm

Item #	Sheet Size
F50EZD 1	1 x 52 x 108
F50EZD 2	2 x 52 x 108
F50EZD 3	3 x 52 x 108
F50EZD 4	4 x 52 x 108
F50EZD 5	5 x 52 x 108
F50EZD 6	6 x 52 x 108 (S/O)

Crosslink Polyethalene Closed Cell PE Foam

1/2" sections glued together



Item #	Sheet Size
FCC PE15 .5	.5 x 60 x 72
FCC PE15 1	1 x 60 x 72

EVA Closed Cell Foam

Closed cell foam does not absorb water and also floats. Used often in boat cushions. Available in 72" and 96" lengths.



Medium Firm - 96"

Item #	Sheet Size
FCC5020 1A	1 x 48 x 96
FCC5020 2A	2 x 48 x 96
FCC5020 3A	3 x 48 x 96

Poly Foam Rolls

Made from 10036 medium economy poly foam and available in 82" width.

Item #	Size
F10036R56 .25	1/4" x 82" x 11 yds
F10036R56 .5	1/2" x 82" x 11 yds
F10036R56 1	1" x 82" x 11 yds



Thin Closed Cell Foam

Commonly known in the automotive business as "Landau top foam" and mostly used for automotive projects. However they do have other uses such as padding for hardwood flooring. Rolls are 50 yards - 60" wide and priced by the linear yd.



Item #	Sheet Size
FCC.25VTP	1/4" x 60" x 50 yards econo pad
FCC1/8VTP	1/8" x 60" x 50 yards econo pad



Gel Visco Foam

Gel visco foam combines visco and gel foams and is very soft and conforms to the body part applying pressure to it. Mostly used for therapeutic applications in pillows and bedding. The gel in this foam keeps you cooler than traditional viscos by dispersing body heat. Currently this foam is special order only, allow 3 to 7 working days for delivery.

Item #	Full Sheet Size
F25015 1	1 x 60 x 80
F25015 2	2 x 60 x 80


Sew Foams 1/4"

Item #	Description	Density
FS.25MVSS302 1845	1/4" x 54" Fire Retardant (Full Rolls 50 yd)	Medium/Firm
FS.25RA	1/4" 1340 Antimicrobial Remay Sew Foam (50 yd)	Medium
FS.25SPE	1/4" x 54" Seat Pad Economy (Full Rolls 50 yd)	Medium
FS.25TA	1/4" x 56" Antimicrobial (Full Rolls 50 yd)	Medium
FS.25TA-SG	1/4" Safeguard Antimicrobial Tricot Backed Sew Foam (50 yd)	Medium/Firm
FS.25TE	1/4" x 54" Tricot Economy Sew Foam (Full Rolls 50 yd)	Medium
FS.25TP	1/4" x 54" Tricot Pink Sew Foam (Full Rolls 50 yd)	Medium/Firm
FS.25TP-10	1/4" Tricot Backed Sew Pink 1570 Foam - 10 yd roll	Medium/Firm
FS.25TP-25	1/4" Tricot Backed Sew Pink 1570 Foam - 25 yd roll	Medium/Firm
FS.25VP	1/4" x 54" Velcro Compatible (Full Rolls 50 yd)	Medium/Firm

Made with a high quality foam. Laminated to a tricot mesh backing. This sew foam is the same consistent product on every shipment.

Sew Foams 1/2"

Item #	Description	Density
FS.5HD23100	1/2" X-Firm HD Tricot Backed Sew Foam	Extra Firm
FS.5HD23100-10	1/2" Tricot Backed Sew Foam - 10 yd roll	Extra Firm
FS.5HD23100-20	1/2" Tricot Backed Sew Foam - 20 yd roll	Extra Firm
FS.5MVSS302 1845	1/2" x 54" Fire Retardant - Full Rolls 20 yd	Medium/Firm
FS.5QC2	3/4" x 2" Quick Channel Sew Foam	Medium
FS.5SPECIAL	1/2" Sew Foam Special 54" - 20 yd rolls only	Medium
FS.5TA	1/2" x 56" Antimicrobial - Full rolls 20 yd	Medium/Firm
FS.5TA-SG	1/2" Safeguard Antimicrobial Tricot Backed 20yd	Medium
FS.5TE	1/2" x 54" Economy Sew Foam - Full rolls 20 yd	Medium
FS.5TP	1/2" x 54" Tricot Pink Sew Foam - Full rolls 20 yd	Medium/Firm
FS.5TP-10	1/2" Tricot Backed Sew Foam (pink) 10 yd roll	
FS.5TP-20	1/2" Tricot Backed Sew Foam (pink) 20 yd roll	
FS.5VP	1/2" x 54" Velcro Sew Foam - Full rolls 10 yd	Medium/Firm




Sew Foams 1/8"

Item #	Description	Density
FS1/8TA-SG	1/8" Safeguard Antimicrobial Tricot Backed Sew Foam - 50 yd	Medium



Quick Channel Sew Foam

FS.5QC2



Kona Vented Sew Foam

FSV38

Bonded Polyester Batting

Commonly referred to as Dacron bonded polyester is used for cushion wrap, outside panel padding on furniture, cornices and many other uses. It is available in a variety of widths and weights.



1/2 oz Bonded Polyester Dacron

Thin batting approximately 1/2" thick.

Item #	Description
PDB050 54	54".5 oz x 120' light weight with about 1/2" in thickness


3/4 oz Bonded Polyester

Currently the most commonly used weight, excellent for cushion wrapping. 75 ft rolls.

Item #	Width
PDB075 27	27"
PDB075 32	32"
PDB075 54	54"

Loose Polyester Stuff-It

Our blend of slick fibers is simply the best stuffing available for a very economical price. It has a very soft and luxurious hand that is associated with high quality furniture. Put up in approximately 10 lb bags.



PDPD955

High Performance Fill

The same polyester fill that is in our Ultimate pillow forms. This is a high performance fill that offers a heavy luxurious feel at a economical cost. Put up in approximately 10 lb bags.

PDUF

Cotton Batting

100% Synthetic cotton combines high quality with economical price. 27" wide x 16oz. Approximately 14 lbs per roll.



COTS2716



Needled Polyester Padding

1/4" and 1/2" bonded & needle polyester padding for the outside arms and backs of furniture. This product has enough tensile strength for single layer applications which eliminates the need for a base fabric.

Item #	Description
PDNP.25 28	1/4" x 28" x 50 yard Needled Polyester Pad Roll
PDNP.5 28	1/2" x 28" x 25 yard Needled Polyester Pad Roll

Heavyweight/Thicker Bonded Polyester

Item #	Oz Weight	Width	Length	Thickness
PDB200 27	2oz	27"	50 ft	2"

Down and Duck Feather



Offered in 4 blends

Duck	DF10/90	10/90 - 10% Down 90% Feather	5 to 10 lb bag
Duck	DF30/70	30/70 - 30% Down 70% Feather	10 lb bag
Duck	DF5/95	5/95 - 5% Down 95% Feather	5 lb bag
Duck	DF50/50	50/50 - 50% Down 50% Feather	15 to 20 lb bag

Soft Slick Polyester Batting

This 2 oz Slick Polyester Batting is a thick super soft batting with just enough tensile strength for wrapping cushions and quilting. Sold by weight.

Item #	Width	Length	Weight
PDS2 36	36"	60'	2 oz (approx. 29 lb rolls)



Clear Protective Plastic

Clear Plastic for protecting your finished product after completion and during delivery or installation.



Plastic Tubing

30" and 36" X .001 mil. continuous tubing for cushions, cornices etc. Simply cut the needed length off the roll and tie off or staple the ends shut for any length bag. (Approx. 2000 ft rolls)

30" - PLCT301M2M

36" - PLCT361M2M

Plastic Sofa & Chair Covers

Covers are open on one side for covering furniture. 100 bags per roll.

PLSC042	42" Chair Covers	76" x 42" x 1 mil
PLSC100	100" Sofa Covers	133" x 42" x 1 mil

Plastic Drapery Bags

72" X .001 mil. gusseted drapery bags. 156 bags per roll.

PLDB72

Silk Film Plastic

Used when stuffing cushions or installing seat covers to ease the resistance between materials. 38.6 yards per pound in 54" wide, sold by weight of full rolls. Also used with vacuum cushion stuffers.

PLSF54CF	54" Wide 27" Center Fold approx. 19 lbs per roll
PLSF54SWS	54" Wide Single Width Sheeting approx. 60 lbs per roll.

Pattern Perfect Template Plastic

Pattern Perfect Template Plastic is a clear, reinforced plastic sheeting used for most boat covers, snap-on covers, biminis, and other marine uses. It is made by weaving high-density polyethylene ribbons and coating them with a low-density polyethylene. This weaving process creates a highly tear-resistant film.



Pattern Perfect makes the job easier.

PLPP06X100

PLPP12X050

Plastic Folded Sheeting

100 yards 6mil

PL610100 - 10' wide

PL620100 - 20' wide

Shipping Tape



TAPE2S - 2" wide

TAPE3S - 3" wide

TAPE.75R - 3/4" reinforced



Banding Film

This non adhesive film sticks to itself and nothing else making an excellent way to secure finished work for delivery to your customer. Also works very well to secure fabric on roller tubes.

BF90 3	3" Banding Film 1000 FT Roll
BF90 5	5" Banding Film 1000 FT Roll
BFH761	Blue Banding Handle

Pallet Wrap

18" wide x 1500 ft per roll


CF18



Tweezers - (surgical steel)



LED Gooseneck Lamp



Deluxe Chrome Gooseneck Lamp



Binder

For acrylic binding.



SMPB075S	3/4" Binder
SMPB100S	1" Binder

Welt Feet

Welt Feet for straight stitch machines.

Item #	Size	Description
SMP3069L1/4	1/4"	Left Feed Welt Foot
SMP3069R1/4	1/4"	Right Feed Welt Foot
SMP36069DG1/4	1/4"	Double Welt Foot



Welt Feet

For industrial walking foot machines. Fits most machines such as Consew, Juki, Nakajima, Tacksew.

Item #	Size
SMPS32 .75 special order	3/4"
SMPS32 1/2 special order	1/2"
SMPS32 1/4	1/4"
SMPS32 1/8	1/8"
SMPS32 3/8	3/8"
SMPS32 5/32	5/32"
SMPS585316	3/16" Welt Foot
SMPS95 1/4D	1/4" Double Welt Foot
SMPS95 3/16D	3/16" Double Welt Foot
SMPS95 3/8D	3/8" Double Welt Foot



Welt Feet


Welt Feet for straight stitch machines.

Item #	Size	Description
SMP36069L1/2	1/2"	Left Feed Welt Foot
SMP36069R1/2	1/2"	Right Feed Welt Foot
SMP12435HN	Right	Right Hinge Cord Foot
SMP31358HN	Left	Left Hinge Cord Foot

Phaff Welt Feet

For models 545 and 1245.

Item #	Description
SMP404745	Inside presser foot
SMP404755	Outside presser foot
SMP49558CD	LH outside presser foot
SMP421801.25	1/4" double welt feet
SMP42519x20.25	1/4" welt feet
SMP45219x20.38	3/8" welt feet



Presser Feet

For industrial walking foot machines such as Consew, etc.

Item #	Description
SMP240135	Right Outside Presser Foot
SMP240158	Right Inside Presser Foot
SMP240517	Left Outside Presser Foot
SMP240518	Left Inside Presser Foot
SMP240148	Outside Presser Foot
SMP240149	Inside Presser Foot

Sewing Machine Oil

Low viscosity, water white lubricating oil for sewing machines and parts. Excellent for use in applications where oil may come into contact with fabrics.



Item #	Put up
SO 04	4oz
SO 32	Quart
SO G	Gallon

Zoom spout oiler has a telescoping spout that reaches everywhere.



Steel G Bobbin

G (CONSEW)

SMPGB18045

Needle Bar Set Screw



SMPB140553



Steel M Bobbin

M (CONSEW)

SMPMB18034

Grip Snip Thread Cutter

SMP GS1



Bobbin Casings



Singer

SMP52237



Consew 206RB

SMPBC418045

Standard Steel Bobbin

SMPB40264



Sewing Machine Needles Groz-Beckert

Sewing Machine Needles-Groz-Beckert for most industrial sewing machines are in boxes of 100, but can be purchased by the 10 pack as well. When ordering sewing machine needles two sets of numbers are necessary, the first is the number which tells what kind of needle fits a particular machine such as a 135 x 17 fits a Consew 206RB. The second number needed is for the weight or the gauge of the needle. These numbers range from lower numbers for lightweight needles to higher numbers for heavy weight needles. We stock 16/100 (lightweight), 11/110, 10/125, 21/130, 22/140, and 12/160 (heavy-duty) which is a good range for our customers, but other varieties of needles are available for special order.

135 x 17 Special Sewing Machine Needle

Item #	Size/Gauge	Description
NS135X17 24CS	160/23	Gerberdur Coated
NS135X16D 130	130/21	Diamond Point



Gerberdur is a coated "lubricated needle"



Diamond Point

135 x 17 Sewing Machine Needles

135 x 17 Sewing Machine Needles fit most Singer 111W type machines, which include most Japanese walking foot machines such as Consew, Juki, Nakajima and Tacsew.



Item #	Size/Gauge
NS135X17 080	80/12 (light)
NS135X17 090	90/14
NS135X17 100	100/16
NS135X17 110	110/18
NS135X17 125	125/20
NS135X17 130	130/21
NS135X17 140	140/22
NS135X17 160	160/23
NS135X17 200	200/25 (heavy)

135 x 5 Sewing Machine Needles

135 X 5 Sewing Machine Needles fit older walking foot Phaff and Adler machines.

Item #	Size/Gauge
NS135X5 100	100/16
NS135X5 110	110/18
NS135X5 125	125/20
NS135X5 130	130/21
NS135X5 140	140/22
NS135X5 160	160/23



251 Blind Stitch Needles

Item #	Gauge
NS251LG 10	Light
NS251LG 25	Medium
NS251LG 35	Heavy

190R Sewing Machine Needles

Fits Phaff 545 and 1245.

Item #	Size/Gauge
NS190R 100	100/16
NS190R 110	110/18
NS190R 125	125/20
NS190R 130	130/21
NS190RD 130	130/21 Diamond Point
NS190R 140	140/22
NS190R 160	160/23
NS190R 200	200/25

257 x 16 Sewing Machine Needles

Fits straight stitch machines.

Item #	Size/Gauge
NS257X16 90	90/14
NS257X16 100	100/16
NS257X16 110	110/18
NS257X16 125	125/20

Addler & Phaff Needles

134-35R is a needle generally used in Pfaff and Addler machines. It is also known as 2134-35R.

Item #	Size/Gauge
NS13435R 130	130/21
NS13435R 140	140/22
NS13435R 160	160/23
NS13435R 200	200/25

B27 Sewing Machine Needles

Fits serging machines.

Item #	Size/Gauge
NSB27 100	100/16
NSB27 90	90/14

P-22 Arrow Staples



Flat-crown staples feature a flat crown (top) and two legs bent downward at 90 degree. The flat surface area is better suited for fastening applications.

1/4" - STP2214
5/16" - STP22516

Plier Style Hand Stapler

- Built for fast and reliable stapling with a 2.25 throat.
- Excellent for stapling skirt lining, skirt pellon and buckram.
- An easy-toggle lever with a chrome-plated steel body
- ensures long-term performance.



STP2500

#9 Narrow Crown Empire Staples

Also referred to as gimp staples. Pkg. 10,000 per box, 20 boxes per case.

Item #	Leg Length
STE910	3/8"
STE912	1/2"



50 Series 1/2" Wide Crown Staples Empire Brand

These fit wide crown staplers from Duofast, Fasco and Craftsman. Excellent for stapling vinyl, the wide flat staple minimizes cut through on the vinyl. 5000 per box, 20 boxes per case.

Item #	Leg Length
STD5008	1/4"
STD5012	3/8"
STD5016	1/2" (non-stock)
STD5018	9/16" (non-stock)




Item #	Artículo:	ED-5012C-10SSS
Crown Width	1/2"	Leg Length
Ancho de corona	1/2"	Largo de la pata: 3/8"
Point	CHISEL	Punta: CINCEL
		STAINLESS STEEL

Economy 50 Series

1/2" wide crown, 5,000 per box.

Economy Galvanized Steel

Item #	Leg Size
STC5008	1/4"
STC5012	3/8"
STC5016	1/2"



Economy Stainless Steel

Economical stainless steel staples fit a variety of 50 series pneumatic staple guns.

Item #	Leg Size
STSSC5008	1/4"
STSSC5012	3/8"
STSSC5016	1/2"



50 Series 1/2" Wide Crown Stainless Steel Divergent Point

These fit wide crown staplers from Duofast, Fasco and Craftsman. Excellent for stapling vinyl, the wide flat staple minimizes cut through on the vinyl. Better grip in PVC foamboard, plastic & fiberglass.

Item #	Leg Length	Quantity
STSSDD5008	1/4" Stainless Steel Divergent Point	5000 per Box 20 boxes per Case
STSSDD5012	3/8" Stainless Steel Divergent Point	5000 per Box 20 boxes per Case
STSSDD5016	1/2" Stainless Steel Divergent Point	5000 per Box 20 boxes per Case



#7 Crown BeA Staples

These are galvanized #7 crown (3/8") staples fit a variety of guns including BEA STD421, Fasco, Empire and many more.

Item #	Leg Length	Case Packs
STB7106	1/4"	40 (10,000 Box)
STB7110	3/8"	25 (10,000 Box)
STB7112	1/2"	20 (10,000 Box)
STB7114	9/16"	8 (20,000 Box)
STEB9210MD	3/8" (divergent point)	10,000 Box



80/10

3/8"

21 Gauge 1/2" Crown Galvanized Staples

Similar to: BEA 80, FASCO 80, BOSTITCH AZ33

Quantity: 10,000 pcs.

Made in China

71/10

3/8"

22 Gauge 3/8" Crown Galvanized Staples

Similar to: BEA 71, FASCO EE7, EMPIRE 7, SENCO C

Quantity: 10,000 pcs.

Made in China

80 Series Wide Crown Staples

Bea Wide Crown Staples are wide crown and slightly heavier gauge wire and is excellent for stapling vinyl. These staples are galvanized for protection against the elements. Pkg. 10,000 per box, 15 boxes per case.

Item #	Leg Size
STB8010	3/8"
STB8012	1/2"
STB8014	9/16"
STSSB8010	3/8" Stainless Steel



Economy #7 Staples

Fits a variety of staplers, probably the most common and interchangeable size of staples available, it fits Empire, Fasco, BEA and many more. Very economical. Pkg. 10,000 per box, 20 boxes per case.

Economy Galvanized Steel

Item #	Leg Size
STC7106	1/4"
STC7110	3/8"
STC7112	1/2"
STC7114	9/16"

Economy Stainless Steel

Item #	Leg Size
STSSC7106	1/4"
STSSC7110	3/8"
STSSC7112	1/2"



Tego #7 Staples

Tego #7 staples fit the most common #7 pneumatic staplers guns such as Empire, Fasco, and BEA.




Item #	Leg Length
STSST7106	1/4" Stainless Steel
STSST7110	3/8" Stainless Steel
STSST7112	1/2" Stainless Steel

Item #	Leg Length
STT7106	1/4" Galvanized
STT7110	3/8" Galvanized
STT7112	1/2" Galvanized
STT7114	9/16" Galvanized

#7 Crown Empire Staples

Fits a variety of staplers, probably the most common and interchangeable size of staples available, it fits Empire, Fasco, BEA and many more. Pkg. 10,000 per box, 20 boxes per case.

Item #	Leg Length
STE704	5/32"
STE706	1/4"
STE710	3/8"
STE712	1/2"
STE714	9/16"



#7 - 3/8"
10MM LEG
LIQUOR FINISH

Precision Engineered to Interchange with:
ATRO 72, BeA 71, EMPIRE #7,
FASCO EE7, PREBENA V, SENCO C
10,000 per box





STXBEA4217

Bea Staple Guns

Bea Staple Gun (STXBEA4217) and (STXBEA4367LN) uses a #7 crown or 3/8" crown light wire staple, which is commonly available and therefore very economical. This high quality German made tool is our top of the line pneumatic stapler.



STXBEA4367LN



STXTC08 - #7 Crown

STXTC8016 - Wide #80 Crown

EZE Staple Guns

The EZE staple gun is a very low price reliable tool that shoots the common #7 Staple gun. Unlike many entry level tools replacement parts are available so these tools can be repaired.



STXTC08LN - #7 Crown



STXF1B7 - #7 Crown

STXF1B50W - Wide Crown

Fasco/Rainco Staple Guns

#7 Fasco/Rainco Long Nose Staple Gun the same great F1B7 gun with a 2 inch long nose for reaching tight spots, excellent for cornice boards. #7 F1B Fasco/Rainco Staple Gun uses a #7 or 3/8" crown light wire staple, which is commonly available and therefore very economical. The F1B is a very high quality low maintenance tool. Wide Crown 50 Series F1B Fasco/Rainco Staple Gun uses a 50 or 1/2" crown staple excellent for vinyl. The F1B is a very high quality low maintenance tool.



STXF1B7L - #7 Crown

STXF1B50WL - #50 W Crown



STXF1A9N - #9 Crown

Fasco/Empire Staple Guns

#9 Narrow crown staple gun. Commonly known as a Gimp Gun.

Galvanized Staples - 3/8" Divergent Point

This heavy duty, 18 gauge staple is commonly used in the awning industry for stapling fabrics to aluminum awning frames.



BEA

STB9210MD - 3/8"
5,000 staples per box

STX7E

Interchange Electric Staple Gun

This staple gun features a tough reinforced fiberglass resin body. A convenient oversized trigger and lock prevents accidental firing. The magazine capacity is 150 staples and is double insulated for a long life. Uses #7 staples.



STX11197F

FASCO

STEB9210MD - 3/8"
10,000 staples per box

Triggerfire Hand Stapler by Surebonder

The TRIGGERFIRE™ Staple Gun is designed to make heavy duty stapling easier, faster, and more accurate. With patented trigger technology, this stapler lets you squeeze, position, and pull the trigger for precise, one-handed flush stapling.



STXTF5625

Bantum Bully Air Staple & Tack Remover

Comes with staple and tack remover.



Pneumatic Air Hammer
Staple Remover
Tack Remover

TO BB2010
TO BB11702
TO BB11300

Air Tool Accessories

Short Nipple 1/4" Plug

Used on most air tools for coupling to air lines.

STYAC11 - Male Threads
STYAC12 - Female Threads



1/4" Coupler

1/4" Coupler for use with STYAC11 and STYAC12 on the hose side of the connection.

STYAC13



Triggerfire Hand Stapler Staples



T50 type staples used with the Triggerfire Stapler.

STT55038
STT55012
STSST88038
STSST88012

Galvanized 3/8" Leg
Galvanized 1/2" Leg
Stainless 3/8" Leg
Stainless 1/2" Leg

Decorative Nail Pneumatic Nailer



See page 61 for more info

Pneumatic Nailer
3/4" Nail Barrel
5/8" Nail Barrel

TO6750
TO6750-B3/4
TO6750-B5/8

Pig Tail Hose

Pig Tail Hose 1/4" x 12" usually used between the self storing hose and the tool to create a small section of separation and keep the self storing hose from interfering with operation of the tool.



STYAC21

Air Tool Oil

A premium quality lubricant for all pneumatic tools. 8 oz.

STY12204



Needles

Curved Round Point

Cards each contain four different sized needles.

One Needle Each

3"	GAUGE 18
4"	GAUGE 17
5"	GAUGE 16
6"	GAUGE 15



NE K3

Extra Light Curved Round Point

One Needle Each

2-1/2"	GAUGE 20
3"	GAUGE 19
3-1/2"	GAUGE 18
4"	GAUGE 18




NE K7

Curved Round Point Handsewing Needles

Item #	Size
NE501.5 2	2"
NE501.5 2.5	2.5"
NE501.5 3	3"
NE501.5 3.5	3.5"
NE501.5 4	4"
NE501.5 5 non-stock	5"
NE501.5 6 non-stock	6"
NE501.5 7 non-stock	7"
NE501.5 8 non-stock	8"

All are packaged
12 each but may be
purchased individually.



Curved Square Point

Cards each contain four different sized needles.

One Needle Each

3"	GAUGE 18
4"	GAUGE 17
5"	GAUGE 16
6"	GAUGE 15



NE K4

Straight Round Point Button Needle



NE K5

One Needle Each
6" 14 GAUGE
8" 14 GAUGE
10" 13 GAUGE
12" 13 GAUGE

Curved Square Point Handsewing Needles

Item #	Size
NE502.5 2	2"
NE502.5 2.5	2.5"
NE502.5 3	3"
NE502.5 3.5	3.5"
NE502.5 4	4"
NE502.5 5 non-stock	5"
NE502.5 6 non-stock	6"
NE502.5 7 non-stock	7"
NE502.5 8 non-stock	8"

All are bayonet shaped
and are designed to cut.
They are packaged 12
each but may be
purchased individually.

Straight Heavy Round Point Needles

#554 these heavy-duty needles are packaged 12 each but may be purchased individually.

Item #	Size
NE554 12	12"

Item #	Size
NE554 14	14"

Item #	Size
NE554 18	18"

Straight Heavy Square Point Needles

These heavy-duty needles, with cutting edges are packaged 12 each but may be purchased individually.

Item #	Size
NE556 06	6"
NE556 08	8"

Item #	Size
NE556 10 non-stock	10"
NE556 14	14"

Straight Round Point Button Tufting Needles

#504 heavy-duty needles come 12 per package.



Item #	Size
NE504 12	12"

Plastic Handle Regulators

Similar to an ice pick.



Item #	Length
REG520 06	6"
REG520 08	8"
REG520 10	10"
REG520 12	12"

Twist Pins

Twist pins are for holding arm caps and bed skirts in place. Packaged 100 and 500.

PIN TW 100	Box 100
PIN TW 500	Box 500



Push Pins

Large plastic mushroom shaped pin. Box 100.

PIN PP



Straight Pins



Item #	Size	Quantity
PIN S20	1-1/4"	1 lb box
PIN S24	1-1/2"	1/2 lb box

Upholstery Pins

Long pins with large eyes for easy handling. Packaged by the gross.

Item #	Size
PINUP 3	3"
PINUP 3.5	3.5"
PINUP 4	4"

T-Pins

1/2 lb box

Item #	Size
PIN T20	#20 1-1/4"
PIN T24	#24 1-1/2"
PIN T28	#28 1-3/4"
PIN T32	#32 2"

Rotary Fabric Cutter

Rotary Fabric Cutter features a lightweight plastic body for easy handling. The blades prevent fabric slippage for an accurate cutting of any type of fabric. Simple push button starting and sharpening.



TO RS50

Special Order

Cutting Blade for RS-50



TO RS50113

Special Order

Consew Cordless Shear

Consew Model 501P

Cordless Electric Shear Round Knife Cutter (60mm)

1 hour fast battery pack charger with automatic switch off control. Adjustable guide together with blade guard provide proper settings for varying cutting thicknesses. Easy and accurate cutting of edges, with special parallel cutting guides. Tool comes with 1 battery and a charger.



TO 501P	Cordless Shear Complete Set
TO EC360A52	Extra 9.6 Volt Battery
TO EC360A18	Carbide Tip Counter Knife

Special Order

Mundial Cushion Pro Bent Shears

Mundial Cushion-PRO™ Bent Trimmers feature precision honed heavy gauge blades with cushioned handles to cut easily through many fabric material. The brand new Cushion-PRO™ extra large finger bows and cushioned handles provide hours of cutting comfort.



8-1/2" Cushion Pro Bent Shears by Mundial

SHM99008

10" Cushion Pro Bent Shears by Mundial

SHM99010

Shears and Scissors

10" Bent Trimmers - Klein Cutlery

The 10" Bent Trimmer is crafted from hot-forged carbon steel for strength and durability, with a chrome-over-nickel finish for corrosion resistance. Its sharp knife edge glides through fabric, felt, muslin, and lighter rubber materials with precision. The ergonomic bent handle ensures smooth, controlled surface cutting, making it ideal for professional sewing, quilting, textiles, and industrial applications.



U. S. A.



SHKH210K

8-5/8" Straight Trimmers - Klein Cutlery

The 8 5/8" Heavy Duty Shear with Knife Edge is crafted from durable carbon steel. This high-leverage trimmer delivers exceptional strength and cutting power. Its chrome-over-nickel-plated finish enhances corrosion resistance, while the precision-honed knife edge ensures clean, effortless cuts. Perfect for DIY and professional projects.



SHKH718K

Product Features:

- Sharp Blades: Ensures sharp, accurate cuts for lasting performance.
- Chrome Over Nickel-Plated Finish: Provides enhanced corrosion resistance, ensuring long-lasting durability and protection against wear, even in demanding environments.
- Precision Cutting: Ideal for cutting textiles, fabric, felt, cardboard, plastic, rubber, sheet metal and more
- High-Leverage Handles: Designed for maximum comfort and enhanced cutting power
- Knife Edge: Sharp knife edge for effortless trimming

Shears and Scissors

Mundial

Features easy to set Stay-Set pivot assembly. For maximum ergonomic control and comfortable cutting power under the most demanding industrial applications. Hot drop forged and fully nickel plated with black enameled handles.

Knife Edge Bent Trimmers

10" Knife Edge Bent Trimmers

SHM10	Right Handed
SHM10LH	Left Handed



Knife Edge Bent Trimmers

12" Knife Edge Bent Trimmers

SHM12



High Leverage Utility

8" High Leverage Utility Knife Edge



SHM4568

10" Wiss Bent Trimmers

SHW10



Finny Tailor/Carpet Shears

Combining lightweight ice tempered stainless steel with our BOTEC CUT curved blade and special grinding allows maximum cutting performance. Unbreakable plastic handles with non slide soft inserts in bright red. Made in Germany. Combining lightweight ice tempered stainless steel with our BOTEC CUT curved blade and special grinding allows maximum cutting performance. Unbreakable plastic handles with non slide soft inserts. Made in Germany.

Item #	Size	Description
SHF72025	10"	Bent LT & RT hand
SHF73225	10"	Bent LT & RT hand
SHF73725	10"	One blade serated
SHF743225	10"	Serated blade (nonstock)
SHF74525	10"	Bent left & right hand



KAI 7000 Professional Shears



These are the Kai 7000 professional series, professional sewing scissors that will make a difference to your sewing projects. They are made of a heavy-duty, high-carbon stainless steel which allows these sewing shears to be sharpened at a steeper angle, and also allows them to maintain their cut-life and durability over time.

If you're looking for high quality professional sewing shears that are great on cottons, denims, silks, fleece, and even Carbon fiber, Kevlar®, and Nomex® then you have come to the right place.

Item #	Size
SHK7250	10"
SHK7280	11"
SHK7300	12"

Thread Clips 4-1/2" Steel Thread Clips



SHMPTC

Knife Edge Dressmaker 8" Knife Edge Dress Maker

8" Knife Edge Dress Maker



SHM4068



Acu-Cutter Foam Saw

Acu-Cutter Foam Saw is a light weight economical foam saw with two cutting blades, one fixed and one moving.

TO350/8	8" Acu-Cutter
TO350/12	12" Acu-Cutter
TO350B	8" Replacement Blades
TO350B12	12" Replacement Blades



Engel Hot Knife

Suitable to cut and seal synthetic ropes, webbings and acrylic cloth. Blade sold separately.



Consew Foam Cutter

The Smoothcut CFC is a foam and rubber cutting system that is sold complete. Some components are available separately.

- The CFC-B Base has rollers for smooth cutting
- Multiple Blade lengths available - twin blades needed



TO CFC08	8" Foam Cutter
TO CFC08 BL	8" Foam Cutter Blades (2 per unit)
TO CFC12	12" Foam Cutter
TO CFC12 BL	12" Foam Cutter Blades (2 per unit)
TO CFC-B	Base/Foot for Blade Guide
TO CFC-C	8" Column/Blade Guide

Klinch It Tool

Used for attaching coil springs to webbing in furniture.



TO KL

STKLINCH	Clinch It Staples 5000 pc box
STKLINCHS	Individual strip of 25



E-Z Tool Punches

These plier-type tools die cut fabric to accept the eyelet and back plate for turnbuckles, AKA Common Sense or Twist lock fasteners and Curtain fasteners AKA LIFT THE DOT fasteners. These tools cut fast and clean with a single-handed squeeze of the lightweight plastic coated handles.

Turnbuckle/
Common Sense
fastener tool.



Curtain Fastener/
Lift the Dot tool.



TO EZCS

TO EZLD

C-4 Punch

Used to die cut fabric to accept the eyelet and back plate for turnbuckles. AKA Common Sense or Twist lock fasteners.



TO C4

L-6 Punch

Used to die cut fabric to accept the eyelet and backplate for curtain fasteners. AKA "Lift the Dot" fasteners.



TO L6

SnapFast® Punch



For Use With
SnapFast Fasteners.

TO SFC

Two Prong Punch

The Two Prong Punch die cuts fabric to accept turnbuckle/common sense part #78332 and 78322.



TO71

Press-N-Snap and Accessories

Press-N-Snap Tool

Press-N-Snap tool is versatile and easy to use. It is capable of setting numerous brands and types of fasteners simply by changing the dies. The



Press-n-Snap tool comes with basic die set for standard snaps, commonly referred to as 24 line snaps.

TO P

One Way Socket Die



TO PB2.1

Stud to Stud/ Gypsy Stud Die



TO PB4.5

Gypsy Stud

USE
WITH

Basic Die Set

Basic Die-Set contains all four dies for setting standard 24 line snaps.



TO PB5

#8 Dies

The opposing side used with #58 dies.



TO P8




Socket Die

Socket Die holds the socket side of snap, a lower die used with upper button/cap die.



TO PB2



Button/Cap Die

Button/Cap Die holds the button or cap side of snap, an upper die used with lower socket die. Uses the M2700 large gray retaining ring.



TO PB1

Baby Die Set


Contains all four dies for setting Baby snaps.



TO PBBS

Bench Mount

Bench Mount for mounting the Press-N-Snap tool to a workbench.



TO P1

PowerSnap Tool

See page 7 for details



TO POWERSNAP

#58 Dies

#58 Dies for setting curtain/Lift the dot part 16509 with 16359.



TO P58

Stud Die

Stud Die holds the stud side of snap, a lower die used with wupper post or eyelet die.



TO PB4

Post/Eyelet Die

Post/Eyelet Die holds the post or eyelet side of snap, an upper die used with lower stud die. Uses the M2700 large gray retaining ring.



TO PB3

Turn Lock Die

Turn lock/Twist lock/ Common sense dies



TO PTB

Grommet Dies for Press-N-Snap

Item #	Type	Size
TO PGR0	Plain (use with plain grommets)	0
TO PGR00	Plain (use with plain grommets)	00
TO PGR1	Plain (use with plain grommets)	1
TO PGR2	Plain (use with plain grommets)	2
TO PGR3	Plain (use with plain grommets)	3
TO PGRS0	Spur (use with spur grommets)	0
TO PGRS1	Spur (use with spur grommets)	1



PLAIN



SPUR

Grommet Hole Cutters

Item#	Size	Hole Diameter
TO PHP0	0	1/4"
TO PHP00	00	3/16"



TO PHP0



TO PHP00

Grommet Hole Cutters

Item#	Size	Hole Diameter
TO PHP1	1	5/16"
TO PHP2	2	3/8"
TO PHP3	3	7/16"



TO PM2700 Gray Ring



TO PM2700

TO PM2400 Rubber Retainer Ring

Retainer ring for the press n snap tool dies. For use with the 24 line or what we consider the standard size snap parts.

TO PM2400



Small O-Ring

Used on upper dies and plunger.



TO POR1

Stud O-Ring

Used on stud dies.



TO POR2

Fit Right Cover Tool Kit

Speed & Accuracy in Boat Top Fitting

Fit Right holding tool snaps on to the existing studs and provides a quick and easy way to hold material while fitting - no clamps necessary. **Fit Right** caps hold material in place on the holding tool, especially on a windy day. **Fit Right** release tool easily installs and removes the holding tool from the stud. Great for fitting with material and also holding paper or plastic when molding a pattern. Can be used over and over on job after job. Can be used on boat cockpit covers, side curtains, enclosures, console covers, carpet, pickup truck tonneau covers, etc. The parts can be purchased individually or in a kit.

* Purchase entire kit or individual pieces *

Plastic Cap



TO4500-PC

Socket Pin



TO4500-SP



TO4500-UT

Unsnapping Tool

TOK4500 - Fit Right Cover Tool Kit (entire kit)

The kit contains 50 socket pins with points, 25 plastic caps and 1 unsnapping tool.

Item#	Length
TO RA24	24"
TO RA36	36"
TO RA48	48"
TO RA60	60"
TO RA72	72"
TO RW36	36" Wooden Yard Stick



Aluminum Rulers

2" wide and made from sturdy, extruded, lightweight aluminum with thermobonded, embossed printing.

60" Soft Tape Measure



TO TM242 60

EZE Siphon Sprayer

EZE Siphon Sprayer for spraying lightweight bulk liquids such as glue, silicone or fabric protectant, lightweight and durable. Available with a plastic or aluminum cup.



TO TB02A

EZE Siphon Sprayer Cup

Replacement for cup for EZE Siphon Sprayer.

TO TBO2A RC
AluminumTO TBO2P RC
PlasticPlastic Replacement
Lid (only) TO TB0202**K-Gun Siphon Sprayer**


- Sprays
- Lacquer
- Paints
- Foam adhesive



TO118

TO118C - Replacement
Cup**Siphon Sprayer**

Spray gun with dripless cup. Recommended for use with contact cement.



TO1099

Decorative Nail Pneumatic Nailer

TO6750

Pneumatic Nailer
3/4" Nail Barrel
5/8" Nail Barrel

TO6750
TO6750-B3/4
TO6750-B5/8

Bantum Bully

Pneumatic Air Hammer
Staple Remover
Tack Remover

TO BB2010
TO BB11702
TO BB11300

Tucking Tools

For tucking upholstery and headlining into those hard to reach places.

Economy Tucking Tool

Sturdy curved steel blade with rounded corners.
Economically priced.

TO VTT

**Osborne Tucking Tool**

Flexible Tucking Tool - TO746
Rigid Tucking Tool - TO747

Seam Ripper

Extra large with ball.



TO SRXL

Auto Trimmers Knife

The Auto Trimmer Knife is made of the finest steel with both hook and pointed blade. Used for ripping seams. Cuts auto carpeting, plastic and rubber.



TO1020

Staple Lifter

120.5 Staple Lifter was designed with the correct angle for removing staples of any size. Manufactured from top grade steel and electronically hardened working ends are oven tempered to avoid breakage. Not recommended for pulling out tacks.



TO120.5

Tack Claw

The Tack Claw ends are hardened and tempered to prevent breakage with a rugged plastic handle for heavier use and more leverage.



Special Order

TO202

Berry Staple Puller

An excellent tool for removing staples.



TO B1

Claw Tool

The Claw Tool is narrow at the point to get under heads of ornamental nails and tacks without harming fabrics or wood.



Special Order

TO200

Revolving Hole Punch

The Revolving Hole Punch is a fine quality pressed frame with heat-treated drive tubes. Punches the following sizes; 3/32", 7/64", 1/8", 5/32", and 3/16".



TO223

Tack Claw

Cold drawn 1/2" tempered, plated steel blade. Black plastic handle.



TO146

Scratch Awl - size 1

Heavy duty - Best quality steel blade . Rugged amber plastic handle.

Blade length 2-1/2"
Overall length 4-1/2"

TO4-1





Belt Punches

Belt Punches all have hardened cutting edges, milled clearing holes and polished barrels. Excellent for punching grommet holes.

Item #	Size #	Diameter size
TO245 00	0	1/16"
TO245 05	5	11/64"
TO245 06	6	3/16"
TO245 09	9	1/4"
TO245 1/2	1/2	1/2"
TO245 11	11	9/32"
TO245 12	12	5/16"
TO245 14	14	3/8"
TO245 16	16	7/16"
TO245 3/4	3/4	3/4"

Arch Punch

These punches are forged from the finest quality steel. Hardened and tempered points for industrial use. Good size for punching holes for ventilators.



Item #	Size
TO149 01020	1/2" Hole (nonstock)
TO149 01022	9/16" Hole (nonstock)
TO149 01024	5/8" Hole
TO149 01028	3/4" Hole
TO149 01030	13/16" Hole
TO149 01032	7/8" Hole
TO149 01036	1" Hole (nonstock)

Zipper Slide Jig

Zipper Slide Jig - Holds #2.5 to #10 Sliders



TO1014

Webbing/Canvas Pliers

Webbing/Canvas Pliers are made with hammer jaws, the hammer acts as a lever if a strong pull is required. Excellent tool for stretching canvas and webbing.



TO250

Seam Stretcher

The Seam Stretcher is made of light aluminum, simple toggle construction. Easy to operate. Stretches seams from 12" to 36". Can also be used as calipers for cutting large circles.



TO267

Gooseneck Webbing Stretcher

Gooseneck Webbing Stretcher is a hand stretcher for jute webbing.



TO253

Webbing Stretcher

This Webbing Stretcher is made of hardwood maple with corrugated rubber at one end and 1 row of 6 sharpened steel pins at the other end.



TO255

Lever Spring Stretcher

Lever Spring Stretcher is a sturdy tool used for installing no-sag type sinuous springs.

TO268

**Filler Bazooka**

Used to fill cushions and pillow with loose fill. The bazooka sucks up feathers and other loose fills and shoots them into the casing. It also can be reversed to double as a vacuum cleaner.

TO302

**Magnetic Tack Hammer**

This Magnetic Tack Hammer features a 7oz. solid head of light bronze, steel tipped at one end and a permanent magnet at the other end.



TO33

Ripping Hammer

The 1/2" Ripping Hammer is made of forged steel, balanced and tough. Double edged at correct angles for stripping off old fabric.



TO277

Nylon Tip Hammer

The Nylon Tip Hammer is similar to the popular 33 magnetic hammer but the large face is fitted with a nylon tip. This prevents damage to decorative nails.

Upgrade to Pneumatic Nailer
see page 63



Nylon
Replacement Tip
TO36T

TO36

Hickory Mallet

Hickory Mallet is a carefully finished, well balanced, heavy mallet. The size 3.5 has a 2" diameter head.



TO89.53.5

Rawhide Mallet

The 2" diameter head of this lightweight mallet is made of rolled water buffalo rawhide with a white hickory handle. It is recommended for many jobs where the user wishes to avoid scarring. (Size 4)



TO1964

Split Head Hammer

Ideal for use with punches, grommet dies and wherever a cushioned blow is desired. No trouble to replace faces. Comes with long wearing 1.25" rawhide face insert.



TO394-3R

Economy Bent Hog Ring Pliers

Typically for attaching automotive seat covers to seat frames.

**Ripping Pincer**

Ripping Pincer is a rugged forged steel pincer for heavy ripping. Polished flush cut jaws for getting close to flat surface.

**Decorative Nail Plier**

A high quality American-made plier made by C.S. Osborne. This professional grade plier is made of hardened steel. It has a welded pin that gives leverage when pulling out the antique nails without effort, letting the tool do the job. Made in the USA.

**Timesaver Tufting Needle**

This Timesaving Tufting Needle replaces buttons on tufted furniture without having to remove the outside back on furniture. This tool uses a plunger to install a clasp through the inside back.



Clasps
for 417 tufting needle

**Repair Tufting Needle**

The Repair Tufting Needle replaces buttons on tufted furniture without having to remove the outside back on furniture.

**Repair Tufting Clasps**

Pkg. 1 gross.



TO613

TO614

XXL Bent Hog Ring Pliers

A higher quality American made tool.

**Quick Nailer Nail Spacer**

For installing decorative nails.

**Diagonal Side Nippers**

Rugged drop forged nippers are ideal for cutting hog rings, wire and staples.



Razor Blades

Quality razor blades. Box 100



RAZ12	#12 heavy duty blades
RAZ9	#9 razor blades

Ventilator Die Set**1" Ventilator Die Set**

TO621 1

3/4" Ventilator Die Set

TO621 075

Ventilators & Washers

V1 3/4	3/4"
V1 1	1"

Panel Boards

ABS boards are impact and chemical resistant plastic. (see page 83 for details)

ABS.125B 1/8" X 48" X 96" Black

ABS.125B4832 1/8" X 48" X 32" Black

PB39X65 39 X 65 Package Tray Boards 70 Point Thickness

PB48053 40" X 60" X .080 Pasted Kraftex Panel Board. Heavy and rigid.

PB48060 40" X 60" X .054 Chip Panel Board. Thin and more flexible.

PBWP32X48 Water-resistant .100 Panel Board 32" X 48". A board typically used in automotive door panels.

Printed colors are good representations but customers should be advised that actual colors maybe different.

**Nylon Hand
Sewing Thread**

Nylon Hand Sewing Thread is a heavy-duty thread put up on small 2 oz spools used for small hand sewing jobs. 251 yard spools



N18 721	White
N18 744	Black
N18 765	Navy
N18 767	Caramel
N18 770	Leaf

N207 6261	Burgundy
N207 6603	Natural
N207 6614	Light Beige
N207 6665	Beige
N207 6780	Seal Brown

TEX40 Spun Polyester Thread

This thread is excellent for surging, blind hemming and straight stitch sewing. Primarily used for window treatments and draperies. Put up on 6000 yd spools.

Item #	Color
P40 32001	White

Monofilament Thread and Canister Cover

Monofilament thread is similar to fishing line and is very economical to use costing about half of what nylon and polyester do. It comes in a variety of weights and is used commonly in draperies and furniture. Monofilament is sold by the weight and spools typically weigh 1-1/2 lbs.



Item #	Size	Information
M25	25	Light duty primarily used in draperies
M40	40	Light to medium duty some upholstery and drapery uses
M52	52	Medium duty primarily used in furniture
M52S	52	Medium duty primarily used in furniture. Smoke in color
M63	63	Heavy duty primarily used in furniture
M1COVER		Monofilament Thread Canister Cover

69/TEX70 Nylon Thread

The 69/TEX70 Nylon Thread is the standard size nylon thread for most automotive and furniture upholstery. 12 colors stocked in 1 pound spools and over 46 colors are available on smaller 4 oz tubes.

FIL-TEC BONDED NYLON



1 lb
Tubes



Available on 1 pound spools

Item #	Color	Item #	Color
N69 12504	Ash	N69 BL1	Black
N69 12710	Eggshell	N69 W1	White
N69 14117	Sand	N69 34099	Lt. Beige
N69 15067	Dark Sand	N69 35553	Cream
N69 15759	Beige	N69 67073	Mahogany

Printed colors are good representations but customers should be advised that actual colors maybe different.

69/TEX70 Nylon Thread - 4 oz

High Spec Bonded 69 nylon thread. QS-9000 & Q-1 rated. Bonded, lubed, left twist, colorfast & made in USA.

"High-Spec"

BONDED NYLON THREAD

* special orders require a 4 spool minimum



Available
in 4 oz
Tubes

69/TEX70 Nylon Prewound Bobbins



Item #	Size	Color	Put Up
N69GBE-72	G	Beige	1/2 gross box
N69GBE-144	G	Beige	1 gross box
N69GBL-72	G	Black	1/2 gross box
N69GBL-144	G	Black	1 gross box
N69GW-72	G	White	1/2 gross box
N69GW-144	G	White	1 gross box
N69MBE-72	M	Beige	1/2 gross box
N69MBE-144	M	Beige	1 gross box
N69MBL-72	M	Black	1/2 gross box
N69MBL-144	M	Black	1 gross box
N69MBW-72	M	Beige	1/2 gross box
N69MBW-144	M	Beige	1 gross box
N69MW-144	M	White	1 gross box
N69M14117-144	M	Sand	1 gross box
N69M15759-144	M	Beige	1 gross box

Bobbin Sizes



55/64"

approximately
the size of a
nickel



1-1/64"

slightly bigger
than a quarter

Fil-Tec Bonded Nylon Thread

4oz Tubes

Bonded twisted multifilament thread is ideal for sewing a wide range of products. Bonded Nylon threads offer superior sewing abilities plus good abrasion resistance and seam strength.

69/TEX70 Nylon Thread



Printed colors are good representations but customers should be advised that actual colors maybe different.

Tex 270 Nylon Thread

This heavy duty nylon thread is great for top stitch seams that are big and bold and is great for a contrasting color stitch. This thread is also heavy duty with more than double the break strength of a Tex 135. You will need a large needle ranging from a 180/24 to a 220/26 to sew this thread. 8 oz spools.

N2708 721Q	White		N2708 707Q	Scarlet
N2708 701Q	Natural		N2708 703Q	Toboggan
N2708 704Q	Tan		N2708 709Q	Forsythia
N2708 717Q	Saddle		N2708 718Q	Lime
N2708 714Q	Chinese Rust		N2708 719Q	Scarab
N2708 716Q	Hunter		N2708 715Q	Cathay Blue
N2708 720Q	Nickel		N2708 702Q	King Blue
N2708 706Q	Dr. Grey		N2708 712Q	Oregon Purple
N2708 744Q	Black		N2708 710Q	Dk. Pink

Nylon Monocord Prewound Bobbins



Item #	Size	Color	Put Up
NV69GBL	G (69)	Black	1 Gross
NV69GN	G (69)	Natural	1 Gross
NV69GW	G (69)	White	1 Gross
NV69MBL-72	M (92)	Black	1/2 Gross
NV69MBL-144	M (92)	Black	1 Gross
NV69MN-72	M (92)	Natural	1/2 Gross
NV69MN-144	M (92)	Natural	1 Gross
NV69MW-72	M (92)	White	1/2 Gross
NV69MW-144	M (92)	White	1 Gross

Nylon Monocord Thread

Nylon Monocord Thread is a single strand, size EE or 92 (not to be confused with monofilament or fishing line type thread). Similar to NYMO name. Available on 1 lb spools.



Item #	Color
NV92BL1	Black
NV92N1	Natural
NV92W1	White

Polyester Thread



High-performance multifilament polyester sewing thread designed for exceptional performance in outdoor settings. With advanced ultra-violet light protection, Sunstop® ensures that seams retain their strength and resist fading under intense UV exposure.

SunStop 92 Poly Thread

Item #	Color
P92 BL1	Black
P92 W1	White

SunStop 138 Poly Thread

Item #	Color
P138 66501	Black
P138 W66500	White

Polyester Prewound Bobbins

Colors in 92 and selected 138 Prewound Bobbins available special order.

92 Polyester - SunStop

Item #	Size	Color	Putup
P92GBL-72	G	Black	1/2 gross
P92GBL-144	G	Black	1 gross
P92GW-72	G	White	1/2 gross
P92GW-144	G	White	1 gross
P92M BL-72	M	Black	1/2 gross
P92M BL-144	M	Black	1 gross



92 Polyester - SunStop

Item #	Size	Color	Putup
P92M W-72	M	White	1/2 gross
P92M W-144	M	White	1 gross
P92M66511-72	M	Cadet Grey	1/2 gross
P92M66511-144	M	Cadet Grey	1 gross
P92M66517-72	M	Linen	1/2 gross
P92M66517-144	M	Linen	1 gross

SunStop® STANDARD STOCK COLOR SELECTION



TEX 90/92 POLYESTER & TEX 135/138 POLYESTER

WHITE	P928 66500 P1388 66500	TRUE BROWN	P928 66510 P1388 66510
NATURAL	P928 66502 P1388 66502 <small>Non-stock</small>	LOGO RED	P928 66519 P1388 66519
SILVER	P928 66509 P1388 66509	JOCKEY RED	P928 66507 P1388 66507
CADET GREY	P928 66511 P1388 66511	BURGANDY	P1388 66504
LINEN	P928 66517 P1388 66517	PACIFIC BLUE	P928 66513 P1388 66513
TOAST	P928 66512 P1388 66512	CAPTAIN NAVY	P928 66518
BEIGE	P928 66503 P1388 66503	SOL-JET BLACK	P928 66501 P1388 66501

SunStop Thread

Sunstop polyester enhanced thread is available in both Tex 90 and Tex 135 and comes on 8oz spools. M & G bobbins available for Tex 90 White, Black. M bobbins available in Linen.

Printed colors are good representations but customers should be advised that actual colors maybe different.

Tex 277 Polyester Thread

This heavy duty polyester thread is great for top stitch seams that are big and bold and is great for a contrasting color stitch. This thread is also heavy duty with more than double the break strength of a Tex 135. You will need a large needle ranging from a 180/24 to a 200/26 to sew this thread. **8 oz spools**



Printed colors are good representations but customers should be advised that actual colors maybe different.


Colors are stocked in 8 oz cones

P2778 3998
White
P2778 3985
Sterling
P2778 3925
Dark Gray
P2778 3990
Tan
P2778 3975
Saddle
P2778 3920
Chestnut
P2778 3935
Forsythia
P2778 3995
Toboggan

P2778 3910
Brigue
P2778 3970
Red
P2778 3905
Black
P2778 3955
Lime
P2778 3940
Hunter
P2778 3945
King Blue
P2778 3950
Lilac
P2778 3960
Oregon Purple



Since the conditions of use are beyond our control, the user must determine if this thread is suitable for their intended use. Machines will have to be adjusted and we suggest using a 24-26 needle size.



- All colors on card are stocked in DB 92 4-oz. tubes.
- Ultraviolet resistant.

- The thread shown on this card is bonded and lubed.
- Mildew resistant.

Available in 4oz cone

P924 C6162
Lt. Blue #6



P924 C1412
Bird's Egg Blue



P924 C33624
Rhonda Blue



P924 C35834
Derby Navy



P924 C107
Bishop Red



P924 C2003
Scarlet



P924 C3024
Toboggan



P924 C12391
Chinese Rust



P924 C3925
Chestnut



P924 C4815
Gold



P924 C35123
Ashes



P924 C11610
Pebble Beige



P924 C94
Nu Suntan



P924 C5007
Hunter



P924 C3285
Gold Brown



Coats 92 Polyester Thread

Coats is a 100% polyester thread made from a high strength continuous filament polyester.

Polyester offers excellent resistance to ultraviolet rays, microorganisms and mildew and is ideal for furniture, automotive, marine canvas and outdoor products.

The thread is bonded and is treated with a liquid resin and then cured and lubed. The bonding prevents fraying at a cut end, helps resist untwisting tendencies in multidirectional sewing, and protects the thread from abrasion and heat damage in the needles of high-speed sewing.

Sunguard UVR Bonded 92 Polyester Thread



SUNGUARD is twisted and bonded through a state-of-the-art bonding and dying process, to ensure the highest quality of colorfastness and performance. Every SUNGUARD product is manufactured to meet anti-wick standards, which reduces seam leakage. QS9000 Rated

4 oz tubes in
36 colors many
matching Out-
dura/Sunbrella/
Sattler acrylic
canvas.



P924 201Q	Natural White		P924 213Q	Blue Wave
P924 202Q	Oyster		P924 214Q	Pacific Blue
P924 239Q	Parchment		P924 225Q	Mediterranean
P924 203Q	Sand		P924 215Q	Dusk Blue
P924 229Q	Beaver		P924 216Q	Navy
P924 230Q	Mocha		P924 217Q	Dk. Teal
P924 204Q	Beige		P924 218Q	Ocean Green
P924 231Q	Saddle		P924 237Q	Seafoam
P924 227Q	Taupe		P924 238Q	Sage
P924 205Q	Bay Brown		P924 219Q	Shamrock
P924 206Q	Sun Glow		P924 220Q	Forest Green
P924 207Q	Cardinal		P924 221Q	Pearl Grey
P924 208Q	Burgundy		P924 222Q	Shark Grey
P924 209Q	Black Cherry		P924 234Q	Med. Titanium
P924 252Q	Cedar		P924 235Q	Med. Opal
P924 2110Q	Deep Lilac		P924 223Q	Charcoal
P924 212Q	Sunflower		P924 236Q	Graphite
P924 255Q	Concord		P924 224Q	Sol. Dyed Black

Printed colors are
good representa-
tions but customers
should be advised
that actual colors
maybe different.



Premium UVR Polyester Thread

Sun-Ban thread is designed to withstand the damaging effects of sunlight, specifically ultraviolet.

	White 9100		Pacific Blue 9104		Linen 9108		Pearl Grey 9112
	Black 9101		Blue 9105		Sand 9109		Silver 9113
	Oyster 9102		Medium Blue 9106		Brown 9110		Cadet Grey 9114
	Red 9103		Charcoal 9107		Shark Grey 9111		Parchment 9115





Sun-Ban Polyester Thread - 138

Item #	Color	Putup
P1388 9100	White	8oz
P1388 9101	Black	8oz
P1388 9102	Oyster	8oz
P1388 9103	Red	8oz
P1388 9104	Pacific Blue	8oz
P1388 9105	Blue	8oz
P1388 9106	Medium Blue	8oz
P1388 9107	Charcoal	8oz
P1388 9108	Linen	8oz
P1388 9109	Sand	8oz
P1388 9110	Brown	8oz
P1388 9111	Shark Grey	8oz
P1388 9112	Pearl Grey	8oz
P1388 9113	Silver	8oz
P1388 9114	Cadet Grey	8oz
P1388 9115	Parchment	8oz
P138 9100	White	16oz
P138 9101	Black	16oz

Sun-Ban Polyester Prewound Bobbins - 138

Item #	Color	Size
P138G9100-144	White	G
P138G9101-144	Black	G
P138G9108-144	Linen	G
P138G9114-144	Cadet Grey	G

Item #	Color	Size
P138M9100-144	White	M
P138M9101-144	Black	M
P138M9102-144	Oyster	M
P138M9103-144	Red	M
P138M9104-144	Pacific Blue	M
P138M9105-144	Blue	M
P138M9106-144	Medium Blue	M
P138M9107-144	Charcoal	M
P138M9108-144	Linen	M
P138M9109-144	Sand	M
P138M9110-144	Brown	M
P138M9111-144	Shark Grey	M
P138M9112-144	Pearl Grey	M
P138M9113-144	Silver	M
P138M9114-144	Cadet Grey	M
P138M9115-144	Parchment	M

Sun-Ban Polyester Thread - 92

Item #	Color	Putup
P928 9100	White	8oz
P928 9101	Black	8oz
P928 9102	Oyster	8oz
P928 9103	Red	8oz
P928 9104	Pacific Blue	8oz
P928 9105	Blue	8oz
P928 9106	Medium Blue	8oz
P928 9107	Charcoal	8oz
P928 9108	Linen	8oz
P928 9109	Sand	8oz
P928 9110	Brown	8oz
P928 9111	Shark Grey	8oz
P928 9112	Pearl Grey	8oz
P928 9113	Silver	8oz
P928 9114	Cadet Grey	8oz
P928 9115	Parchment	8oz
P92 9100	White	16oz
P92 9101	Black	16oz

Sun-Ban Polyester Prewound Bobbins - 92

Item #	Color	Size
P92G9100-144	White	G
P92G9101-144	Black	G
P92G9108-144	Linen	G
P92G9114-144	Cadet Grey	G

Item #	Color	Size
P92M9100-144	White	M
P92M9101-144	Black	M
P92M9102-144	Oyster	M
P92M9103-144	Red	M
P92M9104-144	Pacific Blue	M
P92M9105-144	Blue	M
P92M9106-144	Medium Blue	M
P92M9107-144	Charcoal	M
P92M9108-144	Linen	M
P92M9109-144	Sand	M
P92M9110-144	Brown	M
P92M9111-144	Shark Grey	M
P92M9112-144	Pearl Grey	M
P92M9113-144	Silver	M
P92M9114-144	Cadet Grey	M
P92M9115-144	Parchment	M





SUNGUARD is twisted and bonded through a state-of-the-art bonding and dying process, to ensure the highest quality of colorfastness and performance. Every SUNGUARD product is manufactured to meet anti-wick standards, which reduces seam leakage. QS9000 Rated

Item #	Color	Putup
P2078 201Q	Natural White	8oz
P2078 203QT	Sand	8oz
P2078 208QT	Burgundy	8oz
P2078 214QT	Pacific Blue	8oz
P2078 220QT	Forest Green	8oz
P2078 221QT	Pearl Grey	8oz
P2078 223QT	Charcoal	8oz
P2078 224QT	Black	8oz
P2078 243QT	Scarlet	8oz
P2078 251QT	Chinese Rust	8oz
P2078 3187QT	Beaver	8oz
P2078 L6873QT	Saddle	8oz



Aruvo™ sewing thread and pre-wound bobbins are made from premium PTFE fiber, to extend the life of your sewn seams. Standard thread can break down over time from sunlight, wind and the outdoor elements, but Aruvo™ retains its strength and flexibility after years of UV and sunlight exposure, unaffected by salt water, acid rain, or extreme temperatures. You can depend on Aruvo™ for long lasting, fade resistant color that will not stain or transfer to surrounding materials.

- LONG LASTING VIBRANT COLORS
- LASTS AS LONG AS THE FABRIC
- UV AND WEATHER RESISTANT
- CHEMICAL RESISTANT
- MILDEW RESISTANT
- WILL NOT ROT
- LIMITED LIFETIME WARRANTY

SEE PAGE 70
FOR DETAILS



GORE Tenara sewing thread stands up to years of sun and weather for seams that will last the lifetime of your product.

Tenara Thread

8oz 138 UV 2500 denier
8oz 92 UV 1400 denier

2500 Denier	
T1388 B	Black
T1388 C	Clear
T1388 W	White

1400 Denier	
T928 B	Black
T928 C	Clear
T928 W	White

Solar Thread

Solar thread is a PTFE thread that will outlast the fabric it is sewn into. Solar thread maintains 100% of its strength after many years of exposure to the sun, rain, chemicals, UV radiation, salt and more. Sews better and cleaner and has the same warranty as the competition. Excellent for Awnings, boat covers, sail covers, tarps, and many other outdoor sewn products.



Premobond Polyester Thread 92 - 4oz

Item #	Color	Putup
P924 15663	White	4oz
P924 15664	Black	4oz
P924 16974	Blue Lagoon	4oz
P924 16975	Marine Blue	4oz
P924 16976	Navy	4oz
P924 16977	Steel	4oz
P924 16978	Red	4oz
P924 16979	Brown	4oz
P924 16980	Toast	4oz

Premobond Polyester Thread 92 - 1lb

Item #	Color	Putup
P92 PB-BL1	Black	1lb
P92 PB-W1	White	1lb
P92 PB16122	Toast	1lb
P92 PB16255	Charcoal	1lb

Premobond Polyester Thread 138 - 4oz

Item #	Color	Putup
P1384 15665	White	4oz
P1384 15666	Black	4oz

Premobond Polyester Thread 138 - 1lb

Item #	Color	Putup
P138 PB-BL1	Black	1lb
P138 PB-W1	White	1lb
P138 PB16265	Charcoal	1lb
P138 PB16632	Toast	1lb

Printed colors are good representations but customers should be advised that actual colors maybe different.

PREMO BOND

UNEQUALLED PERFORMANCE IN THE MARINE SEWING INDUSTRY

White	Blue Lagoon
Sand	Light Blue
Beaver	Marine Blue
Toast	Navy
Brown	Silver
Forest Green	Steel Grey
Olive Drab	Charcoal
Burgundy	Black
Red	HD Orange
Terra Cotta	



ACTION UPHOLSTERY SUPPLY
2227 72ND AVE EAST
SARASOTA FL 34243
941-954-0532 • 1-800-329-0532
FAX 941-366-5220 • ACTIONUP.COM

PREMO BOND

PremoBond is a continuous filament bonded polyester sewing thread with maximum UV stability. Custom formulated dyes maximize color fastness and minimize the possibility of color transfer.

PremoBond utilizes special custom UV dyes and bond optimization to maintain color stability over years of outdoor use along with anti-wicking properties. Proprietary sewing lubricate enhances sewing performance above industry standards.

Meeting or exceeding current colorfastness standards ISO 105 EO1/EO2, AATCC 105/106 and ASTM G154. Made in the USA

SPECIFICATIONS
TOP THREAD

Product Descr.	Tex Size	Strength (lbs.)	Strength (grams)	Needle Size (metric)	Put-up
BPT 92	90	13.3	6,033	120	8 OZ, 1 LB
BPT 138	135	20	9,072	140	8 OZ, 1 LB

BOBBINS

Product Descr.	Tex Size	Strength (lbs.)	Strength (grams)	Put-up
BPT 92	90	13.3	6,038	U, G & M
BPT 138	135	20	9,080	U, G & M



Polypropylene Webbing Lightweight/Top Stitch

Excellent backer for top stitching. 100 yard rolls.

Item #	Width	Color
WEBPPL.75-BLK	3/4"	Black
WEBPPL1-BLK	1"	Black
WEBPPL1.5-BLK	1-1/2"	Black (non-stock)
WEBPPL2-BLK	2"	Black (non-stock)



WEBPPL.75-BLK

Hook/Loop Fastener

Commonly known as "Velcro"

Loop Fastener - Sew in

Put up on 50 yard rolls and 10 yard bags. All our hook & loop is made from nylon.



Item #	Width	Color	Put Up
L1BE	1"	Beige	50yd roll
L1BE-10	1"	Beige	10yd pack
L1BL	1"	Black	50yd roll
L1BL-10	1"	Black	10yd pack
L1W	1"	White	50yd roll
L1W-10	1"	White	10yd pack
L2BL	2"	Black	50yd roll
L2BL-10	2"	Black	10yd pack
L2W	2"	White	50yd roll
L2W-10	2"	White	10yd pack

Item #	Width	Color	Put Up
L075BE	3/4"	Beige	50yd roll
L075BE-10	3/4"	Beige	10yd pack
L075BL	3/4"	Black	50yd roll
L075BL-10	3/4"	Black	10yd pack
L075W	3/4"	White	50yd roll
L075W-10	3/4"	White	10yd pack
L3BL (full roll)	3"	Black	50yd roll
L4BL (full roll)	4"	Black	50yd roll
L4W (S/O)	4"	White	50yd roll (case only)
L6BL (S/O)	6"	White	50yd roll (case only)

Hook Fastener - Sew in

Put up on 50 yard rolls and 10 yard bags. All our hook & loop is made from nylon.



Item #	Width	Color	Put Up
H1BE	1"	Beige	50yd roll
H1BE-10	1"	Beige	10yd pack
H1BL	1"	Black	50yd roll
H1BL-10	1"	Black	10yd pack
H1W	1"	White	50yd roll
H1W-10	1"	White	10yd pack
H2BL	2"	Black	50yd roll
H2BL-10	2"	Black	10yd pack
H2W	2"	White	50yd roll
H2W-10	2"	White	10yd pack

Item #	Width	Color	Put Up
H075BE	3/4"	Beige	50yd roll
H075BE-10	3/4"	Beige	10yd pack
H075BL	3/4"	Black	50yd roll
H075BL-10	3/4"	Black	10yd pack
H075W	3/4"	White	50yd roll
H075W-10	3/4"	White	10yd pack
H3BL (full roll)	3"	Black	50yd roll
H4BL (full roll)	4"	Black	50yd roll
H4W (S/O)	4"	White	50yd roll (case only)
L6BL (S/O)	6"	White	50yd roll (case only)



Loop Fastener - Adhesive

A high heat resistant acrylic adhesive. Put up on 25 yard rolls and 5 yard bags.

Item #	Width	Color	Put Up
LA1BL	1"	Black	25
LA1BL-5	1"	Black	5
LA1W	1"	White	25
LA1W-5	1"	White	5
LA2BL	2"	Black	25
LA2BL-5	2"	Black	5
LA2W	2"	White	25
LA2W-5	2"	White	5



Hook Fastener - Adhesive

A high heat resistant acrylic adhesive. Put up on 25 yard rolls and 5 yard bags.

Item #	Width	Color	Put Up
HA1BL	1"	Black	25
HA1BL-5	1"	Black	5
HA1W	1"	White	25
HA1W-5	1"	White	5
HA2BL	2"	Black	25
HA2BL-5	2"	Black	5
HA2W	2"	White	25
HA2W-5	2"	White	5



Back to Back Hook & Loop

1" black nylon on
27.5 yard rolls.

HLBB1BL - black



VHS48B - black

VHS48W - white


Velstrip

48" rigid plastic
hook strip

Soft Seat Cover Loop

Put up on 25
yard rolls.
1-1/2" Wide

L3205



Cotton Welt Cord

All cotton welt cords offer great flexibility and softness. Cotton welts are also machine washable and are the preferred cording for slipcovers, pillow shams and bedspreads.

Cotton Welt

A premium soft and machine washable welt/piping. Available on 3 & 10 lb spools.

Item #	Size	Yds per lb
WC005323	5/32"	119
WC006323	6/32"	86
WC008323	8/32"	76
WC010323	10/32"	57
WC012323	12/32"	39
WC016323	16/32"	22
WC022323	22/32"	13
WC13	1"	8.5

Item #	Size	Yds per lb
WC00532	5/32"	119
WC00632	6/32"	86
WC00832	8/32"	76
WC01032	10/32"	57
WC01232	12/32"	39
WC01632	16/32"	22
WC02232	22/32"	13
WC1	1"	8.5



MADE IN
U. S. A.



6/32" Double Cotton Welt
165 yard - WCD00632

Soft Foam Welt

Economical foam welt. Good for cornice boards, marine and outdoor applications.

Item #	Size	Yds
WFS02	3/8"	100
WFS03	1/2"	72



Now put up on smaller, convenient sized spools

Braided Tissue Welt

The most commonly used welting product in the furniture industry. A very economical choice.



Item #	Size	Yardage	Case
WT0332	3/32"	1000	10
WT0432	4/32"	500	12
WT0532	5/32"	500	10
WT0532B	5/32"	2000	Center pull box
WT0532D	5/32" double	250	10
WT0632	6/32"	500	6
WT0832	8/32"	500	4
WT1032	10/32"	400	4 (special order case only)
WT1232	12/32"	250	4 (special order case only)
WT1632	16/32"	120	4 (special order case only)

Poly Welt

A plastic foam welt typically used in outdoor applications such as boats and patio furniture. Put up on 500 yd spools.



Item #	Size	Yardage
WP332	3/32"	500
WP432	4/32"	500
WP532	5/32"	500
WP632	6/32"	500
WP832	8/32"	500
WP1032	10/32"	250

Polyethylene Tubing

An inexpensive PE tubing that can be used as a "in the track" application, on awning, marine and Tonneau covers. 8/32" (1/4"), 1000ft rolls.



Zippers/Slides

#3 Nylon Coil Zipper

Value priced nylon zipper.

Item #	Color	Put-up
ZN3 BE	Beige	100 yd roll
ZN3 BE-20S	Beige	20 yards + 20 slides
ZN3 BL	Black	100 yd roll
ZN3 BL-20S	Black	20 yards + 20 slides
ZN3 W	White	100 yd roll
ZN3 W-20S	White	20 yards + 20 slides

#3 Slides

100 piece bag

Item #	Color
ZN3SBE	Beige
ZN3SBE-R	Beige *
ZN3SBL	Black
ZN3SBL-R	Black *
ZN3SW	White
ZN3SW-R	White *

* Slides are reversed auto lock



#4.5 Generic Nylon Coil Zipper

Put up on a convenient and affordable 100 yd roll.

Item #	Color
ZN45 BE	Beige
ZN45 BL	Black
ZN45 W	White

#4.5 Generic Nylon Coil Zipper & Slides

20 yard pack with 20 slides.

Item #	Color
ZN45 BE -20S	Beige
ZN45 BL -20S	Black
ZN45 W -20S	White

#4.5 Enameled Aluminum Pin Lock Slides

Package of 100

Item #	Color
ZN45SBL	Black
ZN45SBE	Beige
ZN45SW	White

#4.5 YKK Nylon Coil Zipper

A very economical zipper, used in the furniture and marine industries. Put up on 545 yd spools.

Item #	Color
ZN45Y BE	Beige
ZN45Y BL	Black
ZN45Y W	White

#4.5 YKK Plastic Slides

For outdoor and marine uses. Package of 100

Item #	Color
ZN45YPS B	Black
ZN45YPS W	White

#4.5 YKK Enameled Aluminum Pin Lock Slides

100 piece bag

Item #	Color
ZN45YS B	Black
ZN45YS BE	Beige
ZN45YS W	White

#5 Nylon Coil Zipper


Value priced nylon zipper.

Item #	Color	Put-up
ZN5 BE	Beige	200 yd roll
ZN5 BE-20S	Beige	20 yards + 20 slides
ZN5 BL	Black	200 yd roll
ZN5 BL-20S	Black	20 yards + 20 slides
ZN5 W	White	200 yd roll
ZN5 W-20S	White	20 yards + 20 slides



#5 Slides

100 piece bag



Item #	Color
ZN5S BE	Beige
ZN5S BL	Black
ZN5SL BL (long pull)	Black
ZN5S W	White

Zipper Pull Extension

100 per package
Black & White



F ZPE1
Black

F ZPE2
White

Zipper Stops

Prevents slides from falling off.
For #10 zipper.



ZM10STOP W	White Plastic
ZM10STOPSS	Stainless Steel
ZM10STOP B	Black Plastic

Zipper Slide Jig

Holds #2.5 to
#10 Sliders

TO1014



#5 YKK Molded Tooth Plastic Marine Zipper

A marine quality zipper commonly used for boat cushions.



Item #	Color	Put-up
ZM5 B	Black	218 yards
ZM5 B-27.25	Black	27.25 yards
ZM5 W	White	218 yards
ZM5 W-27.25	White	27.25 yards



#5 Enamelled Aluminum Slides

100 piece bag

ZM5ADW	White Double Pull
ZM5ASB	Black Single Pull
ZM5ASW	White Single Pull

#5 Plastic Slides

sold individually

ZM5PDB	Black Double Pull
ZM5PDW	White Double Pull
ZM5PSB	Black Single Pull
ZM5PSW	White Single Pull

#8 Nylon Coil Zipper

Marine quality zipper used mainly on boats. Available in black and white. This zipper is 3/4" chain.

Item #	Color	Put-up
ZN8CF501	White	150 yd roll
ZN8CF501-30	White	30 yd bag
ZN8CF580	Black	150 yd roll
ZN8CF580-30	Black	30 yd bag



Slides for #8 Nylon Coil Zipper

Metal Slides

Enameled aluminum sold individually

Single and Double Pull Slides Available

ZN8CFS01	White Single Pull
ZN8CFS02	White Double Pull
ZN8CFS03	Black Single Pull
ZN8CFS04	Black Double Pull



#10 YKK Nylon Coil Zipper

A heavy-duty marine quality zipper used mainly on boats. Available in black and white.

Item #	Color	Put-up
ZN10RC501	White	109 yd roll
ZN10RC501-30	White	21.8 yd bag
ZN10RC580	Black	109 yd roll
ZN10RC580-30	Black	21.8 yd bag



Slides for #10 Nylon Coil Zipper YKK

Enameled aluminum sold individually

Single and Double Pull Slides Available



ZN10RCS01	White Single Pull
ZN10RCS02	White Double Pull
ZN10RCS03	Black Single Pull
ZN10RCS04	Black Double Pull

ZN10CFS01	White Single Pull
ZN10CFS02	White Double Pull
ZN10CFS03	Black Single Pull
ZN10CFS04	Black Double Pull
ZN10CFSP-BLK	Black Plastic Single Long Pull

#10 YKK Molded Tooth Plastic Marine Zipper

Heavy-duty zipper used mostly on boats. Put up on 109 yd rolls.



Item #	Color	Put-up
ZM10 BL	Black	109 yd roll
ZM10 BL-21.8	Black	21.8 yd bag
ZM10 W	White	109 yd roll
ZM10 W-21.8	White	21.8 yd bag



Enameled Aluminum Slides

for #10 Single and Double Pull Slides Available

ZM10AS B	Black Single Pull
ZM10AS W	White Single Pull
ZM10AD B	Black Double Pull
ZM10AD W	White Double Pull

sold individually



Plastic Slides for

#10 YKK Single & Double Pull Slides

ZM10PD B	Black Double Pull
ZM10PD W	White Double Pull
ZM10PS B	Black Single Pull
ZM10PS W	White Single Pull

sold individually

#10 Separating Coil Zippers

These separating coil zippers are replacements for Jeep and Tracker soft tops. They can also be used in other applications where the zipper needs to curve along a radius.

96" #10 black coil double ended sliders with lanyards. Commonly used for Jeep rear window replacements zippers.



ZN10S84J



84" #10 black YKK coil separating zipper with a ring style zipper tab. Commonly used for Jeeps and marine applications.

ZN10S74T	74" Separating #10 Black for Tracker
ZN10S84J	84" Separating #10 Black
ZN10S962J	96" Separating #10 Black Double Sliders
ZN10S96J	96" Separating #10 Black

LenZip Zipper

Lenzip molded tooth zippers come with UV stable textured 3/4" tape that is heat weldable. Excellent choice for marine canvas, outdoor shelters, recreational equipment, and enclosures. Lenzip zippers also comes with a lifetime guarantee.

#8 LenZip Separating Nylon Zippers with Metal Double Pull

	Black	White	
Length	Item #	Item #	Put up
36"	ZM08MB036	ZM08MW036	25
48"	ZM08MB048	ZM08MW048	25
60"	ZM08MB060	ZM08MW060	25
72"	ZM08MB072	ZM08MW072	25
84"	ZM08MB084	ZM08MW084	10
96"	ZM08MB096	ZM08MW096	10

Test Data

Property & Specification Description	Test Results	Test Method
Crosswise Strength of Chain	148.4 pounds	ASTM D 2061
Holding Strength of Separable units	64.6 pounds	ASTM D 2061
Holding Strength of Stops	70.0 pounds top 88.3 pounds bottom	ASTM D 2061
Element Slippage	25.0 pounds	ASTM D 2061
Element Pull Off	24.6 pounds	ASTM D 2061
Operability of Zippers	1.3 pounds open 1.2 pounds closed	ASTM D 2061
Resistance to Pull-Off	117.3 pounds	ASTM D 2061

#10 LenZip Separating Nylon Zippers with Metal Double Pull



	Black	White	
Length	Item #	Item #	Put up
30"	ZM10LMB 030	ZM10LMW 024	50
36"	ZM10LMB 036	ZM10LMW 036	25
48"	ZM10LMB 048	ZM10LMW 048	25
54"	ZM10LMB 054	ZM10LMW 054	25
60"	ZM10LMB 060	ZM10LMW 060	20
72"	ZM10LMB 072	ZM10LMW 072	20
84"	ZM10LMB 084	ZM10LMW 084	10
96"	ZM10LMB 096	ZM10LMW 096	10
108"	ZM10LMB 108	ZM10LMW 108	10
120"	ZM10LMB 120	ZM10LMW 120	10



Specifications	
Gauge	#8, #10
Teeth Material	DuPont Derlin acetal resins, UV stable
Tape Material	UV stable textured woven polyester
Tape Width	3/4"
Guarantee	Lifetime

#10 LenZip Separating Nylon Zippers with Double Plastic Pull



	Black	White	
Length	Item #	Item #	Put up
30"	ZM10LB 030	ZM10LW 030	50
36"	ZM10LB 036	ZM10LW 036	50
48"	ZM10LB 048	ZM10LW 048	25
54"	ZM10LB 054	ZM10LW 054	20
60"	ZM10LB 060	ZM10LW 060	20
72"	ZM10LB 072	ZM10LW 072	20
84"	ZM10LB 084	ZM10LW 084	10
96"	ZM10LB 096	ZM10LW 096	10
108"	ZM10LB 108	ZM10LW 108	10
120"	ZM10LB 120	ZM10LW 120	10



Dust Cloth/Black Bottom

A non-woven fabric commonly used on the bottom of furniture, available in black and white and a variety of widths and weights.

Black#	White#	Width	Oz Weight	Length
DCB36	N/A	36"	1.25	100 yards
DCB36 500	N/A	36"	1.25	500 yards
DCB362	N/A	36"	2 (Heavy)	100 yards
DCB40	DCW40	40"	1.25	100 yards
DCB60	DCW60	60"	1.25	100 yards
DCB482	N/A	48"	2	100 yards

Denim Deck Cloth

A twill material used for the unseen decks of sofas, chairs, etc. Heavy duty, excellent quality decking. Comes in 32" and 64" widths.

Item #	Color	Width
D321	Beige/Tan/Khaki	32"
D322	Black	32"
D325	Grey	32"
D641	Beige	64"



Muslin

100% muslin unbleached cotton. 100 yd rolls. Cut yardage available.

MUS410	48" Muslin unbleached
MUS61N	61" Muslin unbleached
MUS68N	72" Muslin unbleached



Cotton Batting

100% Synthetic cotton combines high quality with econo-mical price. 27" wide x 16oz. Approximately 14 lbs per roll.



COTS2716



CLOSEUP

Burlap & Synthetic Burlap Substitutes



100 YARD ROLLS

BUR40

BUR2.5SNW

Cut yardage available

BUR40	40" Natural 10 oz. Burlap
BUR2.5SNW	40" 2.5 oz. Synthetic Non-Woven Burlap
BUR-FLW40	40" FLW Natural Woven Poly Fabric

Natural Cotton Canvas

Great all purpose fabric. Makes a great cover for workroom table-tops. Cut yardage available.

Item #	Width	Weight
CAN60N	60"	10 oz
CAN72N	72"	10 oz



Stuff Ease

Stuff Ease is a .5 oz non-woven fabric that can be used to make cushion stuffing easier. Wrap Stuff Ease around the outside of the foam or polyester batting. Stuff ease greatly reduces the friction between the fabric and the stuffing but is light enough not be noticed in your finished cushion. Stuff ease also makes a great protective interleaving for clear vinyl that easily scratch and stick to itself and other vinyl. Put up on 250 yard rolls.

Item #	Width	Weight
SE540	40"	.50 oz
SE560	60"	.50 oz

Skirt Linings and Insert

Skirt Insert Skirtex/Pellon

Used for stiffening skirts, top quality firm hand white non-woven put up on 100 yd rolls.

Item #	Width
SKI05	5"
SKI06	6"
SKI07	7"
SKI08	8"
SKI10	10"
SKI12	12"
SKI40	40" cut yardage available



Skirt Lining Crinoline

This product is woven and tan in color and put up on 100 yd rolls.



Item #	Width
SKL06	6" (non-stock)
SKL07	7" (non-stock)
SKL08	8"
SKL10	10"
SKL12	12"
SKL36	36" cut yardage available

Edge Roll

Used in furniture to pad hard edges such as the front edge of sofa decks. Made of compressed and rolled non-woven synthetic material with a lip for attaching to the furniture. Put up on 50 ft. coils.



Item #	Size
ER.5	1/2"
ER.75	3/4"
ER1.25	1-1/4"

Down and Feather



Offered in four blends

Duck	DF10/90	10/90 - 10% Down 90% Feather	5 & 10 lb bags
Duck	DF30/70	30/70 - 30% Down 70% Feather	10 lb bag
Duck	DF5/95	5/95 - 5% Down 95% Feather	5 lb bag
Duck	DF50/50	50/50 - 50% Down 50% Feather	15 to 20 lb bag

Downproof Ticking

Super soft, high thread count, high quality down proof ticking available by the yard and 100 yard rolls.

DPT62 - 62"



Scroll Gimp

Commonly used in furniture and window treatments as decorative trim and to cover seams and staples. Available in 36 yard sleeves.


Item #	Color
G AX01	White
G AX02	Black
G AX03	Natural
G AX07	Royal
G AX08	Navy
G AX10	Orange
G AX11	Tan
G AX13	Goldenrod
G AX15	Apple

Item #	Color
G AX16	Dark Green
G AX20	Rust
G AX21	Silver
G AX22	Coffee
G AX24	Turquoise
G AX25	Wine
G AX27	Emerald
G AX30	Dark Grey
G AX34	Old Gold

Item #	Color
G AX37	Teal
G AX40	Ice Blue
G AX62	Medium Brown
G AX70	Slate Blue
G AX72	Sand
G AX73	Burgundy
G AX74	Ecru
G AX75	Loden
G AX76	Beige


Item #	Color
G AX83	Mist
G AX84	Taupe
G AX85	Chestnut
G AX86	Moss
G AX88	Mustard
G AX90	Mixed Grey
G AX91	Denim Blue
G AX92	Medium Grey
G AX93	Medium Blue

See sample section
in this catalog for
additional color
selection
Page: Sample 44

**Pillow Forms****Deluxe Pillow Forms**

A high quality slick soft polyester fill with a nonwoven cover. Put up in cases but available by the piece.

Item #	Size	Pillows Per Case
PPD14 (non-stock)	14"	20
PPD16	16"	18
PPD1622	16" x 22"	12 (Deluxe Kidney)
PPD18	18"	15
PPD20	20"	12
PPD20R (non-stock)	20"	12 (Deluxe Round)
PPD22	22"	10
PPD24	24"	8
PPD26	26"	6
PPD28	28"	4
PPD30	30"	4
PPD7X18RB (n/s)	7" x 18"	12 (Round Bolster)
PPD9X20RB (n/s)	9" x 20"	12 (Round Bolster)
PPD24X40K	24" x 40"	5 (XL Deluxe King Sham)
PPD24X34Q	24" x 34"	5 (XL Deluxe Queen Sham)

**Ultimate Pillow Forms**

- Supersoft clothcover
- The feel of down at half the price
- Sold by the case or individually

Item #	Size	# Per Case
PUF14X22	14" x 22"	18 (Kidney)
PUF16	16" x 16"	18
PUF18	18" x 18"	15
PUF20	20" x 20"	12
PUF20X26F	20" x 26"	10
PUF20X29Q	20" x 29"	5
PUF20X36K	20" x 36"	5
PUF22	22" x 22"	10
PUF22X31QXL	22" x 31"	5
PUF22X38KXL	22" x 38"	5
PUF24	24" x 24"	8
PUF24X34QXXL	24" x 34"	5
PUF24X40KXXL	24" x 40"	5
PUF26	26" x 26"	6
PUF28	28" x 28"	4
PUF30	30" x 30"	4

Duck Down and Feather Pillow Forms**10/90 Duck Down and Feather Pillow Forms**

Our 10/90 duck down feather pillows use a feather down blend that is processed in a way that softens and virtually eliminates any prickly quill feel in the pillow. These pillows have the feel and hand of a 50/50 blend pillow at the economical price of a 10/90 blend. You have to feel this pillow to appreciate it.

Item #	Size	# Per Case
PFDF14X22-DUCK	14" x 22"	14
PFDF18-DUCK	18"	18
PFDF20-DUCK	20"	12
PFDF22-DUCK	22"	10
PFDF22X29Q-DUCK	22" x 29"	4
PFDF22X32Q	22" x 32"	5
PFDF22X38K-DUCK	22" x 38"	4



Item #	Size	# Per Case
PFDF24-DUCK	24"	8
PFDF26-DUCK	26"	5
PFDF28-DUCK	28"	4
PFDF30-DUCK	30"	3
PFDF6RX16-DUCK	6.5" Round x 16.5" L Bolster	

25/75 Duck Down and Feather Pillow Forms

25% duck down/75% feather blend are currently special order.

50/50 Duck Down and Feather Pillow Forms

50% duck down/50% feather blend are currently special order.

Buttons & Dies

#1 Press

The #1 press is good for use with 2 pc Button dies, cutters, #24 snap dies and grommet dies.



Snap Dies - 4 Piece

Fits #1 Press and used for #24 Snap Fasteners.



Grommet Dies


Use with the #1 press.

(See page 13 for details)



Scale of Button Sizes

Buttons are measured by the English standard of 40 lignes per inch. Therefore, a 30 ligne button is 3/4" diameter, a 45 ligne button is 1-1/8" diameter, and so on. The diagram shows the size of a button shell before covering.



Two Piece Button Die & Cutter

These heavy duty button dies are precision manufactured for tight, perfectly covered buttons. These dies are made from high-grade steel, machined, polished, casehardened and polished again. Steel short cutters to cut button covers are included with each set of dies. Available in the following sizes.

Button Size	Dies & cutter	Cutter only
22	B22DC	B22C
30	B30DC	B30C
36	B36DC	B36C
40	B40DC	B40C
45	B45DC	B45C
60	B60DC	B60C

Loop Eye Button Backs & Shells

This #44 small loop eye back is zinc plated for rust resistance. Rust resistant steel shells available by the single gross or 5 gross box.

Button Size	Loop Eye & Shell Complete	Loop eye only	Shell only
22	B22LS	B22L	B22S
30	B30LS	B30L	B30S
36	B36LS	B36L	B36S
40	B40LS	B40L	B40S
45	B45LS	B45L	B45S
60	B60LS	B60L	B60S



Nylon Hook Backs

Made of tough nylon plastic these backs are excellent for marine and outdoor use. Combine with aluminum shells to make a rust proof button. Available by the single gross or 5 gross box (SHELLS SOLD SEPARATELY).

Button Size	Nylon Hook Backs	Aluminum Shells
30	B30NH	B30SA
36	B36NH	B36SA
45	B45NH	B45SA
60	B60NH	B60SA



Threaded Nail Backs



When anchored with a spring lock washer, #B15WM, the threaded nail is a fast, positive, alternative to prong tufting. Just insert the nail through the upholstered construction and fasten it on the back with a no. 15 (#B15WM) spring washer. Available by the single gross or 5 gross box (SHELLS SOLD SEPARATELY).

Button size	1-1/2" Threaded Nail Back
22	B22TN1.5 (non-stock)
30	B30TN1.5
36	B36TN1.5 (special order)




B15WS

Round Spring Washer

Manufactured of high quality spring steel, this 15/16" washer provides a secure anchor for a tuft when locked onto a threaded nail button. Rounded edges no sharp corners. Available in single gross & 5 gross boxes.

No-Dent Corrugated Nail Back

Button Size	3/4" No-dent Corrugated Nail Backs
22	B22N.75
30	B30N.75
36, 45, 60	B36N.75, B60N.75 (special order)



Welded to heavy duty 13 gauge corrugated nail. Designed to be driven through fabric and into frames without special tools. The steel backs are formed to support the shell and prevent denting. Stocked in a 3/4" nail, 1", 1-1/4" and 1-1/2" nails can be special ordered. Available in single gross and 5 gross boxes. (SHELLS SOLD SEPARATELY)

Prong Backs

Prong button tufting is fast economical and secure. It replaces tufting twine, and requires no special skills. The prong is anchored in place by bending the flat wire legs over a prong washer in the padded back. Available in single gross or 5 gross box. (SHELLS INCLUDED)

Button Size	1.5" Prong Backs & Shell	2" Prong Back & Shell
22	B22P1.5	Special Order
30	B30P1.5 (special order)	B30P2 (special order)
36, 40, 45	Special Order	Special Order



Tufting or Prong Washer

This #11 washer is made from polyethylene. 1-3/8" in diameter can be used with tufting twine or prong back, they also deaden the noise resulting from contact with springs. Available in single or 5 gross boxes.



B11WP

Unassembled Nail/Tack Molds

This three part assembly includes the back, shell, and wad.

With this button a tack or nail of your choice is inserted into the back, allowing for flexibility in the nail type when needed. Available in single gross or 5 gross box.



Button size	Unassembled Nail/Tack Molds
22	B22T
30	B30T
36, 40, 60	Special Order

#30 Durasnap

Also referred to as snap collet or snap ring, after covering normally, the nylon back snaps onto a snap stud covering the screw & stud with an attractive self covered button. This is commonly used in automotive and marine interiors to cover screws used to secure upholstered panels and parts. Comes with shells. Available in a size 36 for special order. Available in single gross or 5 gross boxes.



#30 Snap & Shell

B30DS

Snap Ring Only

B30COL



Use with screw studs or snap fastener #24 studs

Joined Pivot Buttons

The joined Pivot consist of two parts. The female part and the male tack back. The female is assembled with a retaining pivot spring steel lock washer which mates with the serrated pivot tack of the male half. These easily snap together but hold tight and will not come apart. We currently stock a #30 with a 3/4" tack. Other sizes and tack lengths are available and are currently special order. Shells included.

Button Size	Female Pivot
22, 36, 45	Special Order
30	B30PS



Steel D-Rings and Snaphooks

For indoor use, nickel plated steel for use on furniture. These are often used to hold loose cushions on sofas and chairs. The D-rings are attached to the cushions while the snap hook is attached to the furniture with elastic for a snug flexible way to hold slippery cushions in place. Stocked in 1/2".



F DR.5	1/2" D-Rings	Package of 100
F SH.5	1/2" Snap Hook	Package of 100

Button Twine

Ludlow Holdfast
nylon button tufting.
700 yards per pound.

TWB1 - 1 lb Tube



Ventilators

Ventilators and washers (packaged together) are used on cushions made of vinyl or leather to allow the cushion to breath. 1 Pkg. 1 gross. Available in 3/4" and 1" sizes.

V1 3/4	3/4"
V1 1	1"



Ventilator Die Set

TO621 075	3/4"
TO621 1	1"




Furniture Glides

Nylon Furniture Glides

These glides are nail type glides with a flat beveled 1/4" base. Stocked in 5/8", 3/4" and 7/8" diameters.


GLNT 3/4	3/4" Tan
GLNT 5/8	5/8" Tan
GLNT 7/8	7/8" Tan

PACKAGE
of
100




GLNW 3/4	3/4" White
GLNW 5/8	5/8" White
GLNW 7/8	7/8" White

PACKAGE
of
100



Felted Glides

- Nail on furniture glides with felt pad
- Protects floors from scratches



Rubber Insulated Steel Glides

These nail type glides have shock absorbing insulating layer ideal for eliminating vibrations and soaking up noise. Stocked in a 7/8" diameter.



7/8" Diameter
GLS78

Panel Nail

3/4" Diameter
Head x 1-1/8" Nail

Package of
100



NAP.75

Decorative Nails

Available in steel and brass with a variety of finishes and are primarily used in furniture but can also be used for window treatments and upholstered walls.

Steel Decorative Nails

Item #	Head Diameter	Finish	Shank Length	Put Up
NDS13911.5	#1009-1/2"	Oxford Hammered	1/2"	1000
NDS13911.75	#1009-1/2"	Oxford Hammered	3/4"	1000
NDSOF.5	#1009-1/2"	Oxford Flower	1/2"	1000
NDS10091201	#1009-1/2"	Natural	1/2"	1000
NDS10091203	#1009-1/2"	French Natural	1/2"	1000
NDS10091206	#1009-1/2"	Old Gold "Z"	1/2"	1000
NDS10091208	#1009-1/2"	Old Gold "E"	1/2"	1000
NDS10091210	#1009-1/2"	Pewter #1	1/2"	1000
NDS10091212	#1009-1/2"	Old Brass	1/2"	1000
NDS10091213	#1009-1/2"	Steel/Nickel	1/2"	1000
NDS10091221	#1009-1/2"	French Natural	1/2"	1000
NDS10091238	#1009-1/2"	Old Gold Spotted	1/2"	1000
NDS10091241	#1009-1/2"	Pewter #2	1/2"	1000
NDS10091244	#1009-1/2"	Black Nickel	1/2"	1000
NDS10093413	#1009-1/2"	Steel/Nickel	3/4"	1000
NDS10093421	#1009-1/2"	French Natural	3/4"	1000
NDS10505801	1"	Natural #1	5/8"	250
NDS10505803	1"	French Natural	5/8"	250
NDS10525801	3/4"	Natural #1	5/8"	250
NDS10525813	3/4"	Steel/Nickel	5/8"	250
NDS10525821	3/4"	French Natural	5/8"	250
NDS10545801	5/8"	Natural #1	5/8"	500
NDS10545821	5/8"	French Natural	5/8"	500

Steel Nail pictures show nail head finishes. Not all items are pictured.



View our full line of decorative nail heads
online @ actionup.com

Nail Head Trim & Matching Nails

This trim with french natural or nickel finish eliminates individual nailing, speeds up operations and is very economical. Nail head trim uses a steel French natural decorative nail or Steel/Nickel decorative nail for every fifth nail head to attach it. Comes with a box of 750 matching nails for attaching.



Number 5 nailhead trim and 144 matching nails in a convenient 10 yard put up.

NDSNHT101	French Natural
NDSNHT102	Nickel



Pneumatic Decorative Nailer

- * Professional grade.
- * For use with standard 7/16" diameter nails.
- * Light weight with ergonomic design. 1 lb. 6 oz.
- * Fast, easy and affordable.
- * Single nail design will never jam the tool.
- * Magnetized barrel loads nails effortlessly.
- * It comes with safety nail loading board.



ITEM# TO6750

Item	Description
TO6750	Pneumatic Nailer
TO6750-B 3/4	3/4" Nail Barrel
TO6750-B 5/8	5/8" Nail Barrel

Furniture Springs and Spring Accessories

Klinch It Tool



TO KL

Klinch It Tool Staples

For attaching coil springs to the jute webbing on the decks of furniture.

STKLINCH	5000 pc box
STKLINCHS	Individual strip of 25



Coil Springs

These springs are used for seating with one end knotted. Coil springs are sold by the pound but can be ordered individually. Full bundle is typically 35 lbs. Special order sizes can be ordered in the 35 lb bundles.

Item	Height (approx)	Gauge	Weight (oz) (approx)
SPC06	6"	10	4.5
SPC08	8"	10	5.4
SPC10	10.25"	9	7

Emerald Spring Twine

Used for tying springs on furniture. 250 feet per pound. Quality European hemp.

TWS1E
1 lb. Ball

Ruby Spring Twine

Used for tying springs on furniture. Italian hemp.

TWS1
1 lb. Ball

Clips for Sinuous/Zigzag/Bouncy/No-Sag Springs

EK Clips

Standard clip for attaching no-sag springs to furniture frame with a no-sag clip nail or a heavy-duty staple. Pkg. 100

SPCEK



RJS No-Sag Spring Clip

Used for attaching no-sag springs with a staple, the RJS also has a lip for additional strength. Pkg. 100 clips.

SPCRJS



Staple Clip

14 mil. or 7/8" crown staple. Pkg. 100

SPCS



Zig-Zag Spring Repair Clip

Used for replacing broken no-sag clips with a minimal disassembly of the furniture piece. Pkg. 25

SPCR



Swing Anchors

1-5/8" Swing Anchors for use with sinuous springs. Attaches between the clip and the spring. Pkg. 100



SPCSA1.625




Sinuous Springs

(Also Known As - Zigzag/Bouncy/No-sag springs)
Used for seating and backs.

Item #	Gauge	Put Up	Typical Use
SPNS08	8	120 Ft	Heavy Duty Seating
SPNS09	9	120 Ft	Seat Bottoms
SPNS11	11	120 Ft	Seat Backs

Edge Wire and Edge Wire Clips

Item #	Size/Gauge
SPEW	120" 9 Gauge Edge Wire
SPEWI70	70" Paper Wrapped Steakwire 12 Gauge
SPEWCC	Edge Wire Clips....This three prong clip is used to attach edge wire to springs. Pkg. 100



Seat Marshall Units

Spring units that fit inside of cushions. Our spring units are 3-1/2" high made of 13 gauge wire.

Item #	Spring Pattern	Size
SPM7X7	7 x 7	21" x 21"



Swivel Rocker Box Combo

#105-3RS Front plate dimensions - 9-3/8" x 7-3/4"



Swivel side slots 5.25 - 6.75" on center square. Fixed bottom square 8.5" wide X 5 - 6 5/8" range with 3 holes each corner front to back.

SWRB

Platform Rocker Springs

Used in pairs for platform rocker chairs. 7.5 gauge springs.



SPPR

Swivlon Swivels

Many of our swivels use nylon ring bearings (no steel balls) and this material has consistently shown duration beyond 1,000,000 cycles. Many of our 6" & 7" swivels have this type of bearing.

7" Square Swivel Plates

These square swivel plates have slots on 5-1/4" centers, 12 gauge steel, slot sizes are 3/4" x 5/16".

Flat	SW7
3 Degree Pitch	SW73
3 Degree Pitch Return	SW73R
Flat Return	SW7R



5 Leg Swivel Bases



3" High Swivel Base	SW5L3
4-22/25" High Swivel Base	SW5L4



5-1/4" High Rocker/Swivel	SWR5L5
---------------------------	--------

Torsion Springs

Used to reinforce the front edge of the decks of furniture.

**Sleeper Bed Mechanisms**

Contract/Commercial mechanisms are made to be used every day and withstand heavy use.

Contract/Commercial Grade

Item #	Bed Size	Overall Length
SBC905F	Full/54"	60" (non-stock)
SBC905Q	Queen/60"	68"
SBC905T	Twin/39"	44"

Blind Tacking Tape

BT38	3/8" Coil Blind Tack Tape	Strip is .032 thick on 15-1/4" diameter pancake coil, approximately 460 ft per coil. 37 to a case.
BT12L	1/2" x 36" Long x .060 Thick Blind Tack Tape	Approximately 30 strips per lb, packaged 1 lb, 10 lb and 50 lb.
BT12	1/2" Coil Blind Tack Tape	Strip is .040 thick on 15-1/4" diameter pancake coil. Approximately 375 ft per coil. 27 to a case.
BTHC12	1/2" Coil Hard Craft Blind Tack Strip	Extra tough heavy duty and water resistant. Approximately 100 yard roll.
BTP	1/2" Plastic Blind Tack Tape	Available in 500' spools

**Curve Ease & Flex Trim**

Continuous strip invisible fasteners for attaching outside panels. These are flexible enough to conform smoothly to twists, bends and radical curves without hand sewing. Both have three tooth bend over flanges. Curve ease has a straight up flange. Flex Trim has a slanted flange. Both are available regular/medium and heavy on 100 ft coils. 5 coils per case.



CURVE M	Medium Curve Ease straight tab
CURVE H	Heavy Curve Ease straight tab



Flex M	Regular Flex Trim slanted tab
Flex H	Heavy Flex Trim slanted tab

**Pligrip Medium Flexible Trim**
(3 Prong) 65Ft Roll

Metal Tack Strips

Used to finish outside panels on furniture. We stock 27" long #8 tack size, which are 9/16" long. Package of 100.



#8 Metal Tack Strips	TSM27	Box 100
#10 Metal Tack Strips	TSM27 10	Box 100 (special order)
#12 Metal Tack Strips	TSM27 12	Box 100 (special order)
Padded Metal Tack Strips	TSM27P	Box 100

Coated/Sleeved



Roll Vinyl Tack Strip Cover


Slips onto metal tack strips to pad and protect lightweight fabrics from the sharp metal edges of the tackstrips.

TSVC	1000 ft spools
TSVC30	Tack Strip Cover in handy 30" precut lengths. 200 Pcs.



Padded Metal Tack Strips

Padded 27" Long #8 Tack Size Punched Out Metal Tack Strips These metal tack strips have a soft padding adhered to the surface for protection, that maintains a fine edge. The padding helps to keep from bruising or tearing the fabric when installing the tack strip. This is a one step application that saves time and aggravation. There is no need to purchase metal tack strips and vinyl sleeve separately, and then struggle to insert the tack strip into the sleeve.



Furniture Webbing

Nylon/Rubber Strap Webbing



Offered in 2 stretch strengths, excellent for the decks and backs of furniture. Put up on 328 ft rolls.

Item #	Width	Stretch	Recommended Use
WEB503	2"	Medium	Seating
WEB550	2"	Firm	Seating

Pirelli Webbing substitute

WEB550 - 2" - Firm

Intes Elasbelt Webbing

Excellent for seating and backs. We stock this in two stretch strengths. Put up on 328 ft rolls.

Item #	Width	Stretch	Recommended Use	Length
WEB350	2"	Medium	Seating	328 ft
WEB350Q	2"	Medium	Seating	82 ft
WEB650	2"	Firm-Low	Seating	328 ft
WEB650D	2"	Firm-Low	Seating	164 ft (half roll)



Pirelli Webbing

A tan stretch rubber webbing typically used in furniture with exposed webbing below the cushions. Put up on 100 ft and 25 ft rolls.



WEBP2 100 ft roll

WEBP2-25 25 ft roll

Webbing Clip

A 2" crimp on webbing clip used with Elasbelt or Pirelli webbing installations on slotted wooden seat decks of furniture. 250 piece box.



WEBCL

Jute Webbing

This 3-1/2" webbing is typically used to support coil springs in furniture seat decks and backs. 72 yd rolls.

Item #	Description	Recommended Use
WEBJ11	#11 Red Strip	Seat Decks & Backs



Synthetic Jute Webbing

This 3-1/2" jute webbing is thinner, lighter and more economical than actual jute webbing. 250 yards per roll.




WEBJS

Carpet Binding

1.25 oz Eshco polyester carpet binding. This is a woven binding that can be sewn to the edge of carpet. Put up on 72 yard rolls.

Item #	Color
BPC422	Grey
BPC430	Blue
BPC432	Black
BPC534	Oyster
BPC553	Neutral



Sattler/Outdura Acrylic Canvas

60" wide 100% solution dyed 9oz Acrylic boat topping. (See sample section of catalog for colors).



Solar Thread

Solar thread is a PTFE thread that will outlast the fabric it is sewn into. Solar thread maintains 100% of its strength after many years of exposure to the sun, rain, chemicals, UV radiation, salt and more. Sews better and cleaner and has the same warranty as the competition. Excellent for awnings, boat covers, sail covers, tarps, and many other outdoor sewn products.



S1500W	White	S1500B	Black	S1500C	Clear
S1800W	White	S2400B	Black		
S2400W Heavy Duty	White				



GORE Tenara sewing thread stands up to years of sun and weather for seams that will last the lifetime of your product.

Tenara Thread

8oz 138 UV 2500 denier
8oz 92 UV 1400 denier

2500 Denier	
T1388 B	Black
T1388 C	Clear
T1388 W	White

1400 Denier	
T928 B	Black
T928 C	Clear
T928 W	White

Marine Underlining VCM

54" wide 75 yd rolls specifically designed for marine environment. A breathable, mildew and rot resistant fabric used for the backing on cushions.

Beige	VCM890724
Grey	VCM890723
White	VCM890725
Black	VCM890728

Moisture Barrier Cloth


54" wide non-woven moisture barrier cloth. Similar to dust cloth, like Hydra Head.

MB54



BellBloc

The BellBloc fabric liner system improves the performance of every fabric in any application by protecting the foam insert from the elements, extending the long and useful life of foam cushions. This innovative liner is engineered to resist moisture, mold and mildew while reducing foam compression in the harshest environments.




BB6854





Aruvo™ sewing thread and pre-wound bobbins are made from premium PTFE fiber, to extend the life of your sewn seams. Standard thread can break down over time from sunlight, wind and the outdoor elements, but Aruvo™ retains its strength and flexibility after years of UV and sunlight exposure, unaffected by salt water, acid rain, or extreme temperatures. You can depend on Aruvo™ for long lasting, fade resistant color that will not stain or transfer to surrounding materials.

- LONG LASTING VIBRANT COLORS
- LASTS AS LONG AS THE FABRIC
- UV AND WEATHER RESISTANT
- CHEMICAL RESISTANT
- MILDEW RESISTANT
- WILL NOT ROT
- LIMITED LIFETIME WARRANTY



Aruvo - Life Time PTFE Thread 1 Pound Spool

1350 Denier	
A1350 16318	White
A1350 16319	Black
A1350 16320	Clear

2000 Denier	
A2000 16312	White
A2000 16313	Black
A2000 16314	Clear



92 & 138 Aruvo PTFE UV Resistant M Bobbins

1350 Denier	
A1350M 16305	White
A1350M 16306	Black
A1350M 16311	Clear

2000 Denier	
A2000M 16307	White
A2000M 16308	Black
A2000M 16310	Clear

Life Time PTFE Thread (92) UV Resistant - 8oz spool

1350 Denier	
A1350 16321	White
A1350 16322	Black
A1350 16323	Clear
A1350 16441	Blue
A1350 16442	Green
A1350 16443	Orange
A1350 16444	Red
A1350 16445	Yellow
A1350 16446	Violet
A1350 16939	Sand
A1350 16940	Brown
A1350 16941	Steel Grey

Life Time PTFE Thread (138) UV Resistant - 8oz spool

2000 Denier	
A2000 16321	White
A2000 16322	Black
A2000 16323	Clear
A2000 16441	Blue
A2000 16442	Green
A2000 16443	Orange
A2000 16444	Red
A2000 16445	Yellow
A2000 16446	Violet
A2000 16939	Sand
A2000 16940	Brown
A2000 16941	Steel Grey

Solid Braid Nylon Cord

Used for lacing on awnings and boats.

White	Black		
Item #	Item #	Size	Put Up
N/A	NC4B500	# 4-1/8"	500 Ft Spool
NC4W	NC4B	# 4-1/8"	1000 Ft Spool
NC6W	NC6B	# 6-3/16"	500 Ft Spool
NC8W	NC8B	# 8-1/4"	500 Ft Spool



1/8" Black Nylon Cord Locks



F CL18B

Tie Downs

Simple way to add value and provide an easy solution to securing boat or truck covers. One of the easiest tie-down systems in the market.



1/4" Quickie Tie Down Ratchet
with built-in ratcheting lever

1/4" Quickie Tie Down Ratchet



F R.25

Diamond Braided Cord

#4 1/8" polyester cord.

White	Black		
Item #	Item #	Size	Put Up
NCB4W	NCB4B	# 4-1/8"	1000 Ft Spool



Shock Cord

Polyester covered shock cord on 100 ft and 500 ft spools.



USE
WITH

USE
WITH

Shock Cord Hooks

Black 2 piece assembly. Box 100

F CL30227 - with clasp




F CL30217 - without clasp

Item #	Size	Put up	Color
SC 18BP	1/8"	100 ft spool	Black
SC 18P	1/8"	100 ft spool	WT/BL Fleck
SC 6700	1/8"	1000 ft spool	WT/BL Fleck
SC 11084	3/16"	500 ft spool	WT/BL Fleck
SC 316B	3/16"	1000 ft spool	Black
SC 316P	3/16"	100 ft spool	WT/BL Fleck
SC 25BP	1/4"	100 ft spool	Black
SC 25P	1/4"	100 ft spool	WT/BL Fleck
SC 25P5	1/4"	500 ft spool	WT/BL Fleck

Shock Cord Adjustable Hook




Heavy Duty Nylon Webbing



The 1" nylon webbing has a thickness of 1.9 mm and a tensile strength of 2390 lbs. The 2" nylon webbing has a thickness of 1.9 mm and a tensile strength of 3750 lbs.

Item #	Width	Color	Roll
WEBNH1-BLK	1" Heavy Duty	Black	50 yd
WEBNH1-WHT	1" Heavy Duty	White	50 yd
WEBNH2-BLK	2" Heavy Duty	Black	50 yd
WEBNH2-WHT	2" Heavy Duty	White	50 yd



WEBNH2-BLK

Nylon Webbing Standard Weight

Used for marine and outdoor uses, primarily used as strapping on boat tops. Put up on 100 yd rolls. The 1" nylon webbing has a thickness of 1.1 mm and a tensile strength of 1150 lbs. The 2" has a thickness of 1.1 mm and a tensile strength of 2130 lbs.

WEBNS1-BLK	Black	1"
WEBNS1-WHT	White	1"
WEBNS2-BLK	Black	2"
WEBNS2-WHT	White	2"



Polypropylene Webbing

Polypropylene Webbing is a heavy duty, economical strapping type webbing. Put up on 100 yd rolls. The 1" webbing has a thickness of 1.75 mm and a tensile strength of 680 lbs. The 2" webbing has a thickness of 1.75 mm and a tensile strength of 1390 lbs.

Polyester Webbing

Available in heavy duty and standard weights. Uses include Bimini hold down and boat top strapping. Standard weight is also sewable for other uses.



panel weave



herringbone weave



bubble weave



Item #	Width	Color
WEBPPH1-BLK	1"	Black
WEBPPH1-WHT	1"	White
WEBPPH2-BLK	2"	Black
WEBPPH2-WHT	2"	White

Item #	Width	Color	Roll Size	Thickness	Tensile Strength
WEBPRH1-BLK (heavy duty)	1"	Black Panel Weave	100 yards	1.0mm	2214 lbs
WEBPRH2-BLK (heavy duty)	2"	Black Bubble Weave	50 yards	2.1mm	5210 lbs
WEBPRS1-BLK (standard)	1"	Black Bubble Weave	100 yards	1.4mm	1280 lbs
WEBPRS1-CGY (standard)	1"	Cadet Grey Bubble Weave	100 yards	1.4mm	1280 lbs
WEBPRS1-WHT (standard)	1"	White Bubble Weave	100 yards	1.4mm	1280 lbs
WEBPRS1.5-BLK (standard)	1.5"	Black Herringbone Weave	100 yards	1.1mm	1832 lbs
WEBPRS1.5-CGY (standard)	1.5"	Cadet Grey Herringbone	100 yards	1.1mm	1832 lbs
WEBPRS1.5-WHT (standard)	1.5"	White Herringbone Weave	100 yards	1.1mm	1832 lbs



3/4" Black Straight Cut Binding



BP.75-BLK

Black 3/4" Two edge turned straight cut polyester binding. 100 yard rolls.



Covermaster Facing

2" Edge turn facing putup on 65 yard rolls. 2" wide 1/2" and 1" folds.

Item #	Color
FA2 697 121	White
FA2 697 904	Black

2" Acrylic Facing

Folded on both edges with a 1/2" and a 1" overlap. Put up on 60 yard rolls.



Pacific Blue

Item #	Color
FA2 6002	Pacific Blue
FA2 6003	Captain Navy
FA2 6005	Black
FA2 6008	Cadet Grey
FA2 6025	Linen

Binder - for acrylic binding

SMPB075S	3/4" Binder
SMPB100S	1" Binder

Acrylic Binding - Outdura

100% Solution dyed acrylic two edge turned binding

Straight Cut Binding - Fewer seams, more economical, less flexible than bias cut binding.

3/4" Wide Straightcut 1" Wide

Item #	Color	Order #
BA 6001	Forest Green	BA1 6001
BA 6002	Pacific Blue	BA1 6002
BA 6003	Captains Navy	BA1 6003
BA 6004	Burgundy	BA1 6004
BA 6005	Black	BA1 6005
BA 6006	Antique Beige	BA1 6006
BA 6008	Cadet Grey	BA1 6008
BA 6009	Natural/White	BA1 6009
BA 6022	Royal Navy	BA1 6022
BA 6025	Linen	BA1 6025
BA 6050	Stone	BA1 6050
BA 6061	Storm Grey	BA1 6061

Bias Binding is cut on the bias or diagonally making it more flexible. Bias binding has more seams.

1" Bias

Item #	Color
BBA1 6001	Forest Green
BBA1 6002	Pacific Blue
BBA1 6003	Captains Navy
BBA1 6004	Burgundy
BBA1 6005	Black
BBA1 6006	Antique Beige
BBA1 6007	Aquamarine
BBA1 6008	Cadet Grey
BBA1 6009	White
BBA1 6014	Catalina Blue
BBA1 6020	Khaki
BBA1 6022	Royal Navy
BBA1 6023	Dandelion
BBA1 6025	Linen
BBA1 6026	Taupe
BBA1 6034	Sand
BBA1 6035	Terra Cotta

1" Bias

Item #	Color
BBA1 6039	Steel Blue
BBA1 6041	Classic Royal
BBA1 6045	Coral
BBA1 6049	Pottery
BBA1 6050	Stone
BBA1 6051	Island Blue
BBA1 6056	Kona
BBA1 6061	Storm Grey
BBA1 6062	Tangerine
BBA1 6063	Hibiscus
BBA1 6064	Caribbean Blue
BBA1 6065	Emerald
BBA1 6072	Aruba
BBA1 6075	Cranberry
BBA1 6076	Graphite
BBA1 6077	Flash Blue
BBA1 6078	Cherry Red

941-954-0532 • 1-800-329-0532 • ACTIONUP.COM

Marathon Hidem and Welt

Marathon Marine vinyl hidem is precision-folded and sewn along both edges to create a 3/4 wide binding to neatly cover stapled seams on boat seats, headliners, and cushions. Marathon Marine vinyl welting offers a 5/32 poly foam core with a notched flange giving it the flexibility to round corners with ease. Marathon Marine hidem and welting is designed specifically for marine environments. Engineered to withstand harsh conditions like saltwater, UV exposure, and constant moisture, resisting fading, mildew, and wear.

Hidem #	Welt #	Color
HI MM01	WMM01	White
HI MM02	WMM02	Brilliant White
HI MM03	WMM03	Lily White
HI MM04	WMM04	Cream
HI MM05	WMM05	Driftwood
HI MM06	WMM06	Oyster
HI MM07	WMM07	Light Grey
HI MM08	WMM08	Black



Hidem #	Welt #	Color
HI MM09	WMM09	Dark Sand
N/A	WMM10	Sapphire
N/A	WMM11	Lt. Neutral
N/A	WMM12	Lipstick Red
N/A	WMM13	Shark Grey
N/A	WMM14	Taupe
N/A	WMM15	Med. Grey

Seabrook Hidem and Welt

Seabrook hidem and welt made from our most popular Seabrook marine vinyl. Our hidem is 3/4" wide and put up on handy 25 yard rolls. The 1/4" Seabrook welt is on 50 yard rolls. Available in cut yardage.

Hidem #	Welt #	Color
HI101	WSB101	Ruby
HI102	WSB102	Ebony
HI103	WSB103	American Beauty
HI106	WSB106	Nu Teal
HI108	WSB108	Midnight
HI109	WSB109	Porcelain
HI110	WSB110	Marble
HI111	WSB111	Moonlight
HI112	WSB112	Sea White
HI113	WSB113	Forest
HI116	WSB116	Lite Glacier
HI118	WSB118	Deep Sea
HI119	WSB119	Marigold



Hidem #	Welt #	Color
HI120	WSB120	Chalk
HI121	WSB121	Stinger Cream
HI122	WSB122	Stinger Bisque
HI129	WSB129	Cantech (Boston Whaler)
HI135	WSB135	D Sea White
HI136	WSB136	D White
HI137	WSB137	D Gel White
HI138	WSB138	Sea Shell
HI139	WSB139	Blue
HI141	WSB141	D Purple
HI144	WSB144	Action Yellow
HI145	WSB145	Hot Orange
HI147	WSB147	Lime



Economy Hidem

An excellent priced 3/4" hidem. Available in black full rolls only. NOT marine grade.

HI E BLACK 100 | 100 yard roll



Also known as Piping



Seascape Hidem and Welt

Seascape hidem and welt made from our most popular Seascape marine vinyl. Our hidem is 3/4" wide and put up on handy 25 yard rolls. The 1/4" Seascape welt is on 50 yard rolls. Available in cut yardage.

Hidem #	Welt #	Color
HI SC01	WSC01	White
HI SC02	WSC02	Bone
HI SC03	WSC03	Off White
HI SC04	WSC04	Cream
HI SC05	WSC05	Seashell
HI SC06	WSC06	Sand
HI SC07	WSC07	Sand Dune
HI SC08	WSC08	Lt. Brown
HI SC09	WSC09	Mist Grey
HI SC10	WSC10	Pearl Grey
HI SC11	WSC11	Cruiser Grey

Hidem #	Welt #	Color
HI SC12	WSC12	Grey
HI SC13	WSC13	Black
HI SC14	WSC14	Aqua
HI SC15	WSC15	Classic Blue
HI SC16	WSC16	Pacific Blue
HI SC17	WSC17	Navy
HI SC18	WSC18	Eggplant
HI SC19	WSC19	Fire
HI SC20	WSC20	Red
HI SC21	WSC21	Wine
HI SC22	WSC22	Green

Hidem #	Welt #	Color
HI SC23	WSC23	Fern
HI SC24	WSC24	Lemon
HI SC25	WSC25	Yellow
HI SC26	WSC26	Orange
HI SC27	WSC27	Pink
HI SC28	WSC28	Light Grey
HI SC29	WSC29	Chalk
HI SC31	WSC31	Mushroom
HI SC32	WSC32	Buff
HI SC33	WSC33	Autumn
HI SC35	WSC35	Simply White
HI SC36	WSC36	Frost

Zip Strip Awning Spline

Available in 400 foot rolls and 150 foot packs

Cover your staple-in channels with speed and ease using ZipStrip® and a palm held air hammer. Low profile crown allows ends to be tucked under crossing trim for a clean finish.

White ZS01 ZS01-150	Black ZS02 ZS02-150	Gray ZS03 ZS02-150	Beige ZS05 ZS05-150
Brown ZS06 ZS06-150	Burgundy ZS11 ZS11-150	Rouge Red ZS12 ZS12-150	Dark Green ZS18 ZS18-150
Terra Cotta ZS21 ZS21-150	Linen ZS22 ZS22-150	Royal Blue ZS25 ZS25-150	Bright Blue ZS26 ZS26-150
Turquoise ZS28 ZS28-150	Clear ZS31 ZS31-150	13 colors available plus clear	



Seam Reinforcement Tape

1-1/4" non-woven 2.3oz polypropylene natural/white reinforcement flat slit tape excellent for French and Baseball style seams. 100 yard rolls.

150
foot roll

Item #	Color
ZS01-150	White
ZS02-150	Black
ZS03-150	Grey
ZS05-150	Beige
ZS06-150	Brown
ZS11-150	Burgundy
ZS12-150	Rouge Red

400
foot roll

Item #	Color
ZS01	White
ZS02	Black
ZS03 (special order)	Grey
ZS05 (special order)	Beige
ZS06 (special order)	Brown
ZS11 (special order)	Burgundy
ZS12 v	Rouge Red

Item #	Color
ZS18-150	Dark Green
ZS21-150	Terra Cotta
ZS22-150	Linen
ZS25-150	Royal Blue
ZS26-150	Bright Blue
ZS28-150	Teal
ZS31-150	Clear

Item #	Color
ZS18 (special order)	Dark Green
ZS21 (special order)	Terra Cotta
ZS22 (special order)	Linen
ZS25	Royal Blue
ZS26	Bright Blue
ZS28 (special order)	Teal
ZS31	Clear



High Performance Ultra Seamstick Tape

The only double-faced seam tape that sticks to acrylic canvas, like Sattler/Outdura and Sunbrella. Try it once and you will be stuck on this tape that lives up to its name. Available in 1/4" and 1/2" widths.

ST2263ST.25	1/4" Wide	Ultra High Performance	60 yd roll
ST2263ST.5	1/2" Wide	Ultra High Performance	60 yd roll




ST2263ST.25



ST2263ST.5

Economy Seamstick Tape

ST2126.5	1/2" Wide	Regular Hi-Tack	72 yd roll
----------	-----------	-----------------	------------




ST2126.5



TAPE.75R

Strapping Tape - Can be used in bimini patterning

TAPE.75R	3/4" Wide	Glass Reinforced	60 yd roll
----------	-----------	------------------	------------



ST2126.5



TAPE.75R

Plastic Sheeting

Cost effective pattern plastic. Made from recycled plastic. No powder coating! Folded sheeting



PL610100	10' W x 100ft	6 mil thick
PL620100	20' W x 100ft	6 mil thick

Pattern Perfect Template Plastic

Pattern Perfect Template Plastic is a clear, reinforced plastic sheeting used for most boat covers, snap-on covers, biminis, and other marine uses. It is made by weaving high-density polyethylene ribbons and coating them with a low-density polyethylene. This weaving process creates a highly tear-resistant film.



PLPP06X100	6' x 100 yard
PLPP12X050	12' x 50 yard

Xtreme Pro Seal

Xtreme Seal's Pro Seal edge seal features Dual Durometer technology not seen before in the marine industry. The soft expanded EPDM material, combined with a flat molded rubber attachment flap, allows fabricators to tuck the seal under a binding edge as never before. All Xtreme Seal's patented edge seals are made from the same proven compounds that are UV, oil, gas and ozone resistant. With the introduction of Pro Seal, Xtreme Seal continues to be a leader in marine canvas edge seals.



WS PS



"Z" Clips - Stainless Steel Bolster Clips

Bolster clips are used to attach upholstered bolsters, combing pads, etc. The PVC or plywood slides over the "Z" clip and the offset lockdown clip holds it in place.

.5 - 14 guage stainless steel Z lock down clip



F ZL.5S

Length: 2-1/2"
Width: 5/8"
Bend: 1/2"
Holes: 1/4"
Gauge: 14



90 degree - 16 guage stainless steel clip



F Z375x90

Length: 2-1/2"
Width: 5/8"
Bend: 3/8"
Holes: 1/4"
Gauge: 16




.375 - 16 guage stainless steel upholstery Z clip short



F Z.375S

Length: 2-3/16"
Width: 5/8"
Bend: 3/8"
Holes: 1/4"
Gauge: 16




.125 - 18 guage stainless steel offset Z lock down clip



F Z00LD

Length: 2"
Width: 3/4"
Bend: 1/16"
Holes: 3/16"
Gauge: 18



Stainless Steel Hog Rings

Blunt tip hog rings. Available by the pound. For use with shock cord.



HRSS00
3/8" Crown



HRSS0
1/2" Crown



HRSS1
5/8" Crown



HRSS2
3/4" Crown

Double Ended Christmas Tree Clip

7/8" x 1/2" (uses .312 thru .328 hole diameter). 100 piece bag.



Item #	Description	Put Up
F XMAS2	Natural 9/16" Single Head 1-1/4" x .281	100 Bag
F XMAS2A	Natural 3/4" Single Head 1-5/16" x .281	100 Bag
F XMAS2B	Black 11/16" Single Head Full Grip 1-5/16" x .281	100 Bag
F XMASDF	Double Ended	100 Bag
F XMASDF M	Double Ended	1000 Bag

Seascape 54" Marine Headliner

Other colors available special order

Item #	Color
VYSC01F	White
VYSC02F	Bone
VYSC03F	Off White
VYSC04F	Cream
VYSC05F	Seashell
VYSC06F	Sand

Item #	Color
VYSC10F	Pearl Grey
VYSC13F	Black
VYSC29F	Chalk
VYSC31F	Mushroom
VYSC35F	Simply White
VYSC36F	Frost



54" Marine Headliner

We have these Seabrook vinyls laminated to 1/4" marine grade foam.

Item #	Color
VYSB2 121F	Stinger Cream
VYSB2 135F	D Sea White
VYSB2 136F	D White
VYSB2 137F	Gel White
VYSB2 138F	D Seashell

Item #	Color
VYSB2 121F	Stinger Cream
VYSB2 135F	D Sea White
VYSB2 136F	D White
VYSB2 137F	Gel White
VYSB2 138F	D Seashell

Perforated Marine Headliner - 54"



Item #	Description	Color
VYHDL1004L	Perforated Vinyl	White

IMAR Strataglass 301 Protective Cleaner

IMAR Strataglass Protective Cleaner is uniquely formulated to clean, shine and protect Strataglass and the Strataglass scratch resistant protective coating. Special UV inhibitors in IMAR Strataglass Protective Cleaner significantly extend the useful life of Strataglass by minimizing the deteriorating effects of sunlight.

Pint Spray Bottle

IMAR301 16

Gallon

IMAR301 128



IMAR Samples

Contains 3, 4oz. sample bottles of the IMar 301, 302 and 401.



IMAR K42

IMAR Strataglass 302 Protective Polish

IMAR Strataglass Protective Polish is a polymer based product specifically formulated to safely clean, polish and protect Strataglass and the Strataglass scratch resistant protective coating. The trade secret ingredient of IMAR Strataglass Protective Polish is the molecular bonding that creates a nearly invincible protective barrier against the damaging effects of marine environment pollutants.



IMAR302 16

Pint Bottle

Clear Vinyl

(Rolled Clear Vinyl/Plastic)

54" double roller polished flexible vinyl. Uses vary from slipcovers for furniture to enclosures on boats. The 20, 30 & 40 gauge have UV inhibitors.

Item #	Gauge	Roll yards
VIC12	12	45
VIC16	16	30
VIC20	20	60
VIC20S	20 Smoke	35
VIC30	30	25
VIC30S	30 Smoke	20
VIC40	40	20



PVC Board

PVC board is used as plywood substitute in marine upholstery. PVC is waterproof and will not rot and delaminate like plywood.

Item #	Dimensions	Color
PVC.125	1/8" x 48" x 96"	White
PVC.25	1/4" x 48" x 96"	White
PVC.38	3/8" x 48" x 96"	White
PVC.5	1/2" x 48" x 96"	White
PVC.75	3/4" x 48" x 96"	White



Azcarb AR2 1/16 x 48 x 96

Polycarbonate Sheet

AZC-AR2

Polycarbonate Sheet

TUFFAK/MAKROLON®AR polycarbonate sheet is an abrasion and enhanced UV resistant sheet that offers glass-like surface hardness coupled with the impact strength of polycarbonate. Additionally, TUFFAK/MAKROLON®AR polycarbonate sheet offers enhanced resistance from yellowing and hazing for longer service life. It can also be stitched on an industrial walking foot sewing machine. 1/16" x 48" x 96" sheet

MPCAR



Super Clear Vinyl Rolls		61" Wide
20 gauge FR Super Clear	Clear	VIC20EFR
30 gauge FR Super Clear	Clear	VIC30EFR (N/S)
40 gauge FR Super Clear	Clear	VIC40EFR

Super Clear Extruded Vinyl Rolls

- The Super Clear goods are extruded for excellent clarity
- Extra wide at 61"
- Formulated for extra low shrinkage (1.5% on average)
- Treated for anti-static and mildew resistance
- FR treated, passes NFPA 701 and California Fire Marshal
- UV Inhibitors - 500 hours

Regalite

For your automotive, marine, or other miscellaneous industrial applications, Regalite press polished vinyl sheets provide glass-like clarity and long-lasting durability in a vinyl sheet.



Regalite	54" x 110"
30 mil. Clear Regalite	Clear
40 mil. Clear Regalite	Clear

Crystal Clear

Produced by the makers of Strataglass - the now famous scratch-resistant, UV blocking coated vinyl - Crystal Clear 20/20 is the clearest, most consistent "regular" vinyl ever produced. Produced using the same painstaking process as Strataglass, the superiority of Crystal Clear 20/20 is immediately obvious to the eye... no hazy blueness, no fish-eye, no dimples, no distortions.



Crystal Clear	52.5" x 111"
30 mil. Crystal Clear	Clear
40 mil. Crystal Clear	Clear
40 mil. Crystal Clear	Smoke

Strataglass

Strataglass has a scratch resistant coating that blocks 94% of the harmful spectrum of UV light. Strataglass combines excellent clarity and lack of distortion with this unrivaled scratch resistant coating for a durable clear vinyl.



Strataglass	52.5" x 111"
30 mil. Strataglass	Clear
40 mil. Strataglass	Clear
40 mil. Strataglass	Smoke
60 mil. Strataglass	Clear



Slide Track

For use with sliding Bimini top fittings. Slide track aluminum 14' lengths.



SLT

**Slide Track Kit
Black Nylon**

F 7440

- * 2 Slides
- * 4 Outside End Caps
- * 4 End Cap Screws
- * 4 Slide Screws



**Right Deck Hinge Slide Lock
Combo** (fits .850 track with
fillister lock screw)

F 52110B



**Left Deck Hinge Slide Lock
Combo** (fits .850 track with
fillister lock screw)

F 52115B



Black End Cap
(fits over .850 track)

F 52185B



**Black Channel
Trim End Insert**
(fits .850 track)

F 52190B



**Black Slide
Lock**
(fits .850
tracks)

F 7432 - Black



Black Track Slide
2-3/8" long (fits .850 tracks)

F 7408 - Black



**Black Side
Mount**
(fits .850
track)

F 7430 - Black

Nylon Plastic Hardware

These durable fasteners are for use with 1" webbing. Fasten Mates are made of durable, strong Delrin plastic. Stock color is black, other colors, sizes and variations are available special order.

**Adjuster Bar**

F LAU

**Release Type Buckle**

F LBRU

**D Ring**

1" - F LDE

2" - F DR2N

**Snap Hook**

F LNE



**1/8" Black Nylon
Cord Lock**

Pkg 100

F CL18B

White and Black Buckles**Double Bar Buckle**

F HDB1 - 1" Black

F HDB1W - 1" White

F HDB2 - 2" Black (nonstock)



**1" White Derlin Economy
Buckle Side Release**



**2" Black Single
Bar Slide**

F 96993

**2" Black Derlin Buckle**

F 91961

Nylon Boat Fittings and Hardware



7/8" Black Nylon Hinged Jaw Slide

F 7418 1B



7/8" Jaw Slide

F 52025B - Black
F 52025N - White



7/8" Inside Eye End

F 52010B - Black
F 52010N - White



7/8" Outside Eye End

F 52015B - Black
F 52015N - White



Large Deck Hinge

F 52070B - Black
F 52070N - White



Large Angled Deck Hinge

F 52080B - Black
F 52080N - White



Black Nylon Universal Deck Hinge
(180 degree with bolt)

F 7438 - Black



Black Nylon Side Mount Deck Hinge

F 7415 - Black



1" Black Square Inside Eye End

F 7516 - Black



1" Black Square Nylon Jaw Slide

F 7515 - Black



1" Black Square Outside Eye End

F 7517 - Black



Tent Pole Joiner

F 7623 - Black



Eye Strap

F 52140B - Black
F 52140N - White



Stainless Steel Shoulder Screw for Nylon Jaw Slide/Deck Mounts

F 7201



Stainless Steel Set Screw for Nylon Jaw Slides

F 7200

Nylon Angle Base Wedge for Deck Hinge

F 530B - Black
F 530N - Natural



StayPut Fasteners

Order #	Size	Color
F SP1B	6"	Black
F SP1W	6"	White
F SP2B	4.5"	Black
F SP2W	4.5"	White



Attaching knob for StayPut fasteners. Attaches to boat or hard surface and the shock cord hooks over the knob and into the groove on the knob.



Boat Fittings and Hardware



F 6710

1" Buckle Stainless Steel
for use with 1" webbing2" Stainless
Steel D-Ring

F B174B	1/4" wire
F DRING 2SSW	5/32" wire



F 6715

1" D-Ring welded
stainless steel for use
with 1" webbingPush Button 1" Buckle
Stainless steel for use
with 1" webbing

F PBB1SS

Economy 1" Snap Hook
stainless steel for use with
1" webbing

F 6705

Heavy Duty Snap
Hook - Round Eye
Nickel/Brass

F BNFE249

Heavy Duty Snap hook
for use with 1" webbing.
Nickel/Brass

F BNSQ249

Rugged 1" Snap Hook
King stainless steel for
use with 1" webbing

F 89005

Eye Strap 5/32" I.D. nickel
plated die cast aluminum

F 6725

Eye Strap 3/8" I.D.
stainless steel

F 6670

1" Heavy Duty Stainless
Steel Snap Hook

F 89007

1" Outside Dimension
90 Degree Elbow
Stainless Steel

F 88310

1" Outside Dimension
Universal Tee
Stainless Steel

F 88287

Package of
100**Countersunk Washers**
Stainless Steel

F 614	#6
F 616	#8

T-Nuts (1/4" x 20)
Stainless Steel

Item #	Height	Type
TNUTSS516C	5/16	Stainless Steel
TNUTSS716C	7/16	Stainless Steel

Loxx Fasteners



Item #	Description
F LX9320N	N/B Upper Large Head Reg Washer
F LX9320SS	SS Hybrid Upper Large Head Reg Washer
F LX9450N	Nickel/Brass 1/2" Screw Stud
F LX9450SS	Stainless Steel 1/2" Screw Stud

Sold Individually

LOXX® fasteners are the strongest, most-versatile, self-locking, quick release fastener ever made. They close and lock automatically, will never accidentally open, will never rust, and will withstand shearing force greater than 1,000 Newtons.

Pop Rivet
#45 1/8" Stainless Steel

F PRSS45

Stainless Steel Boat Fittings and Hardware



90 Degree Deck Hinge
with 1/4"- 20 bolt
Stainless Steel



90 Degree Deck
Hinge for use with
Quick Release Pins



F 6635
SS Angled Base
Deck Hinge with
1/4"- 20 bolt



Angled Deck Hinge
for use with Quick
Release Pins



F 88321
Stainless Steel Rail
Hinge with Bolt



F 88321N
Stainless Steel Rail
Hinge for Pin Use



F 88323
Side Mount SS Deck
Hinge With Bolt



F 883231
Stainless Steel
Universal Deck Hinge
180 Degree With Bolt



F 6605
SS Eye End 7/8"
outside dimension
tube for 1/4" bolt



F 6610
SS Eye End 1"
outside dimension
tube for 1/4" bolt



F 88328
SS Eye End 1.25"
outside dimension
tube for 1/4" bolt
with double set
screw



F 6615
7/8" Jaw Slide SS
with 1/4"-20 bolt

F 6620
1" Jaw Slide SS
with 1/4"-20 bolt



F 88329
1-1/4" Jaw Slide
Stainless Steel
with 5/16" bolt

For Stainless Steel Jaw Slides and Eye Ends



Set Screw
F F923000

Pan Head Stainless
Steel 1/4" Screw
for Deck Hinges
and Jaw Slides

F 88450



Separating Jaw Slide with
additional set screw. This
jaw slide won't come off
the tube when removing
the eye end.

F 883661
1" Separating Jaw Slide

F F111000
7/8" Separating Jaw Slide

Accon Marine Quick Release Bimini Fittings



Quick Release Post Only 316 Stainless Steel

F 401P



Quick Release Bimini Top 1" Strap Turnbuckle 316 SS

F 415TB

Accon Marine, L.L.C.



F 415

Quick Release Hinge For Straps 316 Stainless Steel

Accon Marine, L.L.C.



F 401

Quick Release Bimini Top Hinge 316 SS

Accon Marine, L.L.C.


Ball & Socket Stainless Steel Hardware

Ball & Socket design offers greater rotation. Delrin insert provides smooth, rattle-free canvas top operation. A variety of tube, deck and side mounting options are available.



Ball SS Top Cap With Set Screw

7/8"	F 110177S
1"	F 120181S



Jaw Slide Socket With Set Screw

7/8"	F 111001AS
1"	F 120300S

Socket Deck Hinge With Lanyard



F 130301244BN

Pin With Lanyard For Use With Socket Deck Hinge



F 130244BN

Socket Deck Hinge with Lanyard



F 130241

Deck Hinge W/D Ring



F 131085P
port
(nonstock)

Deck Hinge W/D Ring



F 131085S
starboard
(nonstock)

Boat Vent 2

Boat Vent 2 is fast and easy to install and can be added to virtually any custom or semi custom cover. Boat Vent II is made of the best UV inhibited plastic to ensure a long trouble free life and is available in the standard or over the seam model to cover any position on the cover. Works with mooring/tent poles.



BOATVENT2 1

Boat Vent 3



Black Boatvent 3



White/Black Boatvent 3

BOATVENT3 1

BOATVENT3 2

The Boat Vent 3 vents 40% more than the Boat Vent 2, it has new gripping teeth and pegs. This means that you no longer need to sew a reinforcement patch into the cover.

Boat Vent 4 Sewable



BOATVENT4 1

The Boat Vent 4 is made from durable soft UV inhibited material. The vent is soft enough for sewing, but tough enough for the outdoor elements your boat cover will go through. Key features include screw-in style lead-in, removable top umbrella for easy access, and improved venting.

- Matte Finish
- Inside hole fits 3/4" tube or Spline tip
- Installed with or without reinforcement
- Size - 5" W x 5" D x 1.25" T

Cam Locking Mooring Tent Poles

These telescoping cam lock support poles have been tested to hold up to 170 lbs. That's over twice the weight of standard thumbscrew mooring poles. They have a die cast collar and stainless steel components. The aluminum tubing is anodized, heat treated, and has a ribbed profile for increased strength and lightweight. You may choose from one of 3 tip options, (snap, swedge, or plug.) We use fully synthetic TPR rubber grey bottom crutch tips that will not scuff or mar your boats flooring.



MTP59	59" Pole
MTP70	70" Pole



BOATVENT C



BOATVENT A



SV3710



BOATVENT3 WR

Attaches to drill



Tent Pole Joiner

F 7623 - Black

Carbon Fiber Pole Sunshade Kit

with 2 poles and carrying bag.

SSK-CF-C3

SSK-CF2 - No carrying bag



ACTIONUP.COM
for more info

SSK-CF2W - white

70" Camlock Black Anodized. Use with top vents only, no snap or grommet posts.



Fasnap Mooring Tent Pole

MTP70F

Swivel Pad

Tent Pole Base Pad



MTPSP



Picture of Tent Pole and Swivel Pad assembled.
Items sold separately.

"Top" Flex Support for Tent Pole

Fits 7/8" Pole



MTPFS

Crutch Tip for Tent Pole



MTPCT



941-954-0532 • 1-800-329-0532 • ACTIONUP.COM

Fit Right Cover Tool Kit

Speed & Accuracy in Boat Top Fitting

Fit Right holding tool snaps on to the existing studs and provides a quick and easy way to hold material while fitting - no clamps necessary. **Fit Right** caps hold material in place on the holding tool, especially on a windy day. **Fit Right** release tool easily installs and removes the holding tool from the stud. Great for fitting with material and also holding paper or plastic when molding a pattern. Can be used over and over on job after job. Can be used on boat cockpit covers, side curtains, enclosures, console covers, carpet, pickup truck tonneau covers, etc. The parts can be purchased individually or in a kit.

* Purchase entire kit or individual pieces *

Plastic Cap



TO4500-PC

Socket Pin



TO4500-SP



TO4500-UT

Unsnapping Tool

TOK4500 - Fit Right Cover Tool Kit (entire kit)

The kit contains 50 socket pins with points, 25 plastic caps and 1 unsnapping tool.

Window Spacers



Item #	Description
F W1W	1" White Window Spacer
F W78CW	7/8" White Window Spacer/Lock Combo
F W78W	7/8" White Window Spacer

Tubing for Boat Tops

Stocked in 16 ft, 20 ft and 24 ft lengths of aluminum and stainless steel.



Item #	Description
TUA7520	3/4" OD Aluminum Tubing - Bright Anodized
TUA7816	16' x 7/8" Drawn Alu. Tubing - Anodized .058
TUA7820	20' x 7/8" Drawn .058 Alu. Tubing Anodized
TUSS1.25	1-1/4" OD X 20' 304 Stainless Steel Tube .065GA (S/O)
TUSS1.25 24	1-1/4" X 24' OD Stainless Steel Tube
TUSS120	20' x 1" OD x .065 Stainless Steel
TUSS120049	20' x 1" OD Stainless St. 304 Tube - .049Ga (S/O)
TUSS124	24' x 1" OD Stainless Steel Tube - .065Ga
TU316SS125 20	20' x 1-1/4" OD Stainless Steel - .065Ga (special order)
TUSS7820	20' x 7/8" OD x .065 Stainless Steel
TUSS7820049	20' x 7/8" OD Stainless St. 304 Tube - .049Ga (S/O)

Polyethylene Tubing

An inexpensive 8/32" PE tubing that can be used as a "in the track" application, on awning, marine and Tonneau covers. Put-up on 1000 foot rolls.



WPE832

Poly Welt

A plastic foam welt typically used in outdoor applications such as boats and patio furniture.



Item #	Size	Put Up
WP1032	10/32"	250 yd spool
WP332	3/32"	500 yd spool
WP432	4/32"	500 yd spool
WP532	5/32"	500 yd spool
WP632	6/32"	500 yd spool
WP832	8/32"	500 yd spool

Clear Spline

7/32" Clear Spline




Item #	Size	Put Up
SP716	7/32"	500 yd spool
SP716-50	7/32"	50 yd spool

Used for sling outdoor furniture

Keder Welt

High strength, for use with awning track. Pulls through track with ease.
100 yard rolls and 20 yard pack put-up.



White	Black		
Item #	Item #	Size	Put Up
KW516	KW516BL	5/16" with 3/4" welded flap	100 yd roll
KW516-20	KW516BL-20	5/16" with 3/4" welded flap	20 yd pack
KW7.5	KW7.5B	9/32" with 3/4" welded flap	100 yd roll
KW7.5-20	KW7.5B-20	9/32" with 3/4" welded flap	20 yd pack




Flat Bottom Keder Welt

Flat back keder welt 5/16" bead (8.5) 3/4" welded flap.

White	Black		
Item #	Item #	Size	Put Up
KW516F-WHT	KW516F-BLK	5/16" with 3/4" welded flap	100 yd roll
KW516F-WHT20	KW516F-BLK20	5/16" with 3/4" welded flap	20 yd pack

Anodized Aluminum Awning Rail Track

16 ft long sections.



Plastic Awning Rail Track


Available in marine white in 20 ft lengths.



C Type PVC Awning Track

Flexible track for curved awnings.

White - 20 ft length
Black - 8 ft length



ARP15C white
ARP8C-BLK black

64" Cover/Awning Rail

TNCR64



Tee Top Trim

12ft x 1/2" oval aluminum



F A.5OVAL12




Beaded Welt

Beaded welt .325 insert is used on Tonneau covers and awning tracks. Available in 100 ft rolls and 20 ft packs.

White	Black	SOLD BY THE FOOT	
Item #	Item #	Size	Put Up
TNBWIW	TNBWIB	.325 insert	100 ft roll
TNBWIW-20	TNBWIB-20	.325 insert	20 ft pack

PVC Awning Track Screw

Ideal size stainless steel screw for installing C and flange style awning track.

**Costa Track**

Costa Track® is far superior to anything else currently in use. Designed to replace the old flange type track and used for a variety of enclosure applications. Costa Track® features:

8ft sections

ARPC108W Ivory (flat bottom)
ARPC208W White (curved bottom)

16ft sections

ARPC116I Ivory (flat bottom)
ARPC116W White (flat bottom)
ARPC116B Black (flat bottom)

ARPC216I Ivory (curved bottom)
ARPC216W White (curved bottom)

- Beefy rigid PVC construction for exceptional strength.
- A pocket on the flat version for double-sided tape, eliminating the need for caulking in marine applications.
- A built-in countersink for the seating of screw heads allows welt to slide through unobstructed.
- Strength, yet it has the flexibility to be heated and bent around any radius.
- Pre-drilled holes every 4" for quicker installation.
- Colors to match your enclosure, Costa Track® comes in white and ivory.

**Galvanized Staples****3/8" Divergent Point**

This heavy duty, 18 gauge staple is commonly used in the awning industry for stapling fabrics to aluminum awning frames.



BEA
STB9210MD - 3/8"
5,000 staples per box

FASCO
STEB9210MD - 3/8"
10,000 staples per box

**Rainco/Fasco
Staple Gun**

STX11197F

Automotive Fasteners



White Nylon Door Trim Panel Retainer Chrysler, GM, AMC, & VW 1976-on. Box 25.

AU11678



Upholstery Clips: GM 1979-on Zinc. Box 50.

AU12069



Black Nylon Trim Panel Retainer Ford 1980-on. Box 50.

AU12909



Black Nylon Interior Trim Retainer Ford 1986-on Box 25.

AU15479



Black Weather Strip Retainers for GM & Ford. 7/16" head x 5/8" long. 50 piece box.

AU11612

Double Ended Christmas Tree Clip

7/8" x 1/2" (uses .312 thru .328 hole diameter). 100 piece bag.

Double Ended



Item #	Description	Put Up
F XMAS2	Natural 9/16" Single Head 1-1/4" x .281	100 Bag
F XMAS2A	Natural 3/4" Single Head 1-5/16" x .281	100 Bag
F XMAS2B	Black 11/16" Single Head Full Grip 1-5/16" x .281	100 Bag
F XMASDF	Double Ended	100 Bag
F XMASDF M	Double Ended	1000 Bag



Door Trim Panel Retainer GM 1984-on. Box 25.

AU12992



White Nylon trim panel Retainer GM Trucks 1988-on Box 50.

AU15670



Trim Panel Retainer GMC & K Trucks 1993-on. Box 50.

AU17649



Flatpush-On Retainer N-Thread. Zinc Plated 3/16" Box 100.

AU8865



Hinge Pin Retainer. Front Seat Arm Hinge Box 100.

AU9367



Metal Trim Panel Clip Chrysler 1/2" dia. Box 100.

AU808



Door Trim Panel Fastener Chrysler. Box 100.

AU2385



Trim Clip: Door trim panel fastener, Chrysler. Box 100.

AU9361



Trim Panel Fastener, Retaining Clip. Box 100.

AU5961



Snap-On Trim Clip: Panel range .060" to .090" Box 100.

AU9416



Door & Window Crank Handle Retaining Clip GM, Ford & Toyota. Box 100.

AU2288

Stainless Steel Countersunk Washers

#10 size

F 618



Chrome Phillips Oval Head Sems

Finishing screws in quantities of 100.



Part #	Size
F 2751	8 x 3/4"
F 2771	8 x 5/8"
F 2772	8 x 1"
F 2773	8 x 1 1/4"


Chrome Phillips Oval Head Tapping Screw

Box 100.



#8 x 5/8" (6) Heavy Duty Screw

AU1421



#8 x 1-1/2" (6) Heavy Duty Screw

AU1424



#8 x 1" (6) Heavy Duty Screw

AU1483

Heel Pads

Matches Dorsett carpet colors. Stocked in medium and small
MEDIUM 17-1/2" x 9-1/4" SMALL 13" x 6-1/4"

Color	Medium Item #	Small Item #
Black	HPM101	HPS101
Grey	HPM107	HPS107
Charcoal	HPM117	HPS117
Saddle	non-stock	HPS120
Gunmetal	non-stock	HPS127
Slate Grey	non-stock	HPS137
Medium Dark Gray	non-stock	HPS147
Medium Neutral	HPM335	HPS335



ABS Panel Board

General purpose ABS plastic is a ridgid thermoplastic with a combination of properties that make it ideal for the widest range of applications. We stock ABS plastic with the standard "haircell" finish as can be seen in the image.

Color: Black

2 Sizes: ABS.125B - 1/8" x 48" x 96"
ABS.125B4832 - 1/8" x 48" x 32"

ABS Plastic - Acrylonitrile Butadine Styrene
ABS Plastic Sheet 1/8" Textured 1 side general purpose use



Advantages:

- Outstanding formability
- Waterproof
- Heat formable
- Very high impact strength
- High tensile strength and stiffness
- Excellent high and low tempurature performance
- Resistant to many chemicals and plasticizers
- Excellent ductility
- Lends itself to dielectric welding

Headliner Chart - BEST



**HEADLINER
CHART
BEST**

Selections:
15 = 1/8" Original Headliner 60" Wide
WEH = 3/16" Headliner 60" Wide
18XW = 1/8" Original Headliner 67" Wide
SUEDE = 3/16" 60" Wide
SL = 3/16" Silver Lining Headliner 60" Wide
Silver Lining is a discount program and is sold in 10 yard cuts only.

Only lots may vary in color

Action Upholstery Supply
2227 72nd Ave East
Sarasota FL 34243
1-800-329-0532
FAX 941-366-5220
ACTIONUP.COM

BRUSHED

1555 - BLACK AVAILABLE IN SL, 1/8XW	2001 - GRAPHITE AVAILABLE IN WEH	1690 - DARK BLUE AVAILABLE IN WEH	1883 - DARK GRAY AVAILABLE IN SL		
2000 - MED OPAL AVAILABLE IN WEH, SL	1810 - MED DK GRAY AVAILABLE IN WEH	2076 - MED GRAPHITE AVAILABLE IN 1/8	1810X - MED DK GRAY AVAILABLE IN WEH	2005 - MED GRAY AVAILABLE IN 1/8XW	1891 - TITANIUM AVAILABLE IN WEH
2206 - BLUISH GRAY AVAILABLE IN 1/8	1747T - LT QUICK-SILVER AVAILABLE IN WEH	2209 - CLEAR GRAY AVAILABLE IN 1/8	1913 - LT QUARTZ AVAILABLE IN WEH, SL	1808 - OX-GRD GRAY AVAILABLE IN WEH, SL	2075 - LT GRAPHITE AVAILABLE IN WEH, 1/8XW

See complete sample - SAMPLE 27 & SAMPLE 28

Hog Rings

Standard hog rings for attaching automotive seat covers to seat frames. Sold by the pound in 25 lb boxes, 5 lb and 1 lb bags.

Item #	Description	Put Up
HR-1	3/4" crown	1 lb Bag
HR-5	3/4" crown	5 lb Bag
HR-25	3/4" crown	25 lb Box
HR L-1	3/4" crown long leg	1 lb Bag
HR L-5	3/4" crown long leg	5 lb Bag
HR L-25	3/4" crown long leg	25 lb Box



Automotive Trunk Lining

OEM quality and colors, 54" wide, 70 yd rolls, available cut yardage.

Item #	Color
TL1017 (nonstock)	Shadow
TL1023	Heather Charcoal
TL1040 (nonstock)	Light Heather (GM)
TL1880	Dark Heather (Ford)
TL915	Medium Neutral
TL990	Black
TL995	Charcoal (GM)

Auto Trimmers Knife

The Auto Trimmer Knife is made of the finest steel with both hook and pointed blade. Used for ripping seams. Cuts auto carpeting, plastic and rubber.



TO1020

Jute Felt Pad


Used in automotive as carpet padding. Available in 27 oz. Stocked in 36" widths on 25 yd rolls. Available in cut yardage.

JP27




Thermozite Pad

Thermozite Pad is similar to the jute felt pad. It is 30 oz and has a reinforced foil backing laminated to it which makes it extremely fire resistant. Excellent for use around engine compartments and firewalls on cars and boats. 48" wide on 25 yd rolls.



THF3048



Seat Hooks

Extruded polyethylene J shaped hooks for attaching seats in primarily in automotive applications. 1-1/8" high x 54" long, sold by the piece or tube of 25.



Seam Reinforcement Tape


1-1/4" non-woven 2.3oz polypropylene natural/white reinforcement flat slit tape excellent for French and Baseball style seams. 100 yard rolls.

SRT1.25

Soft Seat Cover Loop

Put up on 25 yard rolls.
1-1/2" Wide

L3205



Listing Tapes

1.5" Typar Listing Tape is folded and stitched black non-woven material used primarily in automotive seating applications. Put up on 100 yd rolls.



LT1.5T



1.5" Typar corded listing tape is folded with a cord inside and used primarily in automotive seating applications. Put up on 100 yd rolls.

LT1.5TC



1.5" Woven Listing Tape is made of white biased cut material.

LT1.5WB

2" Typar Listing Tape is used primarily in automotive seating applications. Put up on 100 yd rolls.



LT2T

1.5" Typar Listing Tape. Black non-woven with no stitching. Put up on 100 yd rolls.



LT1.5NS

Snap-On Trim

Snaps on any edge fiberglass, aluminum, metal, plastic etc. Most commonly used in automotive and marine applications. Put up on 100 ft rolls but is available cut. Regular Snap-On trim grips edges from 1/8" to 3/16". Jumbo Snap-On Trim grips edges from 3/16" to 5/32" and is put up on 80 ft rolls.



Regular (100 ft Rolls)

SO150 - Black
SO162 - White

Jumbo (80 ft Rolls)

SOJ01 - Black
SOJ02 - White

Tonneau Vinyl

78" Black Elk embossed. 25 yd rolls.



Fiberglass bow

96" and 72" Fiberglass bows for truckbeds and boats.

FB96
96" x 1/4" x 1-3/4"

TNFB72
72" x 1/4" x 1-3/4"



Beaded Welt


Beaded welt insert is used on Tonneau covers and awning tracks. Available in 100 ft rolls and 20 ft packs.

USE
WITH

Item #	Color	Put Up
TNBWIB	Black	100 ft roll
TNBWIB-20	Black	20 ft pack
TNBWIW	White	100 ft roll
TNBWIW-20	White	20 ft pack

Cover Rail

64" truck bed cover rail. Mill finished. TNCR64




Batten Socket

F 52230

Sponge Round Rubber

For shimming and bolstering worn and shrunken weather strip around trunks and doors. Also used for convertible top headers. Flexible filler for cloth covered windlace on door and windshield pillars and door bottoms.

Item #	Size	Put Up
SR04045	3/8" diameter	150 ft
SR04045-50	3/8" diameter	50 ft
SR04055	1/2" diameter	150 ft
SR04055-50	1/2" diameter	50 ft



Cambridge Cotton Sateen

100% cotton 54" lining in 80yd rolls. Cambridge Cotton Sateen uses much heavier yarns resulting in a beefy 7-ounce fabric. Use Cambridge Cotton Sateen when a fuller hand and softened luster is desired.

White	DRLS31254W
White	DRLS31254W-FR (fire retardant)
Pale Ivory	DRLS312/FR54PI (fire retardant)

**Oxford Lining**

70/30 poly cotton, 54" wide 100 yd rolls. Economical all purpose lining. Backfilled with luster finish.

Ivory	DRLS32254PI
White	DRLS32254W

Sherwood

54" Sherwood lining 48/52 Poly Cotton 100 yard roll.

Pale Ivory	DRLS34554PI
White	DRLS34554W

Buckingham Thermal**Dim Out**

Dim out 50/50 4-ounce poly cotton 54" wide 75 yard rolls. One pass of acrylic latex foam, soft suede finish and insulating.

White	DRLSTM254W
Ivory	DRLTM254PI

Dayline Thrifty

54" wide 70/30 poly cotton, 100 yard rolls. Economical all-purpose lining.

White	DRLS32554W
-------	------------

Manchester

54" Tusk Manchester Sateen Lining 48/52 poly cotton 100 yard rolls.

Tusk	DRLS34254T
------	------------

Interlining

54" White Interlining 100% Cotton 70 yard rolls.

White	DRLS41254W
-------	------------

English Bump

54" White English Bump 50 yard roll.

White	DRLS42254W
-------	------------

Buckingham Blackout

54" White Buckingham Blackout 100% Polyester Microfiber 55 yard roll.

White	DRLSM2254W
-------	------------

PATTERN SELECTION**100% COTTON SATEEN LINING**

Cambridge: Pale Ivory - White - Tusk - Black
Cambridge Napped: Pale Ivory - White
Cambridge F/R: Pale Ivory - White
Sapphire: Pale Ivory - White
Downproof Ticking: Natural - White

52% COTTON / 48% POLYESTER SATEEN LINING

Interlined Manchester: Pale Ivory - White
Manchester: Pale Ivory - White - Tusk
Manchester Recycled: Pale Ivory - Natural White
Sherwood: Pale Ivory - White

70% POLYESTER / 30% COTTON SATEEN LINING

Oxford: Pale Ivory - White

BLACK OUTS LINING 100% POLYESTER

Buckingham - 3 pass: Pale Ivory - White
Interlined Buckingham: Pale Ivory - White
Revolution Double Sided: Pale Ivory - White
Buckingham FR - 3 pass: Pale Ivory - White
Lite-Tech: Pale Ivory - White

THERMAL LINING (DIMOUT) 100% POLYESTER MICROFIBRE

Buckingham Thermal - 1 pass: Pale Ivory - White
Energy Reflective Thermal - 1 pass: Pale Ivory - White
Woven Dimout: Optic White - Black

100% POLYESTER ENERGY REFLECTING BLACKOUT

Energy Reflective Blackout - 3 pass: Silver/White

INTERLINING 100% COTTON

English Bump: Natural - White
English Domette: Natural - White
Heavy Flannel: Natural - White
Classic Interlining: Natural - White
Whytex Interlining: 90% Cotton / 10% Polyester - Natural



ACTION UPHOLSTERY SUPPLY
2227 72nd Ave East
Sarasota FL 34243
941-954-0532 • 1-800-329-0532
ACTIONUP.COM



941-954-0532 • 1-800-329-0532 • ACTIONUP.COM

Lining Linit

70/30 poly cotton, 54" wide 125 yd rolls. Economical all purpose lining.
Backfilled with luster finish.

White	DRL22036
-------	----------

Classic Sateen

100% cotton 54" lining in 70yd rolls. Classic Sateen uses much heavier yarns resulting in a beefy 7-ounce fabric. Use Classic Sateen when a fuller hand and softened luster is desired.

White	DRL23558
-------	----------

Thermafoam

Dim out 50/50 poly cotton, 54" wide 100 yd rolls.
One pass of acrylic latex foam, soft suede finish
and insulating.

White	DRL25013
-------	----------

Hooks

Heavy duty pin sharps and hooks. For use with heavy weight fabrics, light weight pin sharps and hooks. For use with lightweight fabrics or pleated drapery headings using buckram.
1000 piece box.

**Buckram**

100 yd rolls. 25 rolls per case.

4" Heavy Weight
Nonwoven

DRB61562

4" Iron On Heavy Weight
Nonwoven

DRB61609

**E Square Vinyl
Covered Weights**

1" squares



DRW11103	Box of 100
DRW11103-M	Box of 1000

Cloth Covered Tab Weights

1" square white non woven cover with
sewing tab. 100 per box.



DRW11107

White Woven Twill Tape

100% Cotton Twill



DRT25512	1/2" Woven Twill Tape	White 50 yd roll
DRT25513	3/4" Woven Twill Tape	White 100 yd roll
DRT25514	1" Woven Twill Tape	White 144 yd roll

Cotton Weighted Tape

Cotton weighted tape LF35 144 yard roll.



DRW12735



The Ovation 2.3 Collection

Outdoor/Indoor Acrylic

Item Numbers
 A5400 series
 AF0520 - AF9236

ACTION
 UPHOLSTERY
 SUPPLY

OUTDOOR / INDOOR
 100% Solution Dyed Acrylic

MADE IN USA

outdura

GOING THE EXTRA MILE

ACTION UPHOLSTERY SUPPLY • 2227 72ND AVE EAST • SARASOTA FL 34243 • 941-954-0532 • 1-800-329-0532 • ACTIONUP.COM

A SELECTION FROM OVATION 2 AND OVATION 3

outdura

ACTION
 UPHOLSTERY
 SUPPLY

OUTDOOR / INDOOR
 100% Solution Dyed Acrylic

MADE IN USA

outdura

GOING THE EXTRA MILE

ACTION UPHOLSTERY SUPPLY • 2227 72ND AVE EAST • SARASOTA FL 34243 • 941-954-0532 • 1-800-329-0532 • ACTIONUP.COM

A SELECTION FROM OVATION 2 AND OVATION 3

outdura

The Ovation 4 Collection

Outdoor/Indoor Acrylic

OVATION 4

THE TRUSTED BRAND FOR 100% SOLUTION-DYED ACRYLIC FABRIC

WHAT MAKES US EXCEPTIONAL

- 100% Solution-dyed Acrylic Fabric
- Cut Yardage Service
- Produced with pride in the USA
- Bleach Cleanable
- Fabrics are in-stock and ready to ship
- Design Selector - see front inside cover for more on this exciting tool

DISCOVER OVATION 4

Ovation 4 is a beautiful collection of 100% solution-dyed acrylic performance fabrics to be used in the harshest outdoor elements as well as any room inside your home.

Create your own designer looks with fabrics that are intended for real life: sun, rain, kids, dogs, spill, and pure everyday enjoyment.

The assortment consists of 103 fabrics:

- 50 Jacquards
- 53 Dobbies

All fabric orders are processed from our Hudson, North Carolina distribution center and available in full rolls and cut yardage.

Minimum cut yardage order is 1 yard.

Produced with pride in the USA, Outdura is the trusted brand for performance fabric. Made with superior quality and powered by Sattler, a world-wide leader in textiles since 1875. Visit outdura.sattler.com for complete warranty details.

© 2020 Sattler Corporation. All rights reserved.
00000000000000000000000000000000 Printed in the USA



FABRIC SPECIFICATIONS

Base Fabric	100% Solution-dyed Acrylic
Standard Roll Length	55-65 yards
Finished Width	54 inches
Finished Weight	7.75 - 16 oz. per sq. yard
UV rating	>1,500 hours
Abrasion resistance	30,000 - 60,000 (double rubs Wyzenbeek)

Note: Subject to change depending on technical upgrades. Values indicated without testing. Standard fabric tests are carried out vis-à-vis a tolerance of +/- 5%. All data presented is given in good faith and is based on the best of our knowledge and belief. It is the responsibility of the producer and does not constitute any quality agreement. This data refers to goods in general and is not specific to any particular item. It is the responsibility of the customer to make good data to fit information only and needs varies as a guide. It will in no way relieve the customer of the responsibility of the intended use or of any resulting liability, before processing and/or treatment.

CLEANING INSTRUCTIONS

Normal Cleaning: Remove loose dirt. Prepare a mixture of lukewarm water and mild soap. Rub in mixture with a soft brush and allow to thoroughly soak into the fabric. Rinse and air dry.

Stubborn Stains: Remove as much surface dirt as possible. Soak fabric for 1 hour with a mixture of 1 gallon cold water, ½ cup bleach and ½ cup mild soap. Rub in with a soft brush and rinse thoroughly with cold to lukewarm water. Air dry.

For more on how to clean, visit our website at outdura.sattler.com

WEST PERFORMANCE FABRICS

ACT/ON UPHOLSTERY SUPPLY

2227 72nd Ave East • Sarasota FL 34243
941-954-0532 • 1-800-329-0532
Actionup.com

**OEKO-TEX®
STANDARD 100**

ISO 9001

outdura.sattler.com



Elegant Outdoors

Excellent color fastness and physical properties performance, the high-UV solution dyed polyester yarns are the same color throughout giving a long lasting fabric while reducing wastewater during production.

With the latest performance technology of a C6 Performance finish, each application is engineered to pass the necessary requirements of the outdoor environment: Repellency, cleanability, liquid barrier, resistant to pool and sea water, antimicrobial and FR code compliant.

C6 Finish passes the European Union's REACH standards, California's Prop65 and is EPA free of any solvents or volatile organic compounds (VOCs), PFOS, PFOA, formaldehyde, heavy metals or phthalates.

The combination of yarns, colors, textures, patterns and weaving provide the balanced and innovative designs. With the C6 Performance finish, the outdoor fabric is not just limited to outdoor applications. C6 has customized specifications that can be used in residential, hospitality, food service, workplace, higher education, nightclub, healthcare, senior living and cruise ship environments.



Protextures

The Protextures Collection consists of 59 high styled textures and colors. Each item has the PROTECT features that repel moisture and stains. All these fabrics are 100% polyester, 56 inches wide with high double rub counts.



Item Numbers
PTX200 - PTX700



PROTECT™
FABRIC CARE SOLUTION

Protect is a next-gen nanotechnology stain repellent treatment that is applied by submerging the fabric in order to fully permeate each and every fiber. This revolutionary treatment is applicable for all commercial, hospitality and residential projects.

PROTECT™
FABRIC CARE SOLUTION

Protects against the most common occurrences of staining including wine, oil, coffee and even blood. The shielded fabric forces liquid spills to bead up, making clean up easy by simply wiping it away! Though no fabric is 100% stain proof, the added protection provides peace of mind for families with children and animals.

PROTECT™

Protect remains even after cleaning!
Use after use, cycle after cycle your
fabric will be protected.

PROTECT™

Protect is excellent for both
commercial & residential
seating applications!

GEMINI**Gemini**

- Churches • Restaurants • Hotel/Motel
- Theaters • Office • Hospitality • Education
- Automotive • Residential • Interior Marine

- 100% polyolefin fabric with acrylic backing
- Limited Lifetime Warranty- For all indoor applications
- 2- year limited Warranty – For Transportation and Skybox Applications

Gemini Specifications

Content: 100% Polyolefin

Width: 54"

Backing: Acrylic

Weight: 16 oz. ± 0.5 oz. per linear yard

Abrasion: Exceeds 100,000 double rubs (ACT approved wirescreen)

Lightfastness: Class 5

700 hours of UV stability

Chemically inert and hydrophobic

Will not absorb spills or stains

Mildew resistant

Non-allergenic

Not affected by chemicals

Static resistant (less than 2.0 kv at 20% RH)

Flammability:

California Technical Bullet 117 Section E Class | Pass

UFAC: Class | Pass

NFPA 260 Cigarette Ignition: Class | Pass

MVSS 302: Class | Pass

Easy Maintenance:

All commercial cleaning agents and solvents can be used

"WS" For water-based stains use water-based cleaning agents

"WS" For oil based stains use solvent cleaner

Made in the USA

Berry Compliant

Limited Lifetime Warranty - For All Indoor Applications

**Resorts Mesh/Sling**

High strength fabrics are specially formulated of yarns developed to withstand fading, mildew soiling and wear and tear for many years of outdoor use. With an excellent shade factor of up to 91%, sling fabric is the choice for umbrella and awning applications. With minimal maintenance, fabric colors remain crisp and vibrant after years of continuous outdoor exposure.

MT01 thru MT09

BB6854 (BELLBLOC)

MESHX12
MESHX12B

VCM890723
thru
VCM890728

VCM600 - White
VCM825800 - White
VCM825100 - Black
VCM825927 - Vanilla


TM7201 - White
TM7202 - Black
TM7203 - Blue
TM7207 - Cadet Grey
TM7208 - Driftwood
TMP6001 - White
TMP6002 - Black
TMP6006 - Red

Resorts
MESH

MSL02 - Linen
MSL03 - Birch
MSL05 - Savanna
MSL06 - Carlsbad
MSL10 - Sierra
MSL12 - Navy
MSL13 - White
MSL14 - Off White
MSL15 - Dove
MSL17 - Pacific Blue
MSL18 - Black
MSL20 - Biscayne
MSL21 - Palm Beach
MSL22 - Titanium
MSL23 - Azure
MSL24 - Sea Blue
MSL25 - Suncoast
MSL26 - Surf
MSL27 - Jade
MSL28 - Forest
MSL29 - Greenlake
MSL30 - Limelight
MSL31 - Orange
MSL32 - Honey
MSL33 - Wheat
MSL34 - Taupe
MSL35 - Sky Blue
MSL36 - Tan Tweed
MSL37 - Graphite
MSL38 - Nickel
MSL39 - Sarasota
MSL40 - Stria
MSL41 - Golden
MSL42 - Bamboo
MSL43 - Natural
MSL44 - Atlantic
MSL45 - Lumina
MSL46 - Silver
MSL47 - Blush
MSL48 - Naples
MSL49 - Shimmer
MSL50 - Whisper
MSL51 - Lagoon
MSL52 - Cool Breeze

**The Resorts Collection**

Includes a variety of mesh constructions and sling materials. There is also a number of marine underlinings and a waterproof moisture barrier cloth.



Houndstooth Specifications

Content: 100% Polyester
Width: 54"
Backing: Acrylic
Weight: 14.5 oz. per linear yard
Abrasion: ASTM D 4157 - Exceeds 100,000 double rubs (ACT Approved Wire Screen)
Lightfastness: 700 hours
Flammability
 California Technical Bulletin 117 Section E (CS 191-53 Passes) - Did Not Ignite
 NFPA 260 Cigarette Ignition (Passes) Did Not Ignite
 UFAC - Class 1
Easy Maintenance
 "WS" For water-based stains use water-based cleaning agents.
 For oil based stains use solvent cleaner.
Made in the USA
Berry Compliant
Limited Lifetime Warranty - For All Indoor Applications

Plaid Specifications

Content: 100% Polyester
Width: 54"
Repeat: H 3 3/8" V 3 3/8"
Backing: Acrylic
Weight: 14.5 oz. per linear yard
Abrasion: ASTM D 4157 - Exceeds 100,000 double rubs (ACT Approved Wire Screen)
Lightfastness: 700 hours
Flammability
 California Technical Bulletin 117 Section E (CS 191-53 Passes) - Did Not Ignite
 NFPA 260 Cigarette Ignition (Passes) Did Not Ignite
 UFAC - Class 1
Easy Maintenance
 "WS" For water-based stains use water-based cleaning agents.
 For oil based stains use solvent cleaner.
Made in the USA
Berry Compliant
Limited Lifetime Warranty - For All Indoor Applications



Houndstooth

Color	Item ID
White/Black	HT02
White/Dark Red	HT03
Dark Red/Black	HT04
Orange/Black	HT05
Teal/Black	HT06
English Tan	HT07
Dark Grey/Black	HT08

Plaid

Color	Item ID
Caribbean Blue	PLD01
Dark Red	PLD02
Orange	PLD03
Dark Grey	PLD04
Teal	PLD05

The Look and Feel of Suede. Available in: Unbacked, Backed, Perforated and Foam Backed



Synergy II Performer
Onyx
304818203



Synergy II Headliner
Onyx
304818403



Jet Black
Performer 304818204
Headliner 304818404

Dk. Graphite
Performer 304818210
Headliner 304818410

Charcoal
Performer 304818225
Headliner 304818425

Grey
Performer 304818224
Headliner 304818424

Med. Grey
Performer 304818211
Headliner 304818411



Platinum
Performer 304818208
Headliner 304818408

Shale
Performer 304818207
Headliner 304818407

Tan
Performer 304818206
Headliner 304818406

Beige
Performer 304818223
Headliner 304818423

Teak
Performer 304818218
Headliner 304818418

Limited Stock
Special Order



Whiskey
Performer 304818222
Headliner 304818422

Red
Performer 304818213
Headliner 304818413

Blue
Performer 304818212
Headliner 304818412

SYNERGY SUEDE II



All Synergy Suede items meet MVSS302 flammability code

EXPO

Expo
37066P667
Black
Expo
37066x161
Dk. Charcoal
Expo
37066x28H
Lt. Charcoal
Expo
37066y880
Silver
Expo
37066P775
Sandstone
Expo
370662x50
Toast
Expo
370661311
Walnut
Expo
37066721R
Ocean
Expo
37066L318
Dk. Blue

RESEDA

Reseda
37068BF80
Black
Reseda
37068628H
Lt. Charcoal
Reseda
37068898L
Silver
Reseda
37068014M
Sandstone
Reseda
37068587N
Walnut
Reseda
37068721R
Ocean
Reseda
37068899L
Burgundy
Reseda
37068T991
Brick

SONOMA

Sonoma
37070P667
Black
Sonoma
37070X161
Dk. Charcoal
Sonoma
37070628H
Lt. Charcoal
Sonoma
37070Y880
Silver
Sonoma
37070P775
Sandstone
Sonoma
370702x50
Toast
Sonoma
370701311
Walnut
Sonoma
37070721R
Ocean
Sonoma
37070N997
Burgundy
Sonoma
370701991
Brick

MADERA

Madera
37067679
Charcoal
Madera
370673X72
Silver
Madera
37067P775
Sandstone
Madera
370674X53
Toast
Madera
370676T78
Ocean
Madera
37069X161
Dk. Charcoal
Madera
37069628H
Lt. Charcoal
Madera
370698X39
Doeskin
Madera
370697991
Brick
Madera
37069626H
Royal
Madera
370698X47
Sapphire

CHINO

Chino
37069P067
Black

BEDFORD

Bedford
375001
Black
Bedford
375002
Dk. Charcoal
Bedford
375007
Sandstone

WINCHESTER

Winchester
375112
Ebony
Winchester
375101
Black
Winchester
375102
Dk. Charcoal
Winchester
375103
Lt. Charcoal
Winchester
375107
Sandstone
Winchester
375105
Toast

CROSSROADS IV

GENERAL UPHOLSTERY & AUTOMOTIVE

Nonstock Items
Special Order
Allow 3 - 5 day delivery

Drop ship available

SPECIFICATION

Pattern / Fiber Content	Expo / Chino / Bedford / Winchester - 100% Polyester Sonoma - 95% Polyester, 5% Polypropylene Reseda - 85% Polyester, 15% Nylon Madera - 83% Polyester, 17% Nylon
Width	57"
Cleaning Code	WS
Abrasion	Expo / Chino / Reseda / Madera / Sonoma - 30,000 Double Rubs Bedford - 300,000 Double Rubs + Winchester - 42,000 Double Rubs
Lightfastness	300 Hours (AATCC 16A-64)
Flammability	MVSS 302 - Pass California 117 Section E - Pass




HOW TO ORDER LEATHER

Leather is sold by the hide on a square foot basis. Whole hides run about 45-55 sq. ft. Half hides are cut from head to butt of the hide. Equivalents of leather (square feet to fabric yardage) are shown below:

Square Feet in Leather to 54" Fabric

17	square feet	- 1 yard
34	square feet	- 2 yards
51	square feet	- 3 yards
68	square feet	- 4 yards
85	square feet	- 5 yards
102	square feet	- 6 yards
119	square feet	- 7 yards
136	square feet	- 8 yards
153	square feet	- 9 yards
170	square feet	- 10 yards




Fabric and Vinyl Conversion Chart

CONVERSIONS

A Yd. of Material this Wide in In.	B Contains this Many Sq. Ft.	C Contains this Many Sq. Yds.
31	7.75	0.86
36	9.00	1.00
40	10.00	1.11
46	11.50	1.28
47	11.75	1.31
48	12.00	1.33
54	13.50	1.50
60	15.00	1.67
61	15.25	1.69
62	15.50	1.72
72	18.00	2.00
76	19.00	2.11
78	19.50	2.17
80	20.00	2.22
84	21.00	2.33
96	24.00	2.67
108	27.00	3.00

To compute the cost per sq. ft. or sq. yd., simply take the price of the goods per linear yd. and divide it by the factor in column B or C.



Handy Tips to Know

- There are 144 sq. in. per sq. ft.
- There are 9 sq. ft. per sq. yd.
- There are 1296 sq. in. per sq. yd.

Handy Tips to Know

- 1 sq. yd. = 9 sq. ft.
- 1 sq. yd. = 1296 sq. in.

First Class Leather Hides Collection



- Sold In Full Hides
- 60 Stylish Colors
- Genuine Italian Leather for Snobbish Cars & Furniture
- Automotive Topcoat Finish with Firm Hand
- Volare grain
- Italian Vat Dyed European Cowhide

OEM COLORS FOR: Lamborghini, Bentley, Ferrari, Jaguar, Maserati and Porsche

Sold Full Hides by Square Foot - FOB: ITALY

AVERAGE HIDE SIZE - 45 to 55 SQ FT

FOB Origin: Italy - Customer pays freight from Italy



International Leather Hides Collection



**LUXURY
LEATHER HIDES**

*Signifies leathers produced on South American raw material which will have some brahma hide selection. Brahma hides will have a hole in the neck area (see below).

BRAHMA SELECTION

STANDARD SELECTION

Sold Full Hides Only
3 to 5 Day Delivery

**ACTION
UPHOLSTERY
SUPPLY**
GOING THE EXTRA YARD

Action Upholstery Supply
2227 72nd Ave East
Sarasota FL 34243

941-954-0532
1-800-329-0532
ACTIONUP.COM





SAM17.5

ENVISION




SiO™

GENERAL SPECIFICATIONS

Content	100% SiO Silicone
Backing	100% Polyester
Weight	28 oz. per linear yard

KEY PERFORMANCE SPECIFICATIONS

Abrasion Resistance	225,000+ Double Rubs*
Stain Resistance	with SiO
Lightfastness	500 Hours
UV Resistance	1,300 Hours
Bleach Cleanable	10% Dilution
Flammability**	California TB 117-2013
	FMVSS 302 / ASTM E-84
	BS 5852: 2006 Crib 5
	CAL AB-2998 Compliant
	IMO 2010 FTP Code, Part 8









*Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.

CLEANING INSTRUCTIONS

For everyday maintenance, simply clean with a damp cloth or mild soap and water. For soiled areas wipe with non-abrasive general purpose cleaner. Difficult stains can be cleaned using 70% diluted rubbing alcohol and water. It is recommended to wipe the material surface with fresh water after application of any cleaner or disinfectant.

ENGINEERED FOR DEMANDING ENVIRONMENTS

Hospitality, Healthcare, Contract, Education, Residential Upholstery, Indoor/Outdoor, Marine

REDUCED ENVIRONMENTAL IMPACT

This product does not pose any exposure risks associated with the chemicals in Prop 65.

Phthalate Free
Lead / Heavy Metal Free
Does not contain Flame Retardant Additives
Does not contain Anti Microbial / Bacterial Additives
PFC / PFOA Free
HPF Available








Silex Sta*Kleen Silicone Fabric

SAM W17



sta*kleen		SILICONE	
Product Specifications			
Technical Specs			Test Method
Surface Composition Backing Composition Finished Width Repeat Railroaded Put-up Cleaning Code			100% Silicone 100% Polyester 54" min. None No 30 yards W/S
Performance			Test Method
Grab Tensile Trap Tear Seam Strength Adhesion Stretch @ 15# (MDxCD) Flex Resistance Blocking Crock Resistance Wyzenback Abrasion Colorfastness to Light Colorfastness to Water: Sea Colorfastness to Water: Chlorinated Pool Colorfastness to Perspiration Mildew Resistance Antibacterial Activity Antifungal Activity Blue Dye Transfer Resistance Biocompatibility - Vitro Cytotoxicity Biocompatibility - Irritation and Skin Sensitization Chemical Cleaner Resistance Cold Crack (Roller Method)			200 lbs./in. x 200 lbs./in. min. 30 lbs./in. x 30 lbs./in. min. 90 lbs./in. x 90 lbs./in. min. 4 lbs./in. x 4 lbs./in. min. 14% x 25% 100,000 Cycles No. 1 - Pass Dry-5, Wet-5 200,000 cycles, #10 cotton duck 2,000 hours 60 hours - Grade 5 Shade 5, Staining: 5 4.8 Acid-4.8; Alkaline-4.8 Pass Pass Pass Pass Dry-4; Wet-3-4 Pass Pass Pass Pass -40°F
Flammability			Test Method
California Bulletin 117-2013, Section 1 BS5852 Crib 5			Pass Pass
UFAC Class I NFPA 260 FMVSS #302 IMO 210 Part 8, Sections 3.1 & 3.2			Pass Pass Pass
Suitable Applications: Healthcare, Hospitality, Contract, Automotive, Outdoor/Marine			
 ACTION UPHOLSTERY SUPPLY 2227 72ND AVE EAST SARASOTA FL 34243 941-954-0532 • 1-800-329-0532 FAX 941-366-5220 • ACTIONUP.COM			



The Allante Collection

The Interior Seating & Headliner Vinyl Upholstery Solution

Morbern has a solution to all your interior seating and headliner needs. The Allante Collection by Morbern is ideal for automotive seating, RV interiors, marine interiors, corporate, hospitality, and residential seating.



Collection and Item Numbers:

Allante VYAL802 - VYAL904
Carrara VYCR500 - VYCR511
Prodigy VYPR0675 - VYPR0699



AFF group [®]		VERSION 2023A
GENERAL SPECIFICATIONS		
DIMENSIONS		
Normal Weight - 30 oz. per linear yard +/- 5% Width - 54 inches Thickness - 1.00mm		
APPLICATION		
Automotive, General Seating, Healthcare, Hospitality, Office and Residential		
PERFORMANCE SPECIFICATIONS		
PHYSICAL PERFORMANCE		
Abrasion Resistance	500,000 cycles double rubs ASTM D4157	
Ultra Violet Resistance	100 hours Class 5.0/ASTM D4329-13	
Cold Crack	-10°F/ASTM D1912-10	
Breathable	Pass ASTM D3574-G	
SUSTAINABILITY		
Environmental Grade	Pass EN71 Part 3	FLAME RESISTANCE
Phthalate Free	Pass	California Fire Code Technical Bulletin No. 117-2013 NFPA 260 Class I (Section 4-1 Cigarette Ignition Resistance Test) FMVSS 302 Federal Motor Vehicles Safety Standard BS5852: 1979 Part 1 US California Prop. 65 CPSIA 101, 108 & 2008 AB 2998
		UFAC Fabric Class 1 IMO A.652 (16) 8.2/8.3 Federal Standard CID-A-A2950-A



Item Numbers
VYU01 - VYU64



General Specifications:

Width	54"
Roll Size	30 yards
Weight	32 oz per linear yard
Backing	Brushed Polyester Knit Superior Peel Resistance

Performance Specifications:

Wyzenbeek Abrasion Resistance	4lbs tension ASTM D4157-13 500,000 Double Rubs
Tensile Strength	Weft 24.00/Warp 4.50
Tear Strength	Weft 1.30/Warp 2.00
Burst Strength	Kg/cm ² 8.00
Ultraviolet Resistance	ASTM D4329-13 500hours
Cold Crack Resistance	-30°
Mildew Resistance	ASTM G21
Antibacterial	AATCC 147-2011
Phthalates	ASTM D3421-1975

Flammability Specifications:

California Bulletin 117-2013
FMVSS 302
NFPA 260

SAM BKV20

Item Numbers
VYHM01 - VYHX591



GOING THE EXTRA YARD



ATLAS

CONTRACT VINYL

Heavy Duty 38oz

RECOMMENDED USES:

- Commercial
- Hospitality
- Healthcare
- Aviation

Black VYATL13	Espresso VYATL00	Raspberry VYATL01	Snow White VYATL04	American Beauty VYATL05	Bordeaux VYATL06
Tomato VYATL10	Coffee Cream VYATL11	Dove VYATL16	Forest Green VYATL17	Chestnut VYATL18	Burgundy VYATL21
Navy VYATL22	Aubergine VYATL23	Blue Ridge VYATL24	Imperial Blue VYATL25	Taupe VYATL26	Mocha VYATL27
Terra Cotta VYATL28	Gun Metal VYATL29	Charcoal VYATL30	Sable VYATL31	Neutral VYATL33	Sand VYATL34
Camel VYATL35	Greystone VYATL36				

SAM07



GOING THE EXTRA YARD



ATLAS

CONTRACT VINYL

Heavy Duty 38oz

RECOMMENDED USES:

- Commercial
- Hospitality
- Healthcare
- Aviation

ATLAS VINYL MEET THE FOLLOWING SPECIFICATIONS

S. No.	Tests	Test Method	Test Specifications	Results	
1	Total Weight (Oz/Lin.Yd)	ASTM D751	38 ± 10%	38.2-38.5	
2	Thickness (mm)	ASTM D751	1.30 ±10%	1.30-1.32	
3	Grab Tensile Strength (Lbf)	Warp	ASTM D751	80 Min.	102-105
		Weft		60 Min.	83-87
4	Elongation (%)	Warp	ASTM D751	40 Min.	50-58
		Weft		150 Min.	162-171
5	Tongue Tear Strength (Lbf)	Warp	ASTM D751	5.0 Min.	6.8-7.0
		Weft		5.0 Min.	6.8-7.0
6	Flammability	mm/min	FMVSS 302	100 MAX.	Pass
7	Flammability		TB117-2013	Pass	Pass
8	Flammability		FAA, FAR 28.853	Pass	Pass
9	Flammability		Boston Fire Code	Pass	Pass
10	Flammability		IMO 2010 FTP Code MSC 307 Part 8	Pass	Pass
11	Flammability		NFPA 260 Class I	Pass	Pass
12	Class Rating		ASTM D3690	Class-A	Pass
13	Federal Spec. CID A-A- 2950			Pass	Pass
14	Sulfide Stain Resistant			Pass	Pass
15	Oil Resistance			Pass	Pass
16	Antimicrobial		ATCC-147	No Growth	Pass
17	Cold Crack Resistance at -20°F		FTMS 191A-5874	No Crack	Pass
18	Wyzenbeek abrasion (#10 cotton duck cloth)		ASTM D4157	1,800,000	Pass
19	UV-Resistance		ASTM G154	500Hrs	Pass
20	Weatherometer		ASTMG154	1,500 Hrs.	Pass
21	Mildew Resistance		CFRA 120	PASS	Pass
22	Pink Stain		ASTME 1428	PASS	Pass
23	Width	in		54	
24	Roll Length	yd		25	



ACTION UPHOLSTERY SUPPLY
2001 72nd Street
SARASOTA, FL 34243
941-366-5252 • 1-800-329-9532
FAX 941-366-5252 • ACTIONUP.COM

Polaris by Futura

Make your finished product come alive using Polaris as an accent vinyl.



SPECIFICATIONS*	
NOMINAL WEIGHT	32 oz.
ROLL SIZE	25 Yds.
WIDTH	54"
CONTENTS	100% Virgin Vinyl
BACKING	100% Polyester
COLD CRACK	-10° F
ABRASION	50,000+
FLEX CYCLES(DE MATTIA)	200,000 No Crack
FLAMMABILITY*	
MVSS 302	Passes
CA 117-SECTION E	Passes

* This term and any corresponding data refer to typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual conditions.

Cleaning Instructions:
 This product should be cleaned with mild soap and water.
 Do not use alcohol based cleaners.

Marathon Mesh & Vinyl



MARATHON Vinyls & Mesh

Marathon Marine Vinyl

	VYMM01 White	VYMM03 Lily White	VYMM04 Cream	VYMM05 Driftwood
	VYMM06 Oyster	VYMM07 Light Grey	VYMM08 Black	VYMM09 Dark Sand
	VYMM10 Sapphire	VYMM11 Lt. Neutral	VYMM12 Lipstick Red	VYMM13 Shark Grey
	VYMM14 Taupe	VYMM15 Med. Grey		

All colors available for Vinyl Welt - Limited colors 1-1/2" Pressed Pleat & Hidem
See Back for Details

Marathon Mesh

MM15X105401 White-54" wide	MM15X105402 Black-54" wide	MM15X105403 Cadet Grey-54" wide	MM11X117201 White-72" wide	MM11X117202 Black-72" wide
MM11X117203 Cadet Grey-72" wide	MM37X125401 White-54" wide	MM37X125402 Black-54" wide	MM37X125403 Cadet Grey-54" wide	MM10X1048 Black-48" wide



MARATHON Vinyls & Mesh

SAM06

Marathon Hidem

- White
- Brilliant White
- Lily White
- Cream
- Driftwood
- Oyster
- Light Grey
- Black
- Dark Sand

Marathon Vinyl 1.5"
Pressed Pleat

- White
- Lily White
- Brilliant White

Marathon Vinyl Welt
(5/32" cord)

Available All Colors



Marathon Marine Vinyl

Typical Properties

Content - 100% Vinyl Face - Polyester Knit Backing
Width - inches - 54"
Roll Size - linear yards - 30
Weight - Oz./per linear yard - 34

Performance Requirements

Wyzenebeek Abrasion (#10 duck cloth) - 200,000
Mildew Resistance (ASTM G-21) - Pass
Anti-Bacterial - Pass
Pink Stain - Pass
UV Resistance - 650 hours

Flame Retardant Rating

FMVSS 302
NFPA 260, Class 1 - Pass
UFAC Fabric, Class 1 - Pass

Applications - Exterior/Interior

Marathon Mesh

UV Resistance - Pass
Mildew Resistance - Pass
Phthalates Free
4 Different Densities and Widths

Marathon Vinyl 1.5 Pressed Pleat

Available in Quilted/Pleated

VYMM01Q - Brilliant White
VYMM02Q - White
VYMM03Q - Lily White

Marathon Vinyl Hidem & Vinyl Welt all colors

Item Numbers Hidem: HI MM01 - HI MM09
Item Numbers Vinyl Welt: WMM01 - WMM15

Odessa



The AFF | group's Odessa Collection is our inaugural distressed leather vinyl, designed with specifications that make it ideal for both interior and exterior applications.

SPECIFICATIONS

WIDTH - 54 inches
WEIGHT - 30 oz. per linear yard +/- 5%
ABRASION - 100,000 double rubs Wyzenebeek #10 Cotton Duck ASTM D4157
COLD CRACK - Negative 10 F ASTM D1912-10
QUV-B - 1000 hours ASTM D4329-13
FR - MVSS 302, NFPA 260, Cal 117-2013
ANTI-MILDEW - ASTM 1428
ANTI-MICROBIAL - ASTM G21
BIODEGRADABILITY - ASTM D 5511-11
PHTHALATE FREE - Pass

APPLICATIONS

Hospitality, Contract, Office, Residential, Healthcare, Marine, Spa, RV and Automotive

CARE & CLEANING

METHOD 1- Prompt cleaning is always recommended. Ordinary dirt and stains can be removed with a mild soap and water. Rinse the cleansed area with clean water and dry with a lint-free cloth.

METHOD 2 - For stubborn stains, use a 1:1 mix of isopropyl alcohol and water, rinse with clean water and dry.



Seascape

Pleated, hidem and welt available in limited colors.

Item Numbers VYSC Series



GENERAL SPECIFICATIONS

DIMENSIONS

Normal Weight - 33 oz. per linear yard +/- 5%
Width - 54 inches
Thickness - 1.10mm

APPLICATION
Marine, Spa, Hospitality, Contract, Automotive, Transportation, Office and Residential

PERFORMANCE SPECIFICATIONS

PHYSICAL PERFORMANCE

Abrasion Resistance	110,000 cycles double rubs ASTM D4157
Ultra Violet Resistance	650 hours Class 5.0/ASTM D4329-13
Cold Crack	-22°F/ASTM D1912-10
Breathable	Pass ASTM D3574-G
Mildew Resistance/Anti-Microbial	Front and Back per ASTM G21-15
Anti-Bacterial	Per AATCC147-2011
Anti-Pinking	Pass per ASTM 1428

SUSTAINABILITY

Environmental Grade	Pass EN71 Part 3	FLAME RESISTANCE
Phthalate Free	Pass	California Fire Code Technical Bulletin No. 117-2013 NFPA 260 Class I (Section 4-1 Cigarette Ignition Resistance Test)
US California Prop. 65	Pass	FMVSS 302 Federal Motor Vehicles Safety Standard BS5852: 1979 Part 1
CPSIA 101, 108 & 2008	Pass	
AB 2998	Pass	

CARE & CLEANING GUIDE

METHOD 1
Profession cleaning is always recommended. Ordinary dirt and stains can be removed with a mild soap and water. Rinse the cleaned area with clean water and dry with a lint-free cloth.

METHOD 2
For stubborn stains, use a 1:1 mix of isopropyl alcohol and water, rinse with clean water & dry.

GENERAL SPECIFICATIONS

PHYSICAL PERFORMANCE

Abrasion Resistance	110,000 cycles double rubs ASTM D4157
Ultra Violet Resistance	650 hours Class 5.0/ASTM D4329-13
Cold Crack	-22°F/ASTM D1912-10
Breathable	Pass ASTM D3574-G
Mildew Resistance/Anti-Microbial	Front and Back per ASTM G21-15
Anti-Bacterial	Per AATCC147-2011
Anti-Pinking	Pass per ASTM 1428

SUSTAINABILITY

Environmental Grade	Pass EN71 Part 3	FLAME RESISTANCE
Phthalate Free	Pass	California Fire Code Technical Bulletin No. 117-2013 NFPA 260 Class I (Section 4-1 Cigarette Ignition Resistance Test)
US California Prop. 65	Pass	FMVSS 302 Federal Motor Vehicles Safety Standard BS5852: 1979 Part 1
CPSIA 101, 108 & 2008	Pass	
AB 2998	Pass	

Microsuede by TechStyles


AFF | group

VERSION 2024A

GENERAL SPECIFICATIONS

CARE & CLEANING GUIDE

DIMENSIONS

METHOD 1
 Prompt cleaning is always recommended. Ordinary dirt and stains can be removed with a mild soap and water. Rinse the cleansed area with clean water and dry with a lint-free cloth.

WIDTH

METHOD 2
 For stubborn stains, use a 1:1 mix of isopropyl alcohol and water, rinse with clean water & dry.

THICKNESS

APPLICATION
 Automotive, Marine, General Seating, Healthcare, Hospitality, Office, and Residential

PERFORMANCE SPECIFICATIONS


PHYSICAL PERFORMANCE

Abrasion Resistance	500,000 cycles double rubs ASTM D4157
Ultra Violet Resistance	650 hours Class 5.0/ASTM D4329-13
Cold Crack	-32°F/ASTM D1912-10
Weatherometer	1500 hours ASTM G 154
Anti-Pinking	ASTM 1428
Anti-Mildew/Microbial	ASTM G21
Anti-Bacterial	AATCC 147-2011

SUSTAINABILITY	
Phthalate Free	Pass
US California Prop. 65 Pass	

FLAME RESISTANCE
 California Fire Code Technical Bulletin No. 117-2013
 FMVSS 302 Federal Motor Vehicles Safety Standard
 UFAC - Class 1


TECHSTYLES®



MICROSUEDE

VLMS-01 Bright White

VLMS-02 Off White

VLMS-03 Ivory

VLMS-04 Cream

VLMS-05 Khaki

VLMS-06 Mushroom

VLMS-07 Lt Cashmere

VLMS-08 Truffle

VLMS-09 Cognac

VLMS-10 Chestnut

VLMS-11 Russet

VLMS-12 Java

VLMS-13 Citrus

VLMS-14 Cherry

VLMS-15 Cardinal

VLMS-16 Sangria

VLMS-17 Kiwi

VLMS-18 Vivid Sky

VLMS-19 Royal Blue

VLMS-20 Navy Blue

VLMS-21 Cloud Gray

VLMS-22 Pale Gray

VLMS-23 Cool Gray

VLMS-24 Fossil Gray

VLMS-25 Steel Gray

VLMS-26 Slate

VLMS-27 Charcoal

VLMS-28 Black


AFF | group

VERSION 2024A

GENERAL SPECIFICATIONS

CARE & CLEANING GUIDE

DIMENSIONS

METHOD 1
 Prompt cleaning is always recommended. Ordinary dirt and stains can be removed with a mild soap and water. Rinse the cleansed area with clean water and dry with a lint-free cloth.

WIDTH

METHOD 2
 For stubborn stains, use a 1:1 mix of isopropyl alcohol and water, rinse with clean water & dry.

THICKNESS

APPLICATION
 Automotive, Marine, General Seating, Healthcare, Hospitality, Office, and Residential

PERFORMANCE SPECIFICATIONS

PHYSICAL PERFORMANCE

Abrasion Resistance	50,000 cycles double rubs ASTM D4157
Ultra Violet Resistance	500 hours Class 5.0/ASTM D4329-13
Cold Crack	-10°F/ASTM D1912-10
Weatherometer	1500 hours ASTM G 154
Anti-Pinking	ASTM 1428
Anti-Mildew/Microbial	ASTM G21
Anti-Bacterial	AATCC 147-2011

SUSTAINABILITY	
Phthalate Free	Pass
US California Prop. 65 Pass	

FLAME RESISTANCE
 California Fire Code Technical Bulletin No. 117-2013
 NFPA 260 Class I (Section 4-1)
 Cigarette Ignition Resistance Test
 FMVSS 302 Federal Motor Vehicles Safety Standard
 BIFMA Class A

Glisten by TechStyles


AFF | group

VERSION 2024A

GENERAL SPECIFICATIONS

CARE & CLEANING GUIDE

DIMENSIONS

METHOD 1
 Prompt cleaning is always recommended. Ordinary dirt and stains can be removed with a mild soap and water. Rinse the cleansed area with clean water and dry with a lint-free cloth.

WIDTH

METHOD 2
 For stubborn stains, use a 1:1 mix of isopropyl alcohol and water, rinse with clean water & dry.

THICKNESS

APPLICATION
 Automotive, Marine, General Seating, Healthcare, Hospitality, Office, and Residential

PERFORMANCE SPECIFICATIONS

PHYSICAL PERFORMANCE

Abrasion Resistance	50,000 cycles double rubs ASTM D4157
Ultra Violet Resistance	500 hours Class 5.0/ASTM D4329-13
Cold Crack	-10°F/ASTM D1912-10
Weatherometer	1500 hours ASTM G 154
Anti-Pinking	ASTM 1428
Anti-Mildew/Microbial	ASTM G21
Anti-Bacterial	AATCC 147-2011

SUSTAINABILITY	
Phthalate Free	Pass
US California Prop. 65 Pass	

FLAME RESISTANCE
 California Fire Code Technical Bulletin No. 117-2013
 NFPA 260 Class I (Section 4-1)
 Cigarette Ignition Resistance Test
 FMVSS 302 Federal Motor Vehicles Safety Standard
 BIFMA Class A

The **Morbern Marine Collection** is one of the highest quality and extensive mix of marine vinyl available.

We stock the entire Seabrook Pattern in hidem and readymade welt. We also stock all of the base colors of Seabrook and Sanibel in both 1-1/2" pleat and laminated to 1/4" MR foam. Cantech comes in a 1" pleat and laminated to 1/4" MR foam to match the Boston Whalers.



Morbern Marine Collection

Allsport • Bayside • Biscayne • Cantech • Catalina • Edge • Freeport • Monterey • Newport • Newport • Shock • Surf • Wave • Yorktown

Pattern	Roll Width	Roll Size (Yds)	Quality	Weight/Linear Yd	Cold Crack	Abrasion Resistance Test ¹	Water Absorbency Test ²	UV-Induced Stable Pigment	1000-Hour Weatherometer	Mildew Resistance	FlameSS 302*	CA TB 117-2013*	UFAC Class 1*	IMO MSC.2 PART 8 (862/2013) 3.1 & 3.2†	ISO 9001 Certified	Finishes
Allsport	54"	40	Snowflake II MR/FR	36 ± 2	-60°F	30,000 Double Rubs	•	•	•	•	•	•	•	•	•	•
Bayside	54"	40	Splash EMR	33 ± 2	-25°F	100,000 Double Rubs	•	•	•	•	•	•	•	•	•	•
Biscayne	54"	40	Mellohide MR/FR	32 ± 3	-25°F	30,000 Double Rubs	•	•	•	•	•	•	•	•	•	•
Cantech	54"	40	Merritt MR	30.75 ± 2	-25°F	30,000 Double Rubs	•	•	•	•	•	•	•	•	•	•
Catalina	54"	40	Mellohide MR/FR	32 ± 3	-25°F	30,000 Double Rubs	•	•	•	•	•	•	•	•	•	•
Edge	54"	40	Merritt MR/FR	30.75 ± 2	-25°F	30,000 Double Rubs	•	•	•	•	•	•	•	•	•	•
Freeport	54"	40	Mellohide MR/FR	32 ± 3	-25°F	30,000 Double Rubs	•	•	•	•	•	•	•	•	•	•
Monterey	54"	40	Mellohide MR U 10	29 ± 2	-25°F	30,000 Double Rubs	•	•	•	•	•	•	•	•	•	•
Newport	54"	40	Mellotech MR/FR	32 ± 3	-25°F	100,000 Double Rubs	•	•	•	•	•	•	•	•	•	•
Prodigy	54"	40	Mellotech MR/FR+	30.75 ± 2	-25°F	100,000 Double Rubs	•	•	•	•	•	•	•	•	•	•
Protégé	54"	40	Merritt MR 55	30.75 ± 2	-25°F	30,000 Double Rubs	•	•	•	•	•	•	•	•	•	MGX
Sanibel	54"	30	Caliber MR/FR	32 ± 2	-25°F	30,000 Double Rubs	•	•	•	•	•	•	•	•	•	•
Seabrook/Seabrook D	54"	40	Seaway MR	32 ± 2	-25°F	30,000 Double Rubs	•	•	•	•	•	•	•	•	•	•
Shock	54"	40	Merritt MR/FR	30.75 ± 2	25°F	30,000 Double Rubs	•	•	•	•	•	•	•	•	•	•
Surf	54"	40	Splash EMR	33 ± 2	-25°F	100,000 Double Rubs	•	•	•	•	•	•	•	•	•	•
Wave	54"	40	Merritt MR/FR	30.75 ± 2	-25°F	30,000 Double Rubs	•	•	•	•	•	•	•	•	•	•
Yorktown	54"	40	Mellohide MR/FR	32 ± 3	-25°F	30,000 Double Rubs	•	•	•	•	•	•	•	•	•	•

*This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

†† These products may comply with IMO FIP 2010 Code MSC. 307(88) Part 8. 3.1 & 3.2 when tested with suitable components.

Dielectric Pleating

Available in Selected Seabrook and Seascapes Vinyl



SEABROOK COLORS:

CHALK, AMERICAN BEAUTY, MIDNIGHT, MOONLITE, SEAWHITE, STINGER CREAM, D. SEAWHITE, D. WHITE, GEL WHITE & BLUE


SEASCAPES COLORS:

WHITE, BONE, MIST GRAY AND SIMPLE WHITE

MGX MorGuard Xtreme™ offers superior stain protection. Common staining agents such as BBQ Sauce, Mineral Oil Lubricant, Sun Screen SPF 30, Yellow Mustard, Lipstick, Ballpoint Pen, Exhaust Soot, and Cola are easily removed with the use of Formula 409, Isopropyl Alcohol, and water.

Care and Cleaning Instructions

For Normal Cleaning: In general, most common stains can be cleaned using warm, soapy water and clear water rinses. Moderate scrubbing with a medium bristle brush will help to loosen soiling material from the depression of embossed surfaces. **For Stubborn Stains:** Use Formula 409® commercially available mild detergent in accordance with manufacturers' instructions. Test cleaners in an inconspicuous area as cleaner manufacturers may change formulas without notice. Full strength rubbing alcohol or mineral spirits may be tried cautiously as a last resort on very stubborn stains, if the above suggestions do not work. Indiscriminate use of any solvent or solvent containing cleaner can severely damage or discolor vinyls.



Action Quilted Specialty Panel

ACTION QUILTED PANELS

All stock panels are 27" x 48" Seabrook II
Chalk #120 Vinyl with a 1/2" Marine
Grade Sew Foam and quilted with
Sunstop 92 Polyester Thread

**CHALK
SEABROOK II
IN STOCK!**


- ◆ Page 1 - VYSB2 120QP.5F01 — Diamond Stitched Single Diamond Repeat Size - 3.50" tall by 1.875" wide
- ◆ Page 2 - VYSB2 120QP.5F02 — Large Double Diamond Stitched Repeat Size - 4.50" tall by 2.25" wide
- ◆ Page 3 - VYSB2 120QP.5F03 — Small Double Diamond Stitched Repeat Size - 3.00" tall by 2.00" wide
- ◆ Page 4 - VYSB2 120QP.5F04 — Hex Stitched - Hex Pattern Repeat Size - 1.375" tall by 2.00" wide

*** SPECIAL ORDER PANELS**
These panel designs can be manufactured in any available vinyl, fabrics and thread colors.






Action Upholstery Supply 2227 72nd Ave East
Sarasota FL 34243 • 941-954-0532 • 1-800-329-0532
ACTIONUP.COM





Item Number
VYSB2 120QP.5F04



Item Number
VYSB2 120QP.5F01

Item Number
VYSB2 120QP.5F02

Item Number
VYSB2 120QP.5F03

ACT/ON
UPHOLSTERY
SUPPLY


2227 72nd Ave East • Sarasota FL 34243
941-954-0532 • 1-800-329-0532
Actionup.com

**Autumn
& Marsh**

CAMO VINYL



Marsh
Autumn



Autumn - Repeat: 37" up the roll x 26.5" W

Hardwoods/Autumn
Item Number
VYHC01



Marsh - Repeat: 18.5" up the roll x 29.5" W

Marsh
Item Number
VYHC02

Specifications

Total Weight: 33 +/- 2.25 ounces per linear yard
 Total Thickness: 35 +/- 4.0 mils
 Width: 54 inches
 Roll Length: 30 yards
 Abrasion Resistance: No significant wear after 500,000 double rubs with #8 cotton duck using the Wyzenbeek test method.
 Cold Crack: -25° F
 1000 Hours WeatherOmeter Resistance

Flame Resistance

Manufactured to meet the following flammability* requirements:
 UFAC Class 1
 CA TB 117-2013 (Section 1-Cover Fabric)
 FMVSS 302
 BIFMA Class A
 NFPA 260A



Offroad

Anti flammable: CAL 117-2013, FMVSS302, IMO FTP, BIFMA CLASS A, NFPA 260
 Anti-microbial: AATCC-147
 Cold crack resistant: -40 degrees F
 UVB resistant: 650 hours
 Abrasion: Wyzenback 8 Cotton Duck # 5,00,000 cycles
 Weatherometer: 1000 hours
 Pink Stain: ASTM 1428

Material/Fabric: 100% Polyester

ITEM #'s
VYOR01 - VYOR17

Apollo Vinyl

Works great for jet skis, wave runner and motorcycle seats.



SPECIFICATIONS*	
TOTAL WEIGHT (OZ / LIN. YD)	32+10%
ROLL SIZE	30 YRDS
THICKNESS	1.10 +/- 10%
WYZENBEK ABRASION
...(10 COTTON DUCK) 50,000 CYCLES....ASTM D-4157
UV STABILIZEDQUV-B 500 HRS
WEATHEROMETER1500 HRS
COLD CRACK -25° FFTMS 191A-5874
ANTIMILDREW / PASSIS 7016 Part 4
ANTIMICROBIAL / PASSCFFA-121
FLAMMABILITY STANDARD / PASSTB117-2013
FLAMMABILITY / PASSFMVSS 302

Made in INDIA

Cleaning Instructions:

This product should be cleaned with mild soap and water. Do not use alcohol based cleaners.

Apollo Vinyl
Item #'s
VYAPL Series

*This term and corresponding data refer to typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual conditions.

ISO 9001 Certified Company



COMPASS



COMPASS with FORBID™ SRT and CHROMACOOL™ is manufactured to meet the following typical properties:

Specifications:

Width	54"
Roll Size	30 yds
Thickness	1.02 mm
Nominal Weight	33 oz. per linear yd
Contents	100% PVC
Backing	Q1 Polyester
Cold Crack	-10°F
UV Stabilized Pigments	650 hours minimum
Mildew Resistant (ASTM G-21)	Pass
Anti-Bacterial/Anti-Microbial (AATCC 147)	Pass
Abrasion Resistance!	Wyzenbeek: (100K cycles #10 cotton duck)

Suggested Applications:

Marine, Outdoor, Golf Cart Seating



The fabric meets or exceeds these ACT performance guidelines. Certification Marks owned by ACT.

†

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.

Meets Flammability Requirements*:

IMO FTPC Part 8
Motor Vehicle Safety Standard 302
California Technical Bulletin 117-2013 Section 1**BIFMA, Class A
UFAC, Class 1
NFPA 260, Class 1
* This term and any corresponding data refer to typical performance in the specific test indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.
** This product, when tested with suitable component materials, may comply with California Technical Bulletin 117-2013, Section 1.

Other Attributes:



FORBID™ SRT Clean and Care Guide

provides stain resistance while preserving fabric integrity and softness.

Method 1: For most common stains, use soap & water.


Method 2: If Method One doesn't work, use the following: FANTASTIK, 409 or MR CLEAN.

Method 3: For tougher stains use 70% isopropyl alcohol.

	STAINING AGENT					
	DIRT	PEN	SHARPIE	PAINT	KETCHUP & MUSTARD	BLUE JEAN
METHOD 1	X	X				X
METHOD 2	X	X			X	X
METHOD 3	X	X	X	X	X	X

ChromaCool™ Technology

blocks and reflects UV rays and reduces heat absorption, keeping fabric cool.



The Enduratex™ care guide addresses the performance of FORBID™ SRT products as indicated in product testing, conducted under laboratory conditions. Results may vary. The information contained in this guide is not a guarantee and does not relieve the user of the responsibility of proper and safe use of recommended cleaning agents. The use of certain agents has been found to be harmful to the surface appearance and lifespan of vinyl. Please familiarize yourself with those products for best results. Enduratex™ topcoat, FORBID™ SRT, is resistant to most common stains, however existing dyes and pigments in some agents have been seen to create a permanent stain if not properly treated in a timely manner. Enduratex™ maintains the highest vinyl production standards. Anomalies may occur during finishing if the vinyl comes into contact with incompatible forms.

ENDURATEX™, FORBID™ and CHROMACOOL™ are trademarks of CGPC America Corp. and may not be used without written permission of CGPC America Corp.



MONITOR | TRITON | COMPASS | NIAGARA

MONITOR, TRITON, COMPASS & NIAGARA with and

are manufactured to meet the following typical properties:

Specifications:

Width	54"
Roll Size	30 yds
Thickness	1.02 mm
Nominal Weight	33 oz. per linear yd
Contents	100% PVC
Backing	Q1 Polyester
Cold Crack	-10°F
UV Stabilized Pigments	650 hours minimum
Mildew Resistant (ASTM G-21)	Pass
Anti-Bacterial/Anti-Microbial (AATCC 147)	Pass
Abrasion Resistance!	Wyzenbeek: (100K cycles #10 cotton duck)

Suggested Applications:

Marine and Outdoor Seating



The fabric meets or exceeds these ACT performance guidelines. Certification Marks owned by ACT.

†

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.

FORBID™ Clean and Care Guide

provides stain resistance while preserving fabric integrity and softness.

Method 1: For most common stains, use soap & water.

Method 2: If Method One doesn't work, use the following: FANTASTIK, 409 or MR CLEAN.

Method 3: For tougher stains use 70% isopropyl alcohol.

	STAINING AGENT					
	DIRT	PEN	SHARPIE	PAINT	KETCHUP & MUSTARD	BLUE JEAN
METHOD 1	X	X				X
METHOD 2	X	X			X	X
METHOD 3	X	X	X	X	X	X

The Enduratex™ care guide addresses the performance of FORBID™ products as indicated in product testing, conducted under laboratory conditions. Results may vary. The information contained in this guide is not a guarantee and does not relieve the user of the responsibility of proper and safe use of recommended cleaning agents. The use of certain agents has been found to be harmful to the surface appearance and lifespan of vinyl. Please familiarize yourself with those products for best results. Enduratex™ topcoat, FORBID™ SRT, is resistant to most common stains, however existing dyes and pigments in some agents have been seen to create a permanent stain if not properly treated in a timely manner. Enduratex™ maintains the highest vinyl production standards. Anomalies may occur during finishing if the vinyl comes into contact with incompatible forms.

ENDURATEX™, FORBID™ and ChromaCool™ are trademarks of CGPC America Corp. and may not be used without written permission of CGPC America Corp.



ENDURATEX™

We cover the world.

4 Latitude Way, Suite 108, Corona, CA 92881 | 800.243.2472 | 951.332.4100
f: 951.332.4076 | w: enduratex.com | e: cse@enduratex.com
Warehouse Locations: California, Tennessee

05/23

COMPASS



Meets Flammability Requirements*

IMO FTPC Part 8

Motor Vehicle Safety Standard 302

California Technical Bulletin 117-2013 Section 1**

BIFMA, Class A

UFAC, Class 1

NFPA 260, Class 1

* This term and any corresponding data refer to typical performance in the specific test indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

** This product, when tested with suitable component materials, may comply with California Technical Bulletin 117-2013, Section 1.

Other Attributes:

BLACK BEAUTY
CMP-5542POTTING SOIL
CMP-5539ULTIMATE GRAY
CMP-5518MED DARK PEWTER
CMP-5515SATELLITE
CMP-5509DOESKIN
CMP-5503NACREOUS CLOUDS
CMP-5512WHITE SWAN
CMP-5506ILLUMINATING
CMP-5530SUDAN BROWN
CMP-5536ADRENALINE RUSH
CMP-5527CHINA BLUE
CMP-5521BLANC DE BLANC
CMP-5500BLACK BEAUTY
MNR-4442POTTING SOIL
MNR-4439ULTIMATE GRAY
MNR-4418MED DARK PEWTER
MNR-4415SATELLITE
MNR-4409DOESKIN
MNR-4403NACREOUS CLOUDS
MNR-4412WHITE SWAN
MNR-4406ILLUMINATING
MNR-4430SUDAN BROWN
MNR-4436ADRENALINE RUSH
MNR-4427CHINA BLUE
MNR-4421BLANC DE BLANC
MNR-4400

Denali Vinyl

Used on furniture and automotive applications

Standard automotive colors with a few wild ones mixed in.

- Done in Monticello, Sierra, Black Pantera, Black Perf grains
- 42 colors

Not recommended for marine or exterior applications



Applications: Home Office and Residential

General Specifications:

Width: 54"
Roll Size: 30yds.
Normal Weight: 29oz. per linear yard
Backing: 100% Polyester Knit
Hardness: 85 PHR

Performance Specifications:


Abrasion Resistance: 100,000 cycles per BS EN 14465;
2003 Annex A/BS EN ISO 5470-2: 2003
Ultra Violet Resistance: 100 Hours Class 5.0 per ASTM D43229-13
Cold Crack Resistance: Performance at minus 10 degree Fahrenheit per ASTM D1912-10
EN71 Part 3 Environmental Grade

Flammability Requirements:

California Fire Code Technical Bulletin No. 117-2013
NFPA 260 Class 1 (Section 4-1 Cigarette Ignition Resistance Test)
FMVSS 302 Federal Motor Vehicles Safety Standard 302

Item Numbers
VYAFV01 - VYAFV45

Wallaby by Enduratex



Morbern Automotive Collection



Patterns & Grains Include:

Corinthian
Longitude
Monticello
Sierra
Wallaby

G-Grain
Madrid
Oxen
Soho

Heidi
Milled Pebble
Rawhide
Verona

**ITEM #'s
start with**

**Selections:**

1/8 = 1/8" Original Headliner 60" Wide
 WEH = 3/16" Headliner 60" Wide
 1/8XW = 1/8" Original Headliner 67" Wide
 SUEDE = 1/8" 60" Wide

SL = 3/16" Silver Lining Headliner 60" Wide
 Silver Lining is a discount program and is sold in 10 yard cuts only.

Dye lots may vary in color

Action Upholstery Supply
 2227 72nd Ave East
 Sarasota FL 34243
 1-800-329-0532
 FAX 941-366-5220
 ACTIONUP.COM



941-954-0532

BRUSHED

1559 - BLACK
 AVAILABLE IN:
 SL, 1/8XW



2001 - GRAPHITE
 AVAILABLE IN:
 WEH



1690 - DARK BLUE
 AVAILABLE IN:
 WEH



1883 - DARK GRAY
 AVAILABLE IN:
 SL



2000 - MED OPAL
 AVAILABLE IN:
 WEH, SL



1810 - MED DK GRAY
 AVAILABLE IN:
 WEH



2076 - MED GRAPHITE
 AVAILABLE IN:
 1/8



1810X - MED DK GRAY
 AVAILABLE IN:
 WEH



2005 - MED GRAY
 AVAILABLE IN:
 WEH, 1/8XW



1891 - TITANIUM
 AVAILABLE IN:
 WEH



2206 - BLUISH GRAY
 AVAILABLE IN:
 1/8



1747T - LT QUICKSILVER
 AVAILABLE IN:
 WEH



2209 - CLEAR GRAY
 AVAILABLE IN:
 1/8



1913 - LT QUARTZ
 AVAILABLE IN:
 WEH, SL



1808 - OXFORD GRAY
 AVAILABLE IN:
 WEH, SL



2075 - LT GRAPHITE
 AVAILABLE IN:
 WEH, 1/8XW



2226 - DAWN GRAY
 AVAILABLE IN:
 WEH, 1/8



2291 - TOYOTA GRAY
 AVAILABLE IN:
 WEH, 1/8



1927 - LT TITANIUM
 AVAILABLE IN:
 WEH, SL



2126 - NATURAL BEIGE
 AVAILABLE IN:
 1/8XW



2264 - LT NATURAL BEIGE
 AVAILABLE IN:
 WEH, 1/8



1784 - SANDGRAY
 AVAILABLE IN:
 WEH, SL



2119 - OPAL GRAY
 AVAILABLE IN:
 1/8XW



2081 - MED NEUTRAL
 AVAILABLE IN:
 WEH



2137 - MED PRAIRIE TAN
 AVAILABLE IN:
 1/8



2207 - MILD BEIGE
 AVAILABLE IN:
 1/8



2127 - SADDLE TAN
 AVAILABLE IN:
 WEH



1755 - SADDLE
 AVAILABLE IN:
 WEH, SL



2183 - LT OAK
 AVAILABLE IN:
 WEH



2224 - LT PARCHMENT
 AVAILABLE IN:
 WEH, 1/8



2002 - LT NEUTRAL
 AVAILABLE IN:
 WEH



2037 - LT NEUTRAL
 AVAILABLE IN:
 SL, 1/8



2144 - SHALE
 AVAILABLE IN:
 1/8XW



2217 - NEW IVORY
 AVAILABLE IN:
 1/8

FLAT KNIT

2252 - LT BEIGE
 AVAILABLE IN:
 1/8



1747 - QUICKSILVER
 AVAILABLE IN:
 WEH



2220 - LT BEIGE
 AVAILABLE IN:
 WEH, 1/8



1600 - WHITE
 AVAILABLE IN:
 WEH



2300 - BLACK FLAT
 AVAILABLE IN:
 WEH, 1/8




2483 - ATLAS GRAY
 AVAILABLE IN:
 WEH, 1/8

Brushed and Flat Knit Item# starts with HL - then fabric number

FLAT KNIT



SUEDE




12 oz. / Sq. Yd.
UV Resistant
Easy Installation

FLEXFORM

AUTOMOTIVE NEEDLEPUNCH CARPET

OEM Construction
80" Standard Width
Dilour Pile (No Grin)



Automotive Needle Punch Carpet

- 80" width
- 12 oz per square yd
- Dilour Pile
- UV resistant



1601 BLACK



NOT AVAILABLE



1670 Graphite




1607 DK. GRAY



NOT AVAILABLE



1615 M. NEUTRAL



1620 M. SADDLE



NOT AVAILABLE



1640 DK. BLUE



NOT AVAILABLE



1651 SILVER



1655 BISCUIT



NOT AVAILABLE



1668 MED. GRAY



1675 M. OPAL



1677 M. DK. PEWTER



1680 M. CAMEL

Current Flexform Colors

Black	CPF1601
Dark Grey (NONSTOCK)	CPF1607
Medium Prairie Tan	CPF1612
Medium Neutral	CPF1615
Medium Saddle (NONSTOCK)	CPF1620
Dark Blue	CPF1640
Silver (NONSTOCK)	CPF1651
Biscuit	CPF1655
Garnet	CPF1660
Medium Dark Grey	CPF1668
Graphite	CPF1670
Medium Opal (NONSTOCK)	CPF1675
Medium Dark Pewter (NONSTOCK)	CPF1677
Medium Camel	CPF1680

Flexform

80" wide needle punch carpet has many uses including package trays and door panels in automotive.


Features include easy installation and UV resistance.

12 oz per square yard 100% polypropylene. Available in 18 colors. Contact your sales representative for samples.


AUTOMOTIVE TRUNKLINING

OEM Quality & Colors


54" Standard Width




FORD 1880 DK HEATHER



GM 990 BLACK




GM 1040 LT HEATHER



TL 1023 HEATHER CHARCOAL



TL 1017 SHADOW



GM 995 CHARCOAL



Rontex America Inc.
1-888-766-8391





DORSETT**AQUA TURF**

100% OLEFIN PILE

102" WIDE



CPA5845 SMOKE

CPA5810
MARBLE GREYCPA5850
METALLIC GREYCPA5827
CHARCOALCPA5825
BLACKCPA5816
GULF BLUECPA5821
DENIM BLUECPA5801
ROYAL BLUECPA5819
INDIGOCPA5831
NAVYCPA5862
TEALCPA5870
FORESTCPA5828
CARDINALCPA5818
SUNSETCPA5804
DRIFTWOODCPA5817
LT. BEIGECPA5814
SANDCPA5838
COCOA


HydroMat Collection by Dorsett




Hydro Mat Style 204

Hydro Mat is a superior woven vinyl designed with long wearing performance qualities. Suited for both indoor and outdoor spaces. Some of the woven vinyl features include Ultra-Violet stable, phthalate free, and anti-microbial promoting no mold or mildew growth. The backing system consisting of a light weight high-density compact cushion felt, which contributes to the products durability creating stability and crush resistance. Water, Soil and Stain resistant and easy to clean. The woven vinyl is offered in 8'6" width.

Weave	Color	Item ID
Basket Weave	Latte	HY204-B005
Basket Weave	Granite	HY204-B007
Camo	Camo	HY204-C010
Elegante	Caramel	HY204-E054
Elegante	Sisal	HY204-E058
Elegante	Earth	HY204-E065
Premier	Premier Teak Buff	HY204-P073
Premier	Premier Buff	HY204-P075
Premier	Premier Vapor	HY204-P076
Premier	Premier Stone	HY204-P077
Premier	Premier Tusk	HY204-P078
Seaweed	Cord	HY204-S084



Cord



Earth




Caramel




Sisal




Latte




Granite




Premier Stone




Premier Vapor



Premier Buff



Premier Tusk




Premier Teak Buff




Camo

NAUTEX PVC



OCEANIC 613

COVERMASTER DUO 672

Item Numbers
VN613 SeriesItem Numbers
VN672 Series

CLEAN & CARE



TECHNICAL DATA

697

672

613

Norm

	PES 280 dtex	PES 280 dtex	PES 1100 dtex	DIN 60 001
	8.8 oz./sqyd. 300 g/m ²	12.3 oz./sqyd. 420 g/m ²	14.1 oz./sqyd. 480 g/m ²	DINEN ISO 2286-2
warp: 330 lbs/2 in. 150 daN/5 cm	warp: 330 lbs/2 in. 150 daN/5 cm	warp: 650 lbs/2 in. 290 daN/5 cm	warp: 585 lbs/2 in. 260 daN/5 cm	DINEN ISO 1421
weft: 330 lbs/2 in. 150 daN/5 cm	weft: 330 lbs/2 in. 150 daN/5 cm			
			>1000mm; PVC	DINEN ISO 811
	PVC one-sided	PVC double-sided	PVC one-sided	
	0.1 in. 0.27mm	0.1 in. 0.30mm	0.2 in. 0.44mm	DIN EN ISO 5084
	80.7 in. 205cm	80.7 in. 205cm	80.7 in. 205cm	

Sattler's Nautex Coated Vinyl line includes Oceanic 613, Covermaster 697 and Covermaster Duo. Oceanic is PVC-coated and treated to offer protection against UV radiation and adverse weather conditions. Covermaster is PVC-coated on one side of a tightly woven polyester base fabric. Waterproof to more than 1,000mm, it is lightweight for easier handling.

Covermaster

- 81" Vinyl Boat Topping
- 5 Year Warranty
- 8.8 oz

Oceanic

- 81" Vinyl Boat Topping
- 5 Year Warranty
- 14 oz

Covermaster Duo - PVC coated on both sides

- 81" Vinyl Boat Topping
- 5 Year Warranty
- 12.3 oz

Two Edged Turned Binding

1" and 3/4" two edge turned binding available for white Covermaster.

Item Numbers:

BV697.75 121 - 3/4"

BV6971 121 - 1"

Item Numbers
VN697 Series

COVERMASTER 697



SPECIAL FEATURES





SATTLER 745 EVOLUTION


- PVC Coated Material:
- Matte Varnish to reduce glare
- 100% Waterproof
- Graphics Receptive

- Flame Retardant
- REACH Compliant
- 63" wide for ease of handling

Multi-Range Product Ideal for
Canopies, Tents, Tensile Umbrellas,
Shade Structures, Awnings, and
many more...

FABRIC SPECIFICATIONS


BASE FABRIC	DIN 60 001	HIGH TENACITY POLYESTER	TENSILE STRENGTH warp / weft	DIN EN ISO 1421	warp: 2600 N/ 5 cm weft: 2500 N / 5 cm
FLAME RETARDANCY	always check the validity of the fire certificate	ASTM E 84 - CLASS A NFPA 701 CALIFORNIA T-19 CAN/ULC-S109	TEAR RESISTANCE warp / weft	DIN 53 363	warp / weft: 250 N
WEIGHT	DIN EN ISO 2286-2	18.9 oz / sq.yd.	ADHESION	DIN EN ISO 2411	100 N / 5 cm



Whatever the Weather - Outdura Meets the Challenge

Sun, wind and rain are hard on outdoor fabric. Weather-ready Outdura is up to the challenge. Our 100 percent solution-dyed acrylic fabric will maintain its vibrancy and durability through years of use. Outdura marine fabrics are made to be highly water resistant while maintaining a high level of breathability and have the highest degree of abrasion resistance and fabric strength available in the market today. We back our marine fabric with a six-year full-value fabric-replacement warranty, no prorating ever. We use only 100% Dolan® solution dyed acrylic fiber. Solution dying is a unique process in which the pigment or dye is added, along with UV stabilizers, while the fiber is still in viscous form. This locks the color in so that it cannot be faded by the sun or even bleached out with chlorine bleach! Additionally, the UV stabilizers keep the sun from "dry rotting" the fabric. This is when a fabric, exposed to the sun will lose strength to the point it can literally "turn to dust". Solution-dyed acrylic is a natural at resisting stains and as a further enhancement we add stain release finishes making it even more stain resistant. Mildew is not a problem for Outdura either because acrylic will not support the growth of mildew.

SOLIDS 60"



6008 CADET GREY



6009 NATURAL WHITE

6034 SAND



6025 LINEN




6032 DESERT BEIGE



6050 STONE



6056 KONA



6076 GRAPHITE



6061 STORM GREY



6005 BLACK


Available in 80" width A6005-80

- 100% SOLUTION DYED ACRYLIC
- FADE RESISTANT
- MOLD & MILDEW RESISTANT
- BLEACH CLEANABLE
- BREATHABLE
- STAIN & WATER RESISTANT
- HIGH IN ABRASION

- 100 % TEJIDO ACRÍLICO TEÑIDO EN MASA
- RESISTENTE A LA DECOLORACIÓN
- RESISTENTE AL MOHO Y EL MILDEU
- SE PUEDE LIMPIAR CON LEJÍA
- TRANSPIRABLE
- RESISTENTE A LAS MANCHAS Y AL AGUA
- ALTO GRADO DE ABRASIÓN



6072 ARUBA



6064 CARIBBEAN BLUE



6051 ISLAND BLUE



6002 PACIFIC BLUE



6014 CATALINA BLUE



6074 MEDITERRANEAN TWEED



6077* FLASH BLUE



6041 CLASSIC ROYAL BLUE



6039 STEEL BLUE



6022 ROYAL NAVY



6003 CAPTAIN'S NAVY



6007 AQUAMARINE



6065 EMERALD




6001 FOREST GREEN



6023* DANDELION



6062* TANGERINE



6049* POTTERY



6035 TERRA COTTA



6004* BURGUNDY



6075* CRANBERRY RED



6078* CHERRY RED



6063* HIBISCUS




6045* CORAL

Item Numbers - A6000 Series





Also Available in 80" Width

Pacific Blue	6002-80
Captain's Navy	6003-80
Black	6005-80
Cadet Grey	6008-80



47" Sattler Awning Grade Acrylic



Big Sur - 100% Solution Dyed Acrylic Canvas



FACTS

Applications

47" ELEMENTS BLOCKSTRIPES
60" BIG SUR

	100 % PAN solution dyed	DIN 60 001
	9 oz/sq.yd.	DIN EN 12127
	Note: 100	DIN EN ISO 4920
	14.6"	DIN EN ISO 811
	L 1/1	DIN ISO 9354
	145 daN/1,96"	DIN EN ISO 13934-1
	100 daN/1,96"	DIN EN ISO 13934-1
	min. 7/8 "	DIN EN ISO 105-B04
	min. 4-5/5 "	
	Elements Blockstripes: 47" Big Sur: 60"	
	min. 7/8 "	DIN EN ISO 105-B02
	60" → Repeat: 7,4" 47" → Repeat: 7,87"	

Note: Subject to change in view of technical upgrades. Values indicated without tolerance levels are nominal values with a tolerance range of +5%.

All data presented here is given to the best of our current knowledge for guidance purposes and is not legally binding.

ELEMENTS
BLOCKSTRIPES 47"
BIG SUR 60"

60": 9616 DOWNTOWN GREY
47": 315 352 DOWNTOWN



60": 9610 CHECKER BOARD
47": 315 105 WILDLIFE




60": 9615 BOATHOUSE
47": 315 422 SURROUND




60": 9612 TRUE BLUE



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100



60": 9614 SUNNY
47": 315 052 CLARITY



60": 9613 CANDY CANE



60": 9617 ROSE PETAL



60": 9611 FOREVER GREEN
47": 315 420 BRANCH



60" Docril 9oz*Solid colors***Docril®**
solution dyed acrylic**Acrylic Canvas**

60" (153 cm)




Docril 00681 Dove White




Docril 00061 Persian Taupe



Docril 000085 Ivory



Docril 000086 Honey Wheat



Docril 00068 Sesame Beige



Docril 00079 Walnut



Docril 00113 Toffee Tweed



Docril 00005 Chocolate



Docril 00683 Logo Red



Docril 00035 Carmine



Docril 00060 Red Wine



Docril 00099 Red Tweed



Docril 00074 Brick



Docril 00004 Goldfish Orange



Docril 00003 Marigold Yellow



Docril 000328 Aruba



Docril 00682 Pacific Blue



Docril 00915 Cobalt Blue



Docril 00679 Pacific Tweed



Docril 00077 Royal Blue



Docril 00084 Dark Blue



Docril 00072 Forest Green



Docril 00041 Mist Grey



Docril 00067 Stone Grey



Docril 00098 Charcoal Grey



Docril 00677 Graphite Tweed



Docril 00680 Jet Black

**Item Numbers Canvas -
DL003 - DL915****APPLICATIONS**


Umbrella



Awning

Pergola
Vellum

Marine

CHARACTERISTICSComposition
Weight
Width
Roll size100% Solution dyed acrylic
Approximately 9.0 oz. per sq.yard
60" (153cm)
Approximately 65 yards

Docril 00677 Graphite Tweed

Item Numbers PC ST908 - PC ST994

Softouch is the perfect fabric for those looking for protection while also worried about damaging the painted, gel coated or other delicate surface on the underside. While regular fabrics can scratch these, Softouch will not, due to its soft backing. Utilizing our Odyssey fabric that is laminated to a special non-woven backer, Softouch provides the ultimate nonabrasive surface to cover and protect your possessions. In addition to the stock colors shown, Softouch can be made in virtually any custom color.

Performance and Luxury, Softouch

TECHNICAL DATA

Characteristic	SOFTOUCH™
Width, inches	60
Roll Size, yards	50
Weight, oz/yard ²	11.5
Tensile (lb/in), Warp x Fill	348 x 222
Tongue Tear (lb/in), Warp x Fill	36 x 30
Spray Rating	90+
3 Drop Rating (cm)	84
Warranty Period (years)	3
Breathability (g/m ² /24 hr.)	90
Shrinkage (%), Warp x Fill	0 x 0
Stretch (%), Warp x Fill	0 x 0

SOFTOUCH APPLICATIONS

- TV Covers
- Monitor Covers
- Cockpit Covers
- Motor Covers
- BBQ Grill Covers
- Outdoor Kitchen Covers
- Airplane Wing Covers
- Aircraft Covers
- Car Covers
- Wood Boat Covers
- Antique Covers
- Gel Coated Boat Covers
- GPS/Instrument Covers
- Machinery/Equipment Covers
- Teak/Outdoor Furniture Covers
- Pool Table Covers
- Glass Table Covers

Softouch™



* Premium Color, subject to change

Odyssey

Acrylic Coated Polyester



Marlen Textiles

Odyssey is an acrylic coated, 100% woven polyester fabric (300 denier) with a clear backcoat. As the flagship product in the Odyssey family of economical coated fabrics, it is characterized by excellent strength, durability, tear and abrasion resistance, dimensional stability, UV and mildew resistance at an economical price point. Odyssey is a light weight fabric that provides long lasting durability without the higher cost and weight of heavier fabrics. Odyssey can be used for outdoor applications such as marine tops, trailer covers, gazebos, canopies, tarps, playground equipment covers, BBQ grill covers, patio furniture covers, stools, cots, luggage, bags, and many other useful applications.

Odyssey, great value at a great price.

ODYSSEY TECHNICAL DATA

Characteristic	TOP NOTCH™	TOP NOTCH 9™	TOP NOTCH 15™	TOP GUN™	TOP GUN 9™	TOP GUN 15™	ODYSSEY™
Width, inches	60	60 & 2 meters*	60	62 & 2 meters*	62	60	64
Roll Size, yards	50	50	50	50	50	50	75
Weight, oz/yard ²	11.5	9.0	7.5	11.5	9.0	9.0	6.5
Tensile (lb/in), Warp x Fill	500+ x 305	500+ x 300	320 x 255	500+ x 388	360 x 250	480 x 340	297 x 220
Tongue Tear (lb/in), Warp x Fill	46 x 38	30 x 22	29 x 25	43 x 32	30 x 29	38 x 30	22 x 20
Spray Rating	100	100	100	90+	90+	90+	90+
3 Drop Rating (cm)	36	40	82	76	71	76	51
Warranty Period (years)	5	5	3	5	4	5	3
Breathability (g/m ² /24 hr.)	645	700	260	116	100	180	87
Shrinkage (%), Warp x Fill	0 x 0	0 x 0	<1 x 0	0 x <1	0 x 0	0 x 0	0 x <1
Stretch (%), Warp x Fill	0 x 0	0 x 0	<1 x <1.5	0 x 0	0 x <1	<1 x <1	0 x <1

Item Numbers PC O449 Series

* Premium Color, subject to change



TOP NOTCH[®] 1S


Solution Dyed Polyester



694 Caribbean Blue




615 Cappuccino



642 Tan




633 Captain Navy*



648 Silver Gray



649 Black



680 Pacific Blue*




674 Navy*



683 Red*



688 Forest Green



692 Charcoal



696 Burgundy*



687 White

Marlen Textiles

* Premium Color, subject to change



Item Numbers PC TN1S Series

TOP NOTCH[®] 1S

Top Notch 1S is a 100% solution dyed polyester fabric (600 denier) with a clear backcoat. As part of the Top Notch family of premium solution dyed fabrics, it will provide exceptional colorfastness. It is characterized by excellent strength, durability, water resistance, tear resistance, abrasion resistance, dimensional stability, UV resistance and mildew resistance. Top Notch 1S is truly an all purpose fabric that can be used for many outdoor applications such as marine tops and covers, gazebos, playground equipment covers, canopies, tarps, BBQ grill covers, patio furniture covers and many other useful applications.

Top Notch 1S, the all purpose choice.

TECHNICAL DATA

Characteristic	TOP NOTCH [®]	TOP NOTCH 9 [®]	TOP NOTCH 1S [®]	TOP GUN [®]	TOP GUN 9 [®]	TOP GUN 1S [®]	ODYSSEY [®]
Width, inches	60	60	60	62 & 2 meters*	62	60	64
Roll Size, yards	50	50	50	50	50	50	75
Weight, oz/yard ²	11.5	9.0	7.5	11.5	9.0	9.0	6.5
Tensile (lbf), Warp x Fill	500+ x 460	500+ x 300	320 x 255	500+ x 388	360 x 250	480 x 340	297 x 220
Tongue Tear (lbf), Warp x Fill	46 x 38	30 x 22	29 x 25	40 x 32	30 x 29	38 x 30	22 x 20
Spray Rating	100	100	100	90+	90+	90+	90+
3 Drop Rating (cm)	36	40	82	76	71	76	51
Warranty Period (years)	8	8	5	5	4	5	3
Breathability (g/m ² /24 hr.)	645	700	260	116	100	180	87
Shrinkage (%), Warp x Fill	0 x 0	0 x 0	<1 x 0	0 x <1	0 x 0	0 x 0	0 x <1
Stretch (%), Warp x Fill	<1 x <1	<1 x <1	<1 x <1.5	<1 x <1	<1 x <1	<1 x <1	<1 x <1



*Select Colors

Item Numbers PC TN Series

Top Notch 9 is a 100% solution dyed polyester fabric with a fluorocarbon finish. Because it performs like no other solution dyed fabric on the market, now you don't have to choose between weight, strength, abrasion resistance, breathability, colorfastness, and water resistance. As part of the Top Notch family of premium solution dyed fabrics, it will provide exceptional colorfastness. In a common 9 ounce weight, Top Notch 9 is more breathable than other solution dyed fabrics while still being more water resistant. Also, you get the superior strength and durability you have come to know from Marlen Textiles fabrics. Top Notch 9 can be used for many outdoor applications such as marine tops and covers, awnings, gazebos, canopies or anywhere a strong, breathable, UV resistant fabric is needed.

Top Notch 9, bringing a new "light" to solution dyed fabrics.

TECHNICAL DATA

TOP NOTCH[®] 9

Characteristic	TOP NOTCH™	TOP NOTCH 9™	TOP NOTCH 15™	TOP GUN™	TOP GUN 9™	TOP GUN 15™	ODYSSEY™
Width, inches	60	60 & 2 meters*	60	62 & 2 meters*	62	60	64
Roll Size, yards	50	50	50	50	50	50	75
Weight, oz/yard ²	11.5	9.0	7.5	11.5	9.0	9.0	6.5
Tensile (lb/in), Warp x Fill	500+ x 305	500+ x 300	320 x 255	500+ x 388	360 x 250	480 x 340	297 x 220
Tongue Tear (lb/in), Warp x Fill	46 x 38	30 x 22	29 x 25	43 x 32	30 x 29	38 x 30	22 x 20
Spray Rating	100	100	100	90+	90+	90+	90+
3 Drop Rating (cm)	36	40	82	76	71	76	51
Warranty Period (years)	5	5	3	5	4	5	3
Breathability (g/m ² /24 hr.)	645	700	260	116	100	180	87
Shrinkage (%), Warp x Fill	0 x 0	0 x 0	<1 x 0	0 x <1	0 x 0	0 x 0	0 x <1
Stretch (%), Warp x Fill	0 x 0	0 x 0	<1 x <1.5	0 x 0	0 x <1	<1 x <1	0 x <1

TOP NOTCH[®] 9

Solution Dyed Polyester

**TOP NOTCH[®] FR**

Solution Dyed Flame Retardant Polyester

**Marlen Textiles**

Top Notch FR is a solution dyed polyester flame retardant fabric. Utilizing a proprietary coating on the underside, Top Notch FR will provide unparalleled flame resistance, water resistance, and tear resistance, all while not stretching, shrinking, or sagging. Top Notch FR meets most known flame retardant specifications, both initial and leaching. That means that unlike other fabrics, you don't have to worry about still meeting a flame specification after it has been exposed to the elements. As part of the Top Notch family of premium solution dyed fabrics, it will provide exceptional colorfastness. Top Notch FR is perfect for awnings, tents, gazebos, canopies, or any application requiring colorfastness and flame resistance.

Top Notch FR, the fabric that is a big hit.

TECHNICAL DATA

TOP NOTCH[®] FR

Characteristic	TOP NOTCH FR™	TOP GUN FR™	ODYSSEY FR™	ODYSSEY OPEN™
Width, inches	60	62	64	64
Roll Size, yards	50	45	100	100
Weight, oz/yard ²	10.0	13.0	7.25	5.75
Tensile (lb/in), Warp x Fill	430 x 330	498 x 380	300 x 240	300 x 215
Tongue Tear (lb/in), Warp x Fill	30 x 23	25 x 18	12 x 12	14.5 x 12
Spray Rating	90+	90+	90+	80
3 Drop Rating (cm)	95	84	21	n/a
Warranty* Period (years)	5	5	3	3
Shrinkage (%), Warp x Fill	<1 x 0	0 x <1	0 x <1	<1 x <1.25
Stretch (%), Warp x Fill	<1 x <1	0 x 0	0 x <1.25	<1 x <1.5
Flame Retardant Specification				
MVSS-302	X	X	X	X
NFPA 701	X	X	X	
California State Fire Marshall	X	X		
CPAI 84	X	X	X	
CAN/ULC-S109-03	X	X	X	

Marlen Textiles

Item Numbers PC TNFR Series

Item Numbers PC TGFR Series

Top Gun FR is an acrylic coated, 100% woven flame retardant polyester fabric (600 denier) utilizing a proprietary formula and process to coat the top and bottom, allowing the fabric to be completely reversible. Top Gun FR meets most known flame retardant specifications, both initial and leaching. That means that unlike other fabrics, you don't have to worry about still meeting a flame specification after it has been exposed to the elements. As the part of the Top Gun family of premium coated fabrics, it is characterized by excellent strength, durability, tear and abrasion resistance, dimensional stability, UV and mildew resistance, making Top Gun FR the ultimate flame retardant coated fabric. Top Gun FR is perfect for awnings, tents, gazebos, canopies or any application requiring colorfastness and flame resistance.

Top Gun FR, a hot alternative in flame retardant fabrics.

TECHNICAL DATA



Characteristic	TOP NOTCH FR™	TOP GUN FR™	ODYSSEY FR™	ODYSSEY OPEN™
Width, inches	60	62	64	64
Roll Size, yards	50	45	100	100
Weight, oz/yard ²	10.0	13.0	7.25	5.75
Tensile (lb/in), Warp x Fill	380 x 300	498 x 380	300 x 240	300 x 215
Tongue Tear (lb/in), Warp x Fill	22 x 20	25 x 18	12 x 12	14.5 x 12
Spray Rating	90+	90+	90+	80
3 Drop Rating (cm)	86	70	21	n/a
Warranty* Period (years)	5	5	3	3
Shrinkage (%), Warp x Fill	<1 x 0	0 x <1	0 x <1	<1 x <1.25
Stretch (%), Warp x Fill	<1 x <1	0 x 0	0 x <1.25	<1 x <1.5
Flame Retardant Specification				
MVSS-302	X	X	X	X
NFFA 701	X	X	X	
California State Fire Marshall	X	X		
CPAI 84	X	X	X	
CAN/ULC-S109-03	X	X	X	



Acrylic Coated Flame Retardant Polyester



Marlen Textiles



* Premium Color, subject to change



Top Gun is an acrylic coated, 100% woven polyester fabric (600 denier) utilizing a proprietary formula and process to coat the top and bottom, allowing the fabric to be completely reversible. As the flagship product in the Top Gun family of premium coated fabrics, it is characterized by excellent strength, durability, tear and abrasion resistance, dimensional stability, UV and mildew resistance, making Top Gun the ultimate coated fabric. Top Gun can be used for many outdoor applications such as marine tops, trailer covers, gazebos, canopies, tarps, playground equipment covers, BBQ grill covers, patio furniture, and many other useful applications.

Top Gun, often imitated, never duplicated.

TECHNICAL DATA



Characteristic	TOP NOTCH™	TOP NOTCH 9™	TOP NOTCH 15™	TOP GUN™	TOP GUN 9™	TOP GUN 15™	ODYSSEY™
Width, inches	60	60 & 2 meters*	60	62 & 2 meters*	62	60	64
Roll Size, yards	50	50	50	50	50	50	75
Weight, oz/yard ²	11.5	9.0	7.5	11.5	9.0	9.0	6.5
Tensile (lb/in), Warp x Fill	500+ x 305	500+ x 300	320 x 255	500+ x 388	360 x 250	480 x 340	297 x 220
Tongue Tear (lb/in), Warp x Fill	46 x 38	30 x 22	29 x 25	43 x 32	30 x 29	38 x 30	22 x 20
Spray Rating	100	100	100	90+	90+	90+	90+
3 Drop Rating (cm)	36	40	82	76	71	76	51
Warranty Period (years)	5	5	3	5	4	5	3
Breathability (g/m ² /24 hr)	645	700	260	116	100	180	87
Shrinkage (%), Warp x Fill	0 x 0	0 x 0	<1 x 0	0 x <1	0 x 0	0 x 0	0 x <1
Stretch (%), Warp x Fill	0 x 0	0 x 0	<1 x <1.5	0 x 0	0 x <1	<1 x <1	0 x <1

Item Numbers PC TG Series



* Premium Color, subject to change

The **CLEAR** Choice

**Superior Scratch-Resistant Clear Vinyl
for Marine Enclosure Systems**

STRATAGLASS® is the leading brand for flexible marine enclosure windows worldwide. From center consoles to mega yachts, STRATAGLASS is the flexible window product of choice used by discerning professional and recreational yacht owners, and has been for more than 20 years. Accept no imitations.

- STRATAGLASS offers a "No Worries" 2-year, performance based, limited warranty. Proper care and maintenance are required.
- STRATAGLASS features VueShield™ a highly engineered scratch resistant coating technology that enhances clear visibility and offers additional UV resistance to protect the boat, passengers and furnishings from the sun's harmful rays.
- Proprietary annealing processes give STRATAGLASS unsurpassed clarity, hardness, broad spectrum UV protection and resistance to environmental elements.
- STRATAGLASS is subject to a rigorous Quality Assurance Review. Every STRATAGLASS sheet delivers the Total Cost of Ownership to fabricators and end-users.
- STRATAGLASS is easy to fabricate, provides anti-glare and improves low light visibility, and is trouble free in use.
- CRYSTALCLEAR® uncoated press polished window sheets also have excellent clarity and marine use stability. Using the same proprietary manufacturing processes and Quality Assurance Review, CRYSTALCLEAR is dielectrically weldable and well suitable for marine or commercial window applications.
- Visit www.strataglass.com for care and maintenance and more product information.



STRATAGLASS is available through a worldwide network of authorized STRATAGLASS distribution partners. www.strataglass.com



STRATAGLASS
The **CLEAR** Choice

Sheet Size: 54 x 110 inches 1371 x 2794 mm Thickness: 30 mil Color: Clear	Sheet Size: 54 x 110 inches 1371 x 2794 mm Thickness: 40 mil Color: Clear
---	---

CRYSTALCLEAR

Sheet Size: 54 x 110 inches 1371 x 2794 mm Thickness: 30 mil Color: Clear	Sheet Size: 54 x 110 inches 1371 x 2794 mm Thickness: 40 mil Color: Clear
---	---

Sheet Size: 54 x 110 inches 1371 x 2794 mm Thickness: 60 mil Color: Clear	Sheet Size: 54 x 110 inches 1371 x 2794 mm Thickness: 40 mil Color: Light Smoke
---	---

Be sure to specify STRATAGLASS® or CRYSTALCLEAR® on your next project. To find an Authorized Distributor please call 800-581-5801 or visit online at www.strataglass.com

O'Sea® & Regalite®



Marine



Awning



Automotive

O'Sea® and Regalite® Firma

Specifically formulated for those who desire a stiffer hand, Firma sheets are harder and less flexible than standard Regalite® and O'Sea®.

Formulado específicamente para aquellos que prefieren menos flexibilidad en las láminas, Regalite® Firma es menos flexible que Regalite tradicional y O'Sea®.



O'Sea® & Regalite® Firma

Color / Color	Clear
Thickness/Espesores	.040"




Awning

Regalite® Fenestra

Great for patios, sunrooms, restaurant enclosures and signage: the clearest choice for outdoor enclosure projects. Fenestra meets CAL Title 19 Section 1237 (small scale) and FMVSS 302 and CA 117 E flame standards.

Perfecto para patios, solárium, restaurantes, es realmente la opción más clara para proyectos al aire libre. Fenestra cumple con los estándares CAL Title 19 Section 1237 (small scale); FMVSS302 y CA117 contra llamas.



Regalite® Fenestra

Color / Color	Clear
Thickness/Espesores	.020"

Continental

The Future in Motion

Press Polished Sheets

O'Sea®

Technical Properties

Size (w x l):	54" x 110"
Composition:	100% polyvinyl chloride, coated
Thicknesses:	.030", .040", .060", .080"

Regalite®

Technical Properties

Size (w x l):	24" x 54", 29" x 62", 29" x 68", 54" x 110"
Composition:	100% polyvinyl chloride
Thicknesses:	.020", .030", .040", .060", .080"

Specifications

FR

Width	61"	61"
Weight	18.5 oz/ square yard	18 oz/ square yard
Roll Size	50 yards	50 yards
Cold Crack (Fed. Method 5874)	-40°F	-40°F
Grab Tensile (ASTM D5035)	444 x 441 lbs.	274 x 307 lbs.
Adhesion (ASTM D2724)	18 lbs.	18 lbs.
Tongue Tear (ASTM D2261)	81 x 83 lbs.	116 x 104 lbs.
Fire Retardant	N/A	NFPA 701 Method 1

Product Features

Waterproof: Provides complete protection against water, ensuring longevity and reliability in all weather conditions.

High Tensile Strength: Extremely strong and durable, suitable for heavy-duty applications.

Easy to Fabricate: Can be easily worked with and does not require sewing when used with a vinyl-to-vinyl adhesive.

Versatile: Ideal for truck tarps, industrial curtains, gymnasium pads, equipment covers, and more.

Multi-Fabrication Versatility: Can be fabricated via sewing, gluing, or welding

Tuff Stuff II



GOING THE EXTRA YARD



TST1871 Navy

TST1872 Tan

TST1862 Gray

TST1867 White

TST1866 Royal Blue



TST1865 Red

TST1865FR
Red Fire Retardant

TST1868 Yellow



TST1863 Green



TST1861 Black

TST1861FR
Black Fire Retardant

Decorative Nails

Sample Boards available for a small charge. Many basic and popular nails in stock. Most of these nails are non-stock but can be ordered. Call for pricing and availability.

Finish													
01	37	03	12	21	06	46	08	38	33	44	10	41	
5/0	0	610	630	650	660	670	1009	1670H	1043	6E	6	12H	
13	13	14	22	14	12	08	03	12	03	19	13	44	
547A	507D	500D	501F	5701	1054	1052	1050	1050	499				
14	16	14	16	11	01	03	01	01	06				
1193A	1191A	1505M	1504M	1497	1500	1037	503	504					
12	17	08	24	11	14	17	12	22					
9H	20H	9HS	1533	548W	549WH	SF2574	550S	549M	547X	508A	506A	1560	
11	11	11	11	11	11	11	11	11	08	14	08	09	
1499H	1501H	SF2572	SF2612	506U	506N	504/0	564N	190D					
14	08	08	14	14	08	11	11	08					
Chair Glides				Panel Nails				Leatherimitation Nails					
¾" Ø	¾" Ø	½" Ø	¾" Ø	¾" Ø	545WH	544M	52H						
05	13	13	13 with rubber	05	14	08	11						
Special Nails				Leatherimitation Nails									
1051	1053	Indian Head	Buffalo	210	210	210	210						
11	11	16	24	Black	White	Brown	Red						

Action Gimp

Style 9940 Scroll Gimp

36 yard bolts/sleeves

G AX01 WHITE



G AX03 NATURAL

G AX74 ECRU

G AX72 SAND

G AX76 BIEGE

G AX40 ICE BLUE

G AX93 MED BLUE

G AX91 DENIM BLUE

G AX07 ROYAL

G AX08 NAVY

G AX83 MIST

G AX86 MOSS

G AX15 APPLE

G AX75 LODEN

G AX16 DK GREEN

G AX27 EMERALD

G AX85 CHESTNUT

G AX37 TEAL



G AX11 TAN

G AX84 TAUPE

G AX22 COFFEE

G AX62 MED BROWN

G AX21 SILVER GREY

G AX92 MED GREY

G AX30 DARK GREY

G AX24 TURQUOISE

G AX88 MUSTARD

G AX34 OLD GOLD

G AX13 GOLDENROD

G AX20 RUST

G AX10 ORANGE

G AX73 BURGUNDY

G AX02 BLACK

G AX70 SLATE BLUE

G AX25 WINE

G AX90 MIXED GREY

1-800-329-0532

941-954-0532

Texting# 941-234-9788

ORDERS@ACTIONUP.COM



Action Upholstery Supply
2227 72nd Avenue East
Sarasota FL 34243

NEW COLLECTION

8th Edition

CATALOG

INDEX

G

GENERAL
1-55

F

FURNITURE
56-68

M

MARINE
69-88

A

AUTOMOTIVE
89-92

D

DRAPERY
93-94

ACTIONUP.COM

- Online Ordering
- Up-To-Date Pricing
- Promotional Offers
- Check Past Purchases
- View Transaction History
- Browse Our Catalog
- New Products
- Product Information

Catalog Created by *Rob Conroy*
& company

